

Date of	compilation: 04/01/2019	Revised: 09/12/2021	Version: 4 (Replaced 3)
SEC	TION 1: IDENTIFICATIO	ON OF THE SUBSTANC	CE/MIXTURE AND OF THE COMPANY/UNDERTAKING
1.1	Product identifier:	Mediclean 11	2 Shine
	Other means of identification	ition:	
	Non-applicable		
1.2	Relevant identified uses	of the substance or mixtur	re and uses advised against:
	Relevant uses: Product for	protecting floors. For profes	sional users only.
	Uses advised against: All u	uses not specified in this sec	tion or in section 7.3
1.3	Details of the supplier of	the safety data sheet:	
	MEDISEPT Sp. z o.o. ul. Ludwika Spiessa 4 20-270 Lublin - lubelskie - Phone: +48 81 535 22 76 p.brewczak@medisept.pl https://medisept.pl/	Polska	
1.4	Emergency telephone nu	imber: +48 81 535 22 92 a 112 (general emerg	t time: 8.00 a.m. – 4.00. p.m. ency number)
SEC	TION 2: HAZARDS IDE	NTIFICATION	
2.1	Classification of the subs	stance or mixture:	

CLP Regulation (EC) No 1272/2008:

The product is not classified as hazardous according to CLP Regulation (EC) No 1272/2008.

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Hazard statements:

Non-applicable

Precautionary statements:

Non-applicable

Supplementary information:

EUH208: Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), Triisobutyl phosphate. May produce an allergic reaction.

EUH210: Safety data sheet available on request.

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria Endocrine-disrupting properties: The product fails to meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Aqueous mixture composed of waxes, preservatives, perfume, plasticizers, dispersion polymers, solubilizer and tensoactives

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

Identification	Chemical name/Classification			Concentration
	Ethanediol ¹		Self-classified	
EC: 203-473-3 Index: 603-027-00-1 REACH: 01-2119456816-28- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; STOT RE 2: H373 - Warning	(!) 🚯	1 - <2.5 %

¹ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878



Date of compilation: 04/01/2019

Revised: 09/12/2021

21 Version: 4 (Replaced 3)

TION 3: COMPOSITIC	N/INFORMATIC	ON ON INGREDIENTS (continued)	
Identification		Chemical name/Classification	Concentration
CAS: 126-71-6 EC: 204-798-3	Triisobutyl phosphate	Self-classifi	ed
Index: Non-applicable REACH: 01-2119957118-32- XXXX	Regulation 1272/2008	Skin Sens. 1: H317 - Warning	<1 %
EC: Non-applicable	reaction mass of 5-ch (3:1) ¹	loro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one ATP ATP13	
Index: 613-167-00-5 REACH: Non-applicable	613-167-00-5 Acute Tox. 2: H310+H330; Acute Tox. 3: H301; Aquatic Acute 1: H400; Aquatic 1: Non-applicable Regulation 1272/2008 Acute Tox. 2: H310+H330; Acute Tox. 3: H301; Aquatic Acute 1: H400; Aquatic 1: Non-applicable Regulation 1272/2008 Acute Tox. 2: H310+H330; Acute Tox. 3: H301; Aquatic Acute 1: H400; Aquatic 1: Non-applicable Regulation 1272/2008 Acute Tox. 1: H410; Eye Dam. 1: H318; Skin Corr. 1C: H314; Skin Sens. 1A: H317; EUH071 - Danger	Chronic 1: H410; Eye Dam. 1: H318; Skin Corr. 1C: H314; Skin Sens. 1A: H317; 🛛 🛞 谷 🤇	<1 %

¹ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

Identification	M-factor				
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothia	azol-3-one (3:1)	Acute	100		
CAS: 55965-84-9 EC: Non-applicable		Chronic	100		
Identification Specific concentration limit					
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H- isothiazol-3-one (3:1) CAS: 55965-84-9 EC: Non-applicable	% (w/w) >=0.6: Skin Corr. 1C 0.06<= % (w/w) <0.6: Skin Ir % (w/w) >=0.6: Eye Dam. 1 0.06<= % (w/w) <0.6: Eye Irr % (w/w) >=0.0015: Skin Sen	rit. 2 - H315 · H318 it. 2 - H319			

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:



Date of compilation: 04/01/2019

Version: 4 (Replaced 3)

SECTION 5: FIREFIGHTING MEASURES (continued)

Revised: 09/12/2021

Non-applicable

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

Avoid spillage into the aquatic environment as it contains substances potentially dangerous for this. Contain the product absorbed in hermetically sealed containers. In the case of serious spillage into the aquatic environment notify the relevant authority.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.:	5 °C
Maximum Temp.:	25 °C
Maximum time:	42 Months



Date of compilation: 04/01/2019

Revised: 09/12/2021 Version: 4 (Replaced 3)

SECTION 7: HANDLING AND STORAGE (continued)

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

Identification	Occupa	ational exposure li	mits
Ethanediol	IOELV (8h)	20 ppm	52 mg/m ³
CAS: 107-21-1 EC: 203-473-3	IOELV (STEL)	40 ppm	104 mg/m ³

DNEL (Workers):

		Short e	xposure	Long e	xposure
Identification		Systemic	Local	Systemic	Local
Ethanediol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 107-21-1	Dermal	Non-applicable	Non-applicable	106 mg/kg	Non-applicable
EC: 203-473-3	Inhalation	Non-applicable	Non-applicable	Non-applicable	35 mg/m ³
Triisobutyl phosphate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 126-71-6	Dermal	Non-applicable	Non-applicable	4,25 mg/kg	Non-applicable
EC: 204-798-3	Inhalation	Non-applicable	Non-applicable	Non-applicable	Non-applicable

DNEL (General population):

		Short e	xposure	Long e	xposure
Identification		Systemic	Local	Systemic	Local
Ethanediol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 107-21-1	Dermal	Non-applicable	Non-applicable	53 mg/kg	Non-applicable
EC: 203-473-3	Inhalation	Non-applicable	Non-applicable	Non-applicable	7 mg/m³
Triisobutyl phosphate	Oral	Non-applicable	Non-applicable	2,13 mg/kg	Non-applicable
CAS: 126-71-6	Dermal	Non-applicable	Non-applicable	2,13 mg/kg	Non-applicable
EC: 204-798-3	Inhalation	Non-applicable	Non-applicable	8,89 mg/m³	Non-applicable

PNEC:

Identification				
Ethanediol	STP	199,5 mg/L	Fresh water	10 mg/L
CAS: 107-21-1	Soil	1,53 mg/kg	Marine water	1 mg/L
EC: 203-473-3	Intermittent	10 mg/L	Sediment (Fresh water)	37 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	3,7 mg/kg
Triisobutyl phosphate	STP	3,72 mg/L	Fresh water	0,014 mg/L
CAS: 126-71-6	Soil	0,426 mg/kg	Marine water	0,001 mg/L
EC: 204-798-3	Intermittent	0,143 mg/L	Sediment (Fresh water)	2,05 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,205 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

Product safety information sheet according to REACH (article 32)



Mediclean 112 Shine

Date of c	compilation: 04/01/2019 R	evised: 09/12/2021	Version: 4 (Replaced 3)
SEC	TION 8: EXPOSURE CONT	ROLS/PERSONAL F	PROTECTION (continued)
	The use of protection equip	ment will be necessary if	a mist forms or if the occupational exposure limits are exceeded.
	C Specific protection for the ha	ands	
	Non-applicable		
	D Eye and face protection		
	Non-applicable		
	E Body protection		
	Non-applicable		
	F Additional emergency meas	ures	
	It is not necessary to take a	dditional emergency mea	asures.
	Environmental exposure con	trols:	
			tection of the environment it is recommended to avoid environmental onal information see subsection 7.1.D
	With regard to Directive 2010/7	5/EU, this product has th	e following characteristics:
	V.O.C. (Supply):	0 % weight	
	V.O.C. density at 20 °C:	0 kg/m³ (0 g/L)	
	Average carbon number:	Non-applicable	
	Average molecular weight:	Non-applicable	
SEC	TION 9: PHYSICAL AND CI	HEMICAL PROPERT	TIES **
9.1	Information on basic physica	l and chemical properti	ies:
	For complete information see the	e product datasheet.	
	Appearance:		
	Physical state at 20 °C:		Liquid
	Appearance:		Fluid
	Colour:		White
	Odour:		Characteristic
	Odour threshold:		Non-applicable *
	Volatility:		
	Boiling point at atmospheric pre	essure:	106 °C
	Vapour pressure at 20 °C:		2315 Pa
	Vapour pressure at 50 °C:		12195,34 Pa (12,2 kPa)
	Evaporation rate at 20 °C:		Non-applicable *
	Product description:		990 - 1010 kg/m³
	Density at 20 °C: Relative density at 20 °C:		1,037
	Dynamic viscosity at 20 °C:		Non-applicable *
	Kinematic viscosity at 20 °C:		Non-applicable *
	Kinematic viscosity at 20 °C:		Non-applicable *
	Concentration:		Non-applicable *
	pH:		6,5 - 8,5
	Vapour density at 20 °C:		Non-applicable *
	Partition coefficient n-octanol/w	ater 20 °C:	Non-applicable *
	*Not relevant due to the nature of the p		

** Changes with regards to the previous version



Date of	compilation: 04/01/2019 Revised: 09/12/2021	Version: 4 (Replaced 3)
SEC	TION 9: PHYSICAL AND CHEMICAL PROPER	RTIES ** (continued)
	Solubility in water at 20 °C:	Non-applicable *
	Solubility properties:	Water-soluble
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Flammability:	
	Flash Point:	104 °C
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	204 °C
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard classes	S:
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	Non-applicable *
	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *
	Other safety characteristics:	
	Surface tension at 20 °C:	Non-applicable *
	Refraction index:	Non-applicable *
	*Not relevant due to the nature of the product, not providing inform	nation property of its hazards.

** Changes with regards to the previous version

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
 Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION



Date of compilation: 04/01/2019 Revised: 09/12/2021

Version: 4 (Replaced 3) SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Information on hazard classes as defined in Regulation (EC) No 1272/2008: 11.1

The experimental information related to the toxicological properties of the product itself is not available

Contains glycols. It is recommended not to breathe the vapours for prolonged periods of time due to the possibility of effects that are hazardous to the health

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure: A- Ingestion (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.

Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
- Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.

IARC: Non-applicable

· Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3. Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	Acu	te toxicity	Genus
Ethanediol	LD50 oral	500 mg/kg (ATEi)	
CAS: 107-21-1	LD50 dermal	Non-applicable	
EC: 203-473-3	LC50 inhalation	Non-applicable	



Date of compilation: 04/01/2019

Revised: 09/12/2021

Version: 4 (Replaced 3)

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Identification	Acut	te toxicity	Genus
Triisobutyl phosphate	LD50 oral	4180 mg/kg	Rat
CAS: 126-71-6	LD50 dermal	Non-applicable	
EC: 204-798-3	LC50 inhalation	Non-applicable	
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	LD50 oral	64 mg/kg	Rat
CAS: 55965-84-9	LD50 dermal	87,12 mg/kg	Rabbit
EC: Non-applicable	LC50 inhalation	0,33 mg/L (4 h)	Rat

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

Non-applicable

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

Identification		Concentration	Species	Genus
Ethanediol	LC50	53000 mg/L (96 h)	Pimephales promelas	Fish
CAS: 107-21-1	EC50	51000 mg/L (48 h)	Daphnia magna	Crustacean
EC: 203-473-3	EC50	24000 mg/L (168 h)	Selenastrum capricornutum	Algae
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2- methyl-2H-isothiazol-3-one (3:1)	LC50	>0.1 - 1 mg/L (96 h)		Fish
CAS: 55965-84-9	EC50	>0.1 - 1 mg/L (48 h)		Crustacean
EC: Non-applicable	EC50	>0.1 - 1 mg/L (72 h)		Algae

12.2 Persistence and degradability:

Substance-specific information:

Identification	Degradability		Biodegradability	
Ethanediol	BOD5	0,47 g O2/g	Concentration	100 mg/L
CAS: 107-21-1	COD	1,29 g O2/g	Period	14 days
EC: 203-473-3	BOD5/COD	0,36	% Biodegradable	90 %

12.3 Bioaccumulative potential:

Substance-specific information:

Identification	Bioaccur	nulation potential
Ethanediol	BCF	10
CAS: 107-21-1	Pow Log	-1.36
EC: 203-473-3	Potential	Low

12.4 Mobility in soil:

Identification	Absorption/desorption		Volatility	
Ethanediol	Кос	0	Henry	1,327E-1 Pa·m³/mol
CAS: 107-21-1	Conclusion	Very High	Dry soil	No
EC: 203-473-3	Surface tension	4,989E-2 N/m (25 °C)	Moist soil	No

12.5 Results of PBT and vPvB assessment:


Product fails to meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

12.7 Other adverse effects:

Not described





Date of compilation: 04/01/2019 Revised: 09/12/2021

Version: 4 (Replaced 3)

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
20 01 30	detergents other than those mentioned in 20 01 29	Non dangerous

Type of waste (Regulation (EU) No 1357/2014):

Non-applicable

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2021 and RID 2021:

14.5Environmental hazards:No14.6Special precautions for user Special regulations: Tunnel restriction code: Physico-Chemical properties: Limited quantities:Non-applicable see section 9 Non-applicable14.7Maritime transport in bulk according to IMO instruments:Non-applicable14.7Maritime transport in bulk according to IMO instruments:Non-applicable14.7Maritime transport in bulk according to IMO instruments:Non-applicable14.7Maritime transport in bulk according to IMO instruments:Non-applicable14.1UN number or ID number: Labels:Non-applicable14.2UN proper shipping name: Labels:Non-applicable14.3Transport hazard class(es): Labels:Non-applicable14.4Packing group: Special regulations:Non-applicable14.5Marine pollutant: Special regulations:No14.6Special precautions for user Special regulations:Non-applicableEmS Codes: Physico-Chemical properties:see section 9	14.1 14.2 14.3 14.4	UN number or ID number: UN proper shipping name: Transport hazard class(es): Labels: Packing group:	Non-applicable Non-applicable Non-applicable Non-applicable Non-applicable					
Special regulations:Non-applicableTunnel restriction code:Non-applicablePhysico-Chemical properties:see section 9Limited quantities:Non-applicable14.7Maritime transport in bulk according to IMO instruments:Non-applicableTransport of dangerous goods by sea:Non-applicableWith regard to IMDG 40-20:Non-applicable14.1UN number or ID number:Non-applicable14.2UN proper shipping name:Non-applicable14.3Transport hazard class(es):Non-applicable14.4Packing group:Non-applicable14.5Marine pollutant:No14.6Special precautions for userNon-applicableEmS Codes:Physico-Chemical properties:see section 9	14.5							
Tunnel restriction code:Non-applicablePhysico-Chemical properties:see section 9Limited quantities:Non-applicable14.7Maritime transport in bulk according to IMO instruments:Non-applicableTransport of dangerous goods by sea:Non-applicableWith regard to IMDG 40-20:Non-applicable14.1UN number or ID number: Labels:Non-applicable14.3Transport hazard class(es): Labels:Non-applicable14.4Packing group: Special regulations:Non-applicable14.5Marine pollutant: Special regulations:Non-applicable14.6Special precautions for user Special regulations:Non-applicableEmS Codes: Physico-Chemical properties:see section 9	14.6	Special precautions for user						
according to IMO instruments: Transport of dangerous goods by sea: With regard to IMDG 40-20: 14.1 UN number or ID number: Non-applicable 14.2 UN proper shipping name: Non-applicable 14.3 Transport hazard class(es): Non-applicable 14.4 Packing group: Non-applicable 14.5 Marine pollutant: No 14.6 Special precautions for user Special regulations: Special regulations: Non-applicable EmS Codes: Physico-Chemical properties:		Tunnel restriction code: Physico-Chemical properties:	Non-applicable see section 9					
With regard to IMDG 40-20:14.1UN number or ID number:Non-applicable14.2UN proper shipping name:Non-applicable14.3Transport hazard class(es):Non-applicable14.4Packing group:Non-applicable14.5Marine pollutant:No14.6Special precautions for userNon-applicableEmS Codes:Physico-Chemical properties:see section 9	14.7	•	Non-applicable					
14.1UN number or ID number:Non-applicable14.2UN proper shipping name:Non-applicable14.3Transport hazard class(es):Non-applicable14.3Transport hazard class(es):Non-applicable14.4Packing group:Non-applicable14.5Marine pollutant:No14.6Special precautions for userNon-applicableEmS Codes:Physico-Chemical properties:see section 9	Transpor	t of dangerous goods by sea:						
14.2UN proper shipping name: Transport hazard class(es): Labels:Non-applicable Non-applicable14.3Transport hazard class(es): Labels:Non-applicable14.4Packing group: Marine pollutant:Non-applicable14.5Marine pollutant: Special precautions for user Special regulations:Non-applicableEmS Codes: Physico-Chemical properties:see section 9	With regard to IMDG 40-20:							
14.3Transport hazard class(es): Labels:Non-applicable Non-applicable14.4Packing group: Marine pollutant:Non-applicable14.5Marine pollutant: Special precautions for user Special regulations:Non-applicableEmS Codes: Physico-Chemical properties:see section 9	14.1	UN number or ID number:	Non-applicable					
Labels:Non-applicable14.4Packing group:Non-applicable14.5Marine pollutant:No14.6Special precautions for userNon-applicableSpecial regulations:Non-applicableEmS Codes:Physico-Chemical properties:see section 9		UN proper shipping name:						
14.4Packing group:Non-applicable14.5Marine pollutant:No14.6Special precautions for userSpecial regulations:Non-applicableEmS Codes:Physico-Chemical properties:see section 9	14.3	• • • • • •						
14.5Marine pollutant:No14.6Special precautions for userNon-applicableSpecial regulations:Non-applicableEmS Codes:Physico-Chemical properties:see section 9								
14.6 Special precautions for user Special regulations: Non-applicable EmS Codes: Physico-Chemical properties: see section 9								
Special regulations: Non-applicable EmS Codes: Physico-Chemical properties: see section 9		•	No					
EmS Codes: Physico-Chemical properties: see section 9	14.6	• •						
Physico-Chemical properties: see section 9			Non-applicable					
Limited quantities Non-applicable								
		•	Non-applicable					
Segregation group: Non-applicable								
14.7 Maritime transport in bulk Non-applicable according to IMO instruments:	14.7	Non-applicable						
Transport of dangerous goods by air:	Transpor	t of dangerous goods by air:						
With regard to IATA/ICAO 2023:	With rega	With regard to IATA/ICAO 2023:						



Date of compilation:	ate of compilation: 04/01/2019 Revised: 09/12/2021 Version: 4 (Replaced 3)					
SECTION 14:	SECTION 14: TRANSPORT INFORMATION (continued)					
14.1	UN number or ID number:	Non-applicable				
14.2	UN proper shipping name:	Non-applicable				
14.3	Transport hazard class(es):	Non-applicable				
	Labels:	Non-applicable				
14.4	Packing group:	Non-applicable				
14.5	Environmental hazards:	No				
14.6	Special precautions for user					
	Physico-Chemical properties:	see section 9				
14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable				

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains 1,2benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3 -one (3:1) (Product-type 2, 4, 6, 11, 12, 13) ; 1,2-benzisothiazol-3(2H)-one (Product-type 2, 6, 9, 11, 12, 13)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Regulation (EC) No 648/2004 on detergents:

In accordance with this regulation the product complies with the following:

The tensoactives contained in this mixture comply with the biodegradibility criteria stipulated in Regulation (EC) nº648/2004 on detergents. The information to prove this is available to the relevant authorities of the Member States and will be shown to them by direct request or the request of a detergent manufacturer.

Labelling for contents:

Component	Concentration interval
Phosphates	% (w/w) < 5
Non-ionic surfactants	% (w/w) < 5

Preservation agents: 1,2-benzisothiazol-3(2H)-one (BENZISOTHIAZOLINONE), reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (METHYLCHLOROISOTHIAZOLINONE / METHYLISOTHIAZOLINONE).

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc) :

Non-applicable

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products


- Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents

- Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII

- Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation)

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.





SECTION 16: OTHER INFORMATION Legislation related to safety data sheets: The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878). Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks: Information on basic physical and chemical properties (SECTION 9): • Flash Point Taxts of the legislative phrases mentioned in section 3: The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3 CLP Regulation (EC) No 1272/2008: Acute Tox. 2: H301-H330 - Flatt in contact with skin or if inhaled. Acute Tox. 2: H301-H330 - Flatt in contact with skin or if inhaled. Acute Tox. 4: H301 - Harmful if swallowed. Acute Tox. 4: H302 - Harmful if swallowed. Acute Tox. 4: H302 - Harmful if swallowed. Acute Tox. 4: H302 - Harmful if swallowed. Acute Tox. 4: H301 - Way toxic to aquatic life with long lasting effects. Eye Dam. 1: H318 - Causes serious eye damage. Skin Corn. 1: H31 - Causes serious eye damage. Skin Sens. 1: H317 - May cause an allergic skin reaction. STOT FR 2: H373 - May cause damage to organs through prolonged or repeated exposure (Oral). Classification procedure: Non-applicable Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://eu-ex.europa.eu http://eu-ex.europa.eu http://eu-ex.europa.eu DDD: International acrimetogeneous goods code IATA: International Ari Transport Association ICAO: Internationa	Legislation related to safety data sheets: The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878). Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks:: Information on basic physical and chemical properties (SECTION 9): · Flash Point Texts of the legislative phrases mentioned in section 3: The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3 CLP Regulation (EC) No 1272/2008: Acute Tox. 3: H301-H330 - Fatal in contact with skin or if inhaled. Acute Tox. 4: H302 - Harmful if swallowed. Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 1: H410 - Very toxic to aquatic life. Skin Corn 1C: H314 - Causes servere skin horms and eye damage. Skin Sens. 1: H317 - May cause an allergic skin reaction. Stor Create to training: Training is recommended to roder to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sou	Date of compilation: 04/01/2019	Revised: 09/12/2021	Version: 4 (Replaced 3)
The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878). Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.: Information on basic physical and chemical properties (SECTION 9): · Flash Point Texts of the legislative phrases mentioned in section 3: CLP Regulation (EC) No 1272/2008: Acute Tox. 2: H310-H330 - Flatal in contact with skin or if inhaled. Acute Tox. 3: H310-H330 - Flatal in contact with skin or if inhaled. Acute Tox. 3: H310-H330 - Flatal in contact with skin or if inhaled. Acute Tox. 4: H302 - Harmful if swallowed. Aquatic Acute 1: H410 - Very toxic to aquatic life. Aquatic Acute 1: H410 - Very toxic to aquatic life. Skin Corn: 1C: H414 - Gauses serious eye damage. Skin Sens. 1: H317 - May cause an allergic skin reaction. Skin Sens. 1: H317 - May cause an allergic skin reaction. Skin Sens. 1: H317 - May cause an allergic skin reaction. Skin Sens. 1: H317 - May cause an allergic skin reaction. Skin Sens. 1: H317 - May cause an allergic skin reaction. Skin Sens. 1: H317 - May cause an allergic skin reaction. Skin Sens. 1: H317 - May cause an allergic skin reaction. Skin Sens. 1: H317 - May cause an allergic skin reaction. Skin Sens. 1: H317 - May cause an allergic skin reaction. Skin Sens. 1: H317 - May cause an allergic skin reaction. Skin Sens. 1: H317 - May cause an allergic skin reaction. Skin Sens. 1: H317 - May cause an allergic skin reaction. Skin Sens. 1: H317 - May cause an allergic skin reaction. Skin Sens. 1: H317 - May cause an allergic skin reaction. Skin Sens. 1: H317 - May cause an allergic skin reaction. Skin Sens. 1: H317 - May cause an allergic skin reaction. Skin Sens. 1: H317 - May cause an allergic skin reaction. Skin Sens. 1: H317 - May cause an allergic skin reaction. Skin Sens. 1: H317 - May cause a	 The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878). Modifications rolated to the previous Safety Data Sheet which concerns the ways of managing risks: Information on basic physical and chemical properties (SECTION 9): Flash Point Texts of the legislative phrases mentioned in section 3: The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3 CLP Regulation (EC) No 1272/2006: Acute Tox. 3: H301-H330. Fatal in contact with skin or if inhaled. Acute Tox. 3: H301-H330. Fatal in contact with skin or if inhaled. Acute Tox. 4: H302 - Harmful if swallowed. Aquatic Chronic 1: H410 - Very toxic to aquatic life. Aquatic Chronic 1: H410 - Very toxic to aquatic life. Skin Corr. 1C: H317 - May cause an allergic skin reaction. Stin Sens. 1: H317 - May cause an allergic skin reaction. Stin Sens. 1: H317 - May cause an allergic skin reaction. Stin Sens. 1: H317 - May cause an allergic skin reaction. Stin Corr Carbier: Non-applicable Advice rolated to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://ecna.europa.eu http://ecna.europa.eu http://ecna.europa.eu MDR: International Air Transport Association ICO: Chemical Civil Aviation and engrous goods code IAT international Air Transport Association ICO: Chemical	SECTION 16: OTHER INFOR	RMATION	
Texts of the legislative phrases mentioned in section 3: The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3 CLP Regulation (EC) No 1272/2008: Acute Tox. 2: H310+H330 - Fatal in contact with skin or if inhaled. Acute Tox. 3: H310 + Toxic if swallowed. Aquatic Chronic 1: H410 - Very toxic to aquatic life. Aquatic Chronic 1: H410 - Very toxic to aquatic life. Aquatic Chronic 1: H410 - Very toxic to aquatic life. Aquatic Chronic 1: H410 - Very toxic to aquatic life. Aguatic Chronic 1: H410 - Very toxic to aquatic life. Skin Sens. 1: H317 - May causes an allergic skin reaction. Skin Sens. 1: H317 - May cause an allergic skin reaction. Strin Sens. 1: H317 - May cause an allergic skin reaction. Strin Sens 1: H317 - May cause an allergic skin reaction. Strin Sens. 1: H317 - May cause an allergic skin reaction. Strin Sens 1: B17 - May cause an allergic skin reaction. Strin Sens 1: B17 - May cause an allergic skin reaction. Strin Sens 1: B18 Cause Severe skin burns and eye damage. Non-applicable Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of t	Texts of the legislative phrases mentioned in section 3: The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3 CLP Regulation (EC) No 1272/2008: Acute Tox. 2: H310+H330 - Fatal in contact with skin or if inhaled. Acute Tox. 3: H301 - Toxic if swallowed. Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 1: H410 - Very toxic to aquatic life. Aquatic Chronic 1: H410 - Very toxic to aquatic life. Aquatic Chronic 1: H410 - Very toxic to aquatic life. Skin Corr. 1C: H314 - Causes serious eye damage. Skin Sens. 1: H317 - May cause an allergic skin reaction. Stor Sens. 1: H318 - Causes acuse an allergic skin reaction. Stor Sens Taxi Taxi To May cause an allergic skin reaction. Stor Sens. 1: H317 - May cause an allergic skin reaction. Stor Sens. 1: H317 - May cause an allergic skin reaction. Stor TRE 2: H373 - Kay cause an allergic skin reaction. Stor TRE 2: H373 - Kay cause an allergic skin reaction. Stor TRE 2: H373 - Kay cause an allergic skin reaction. Stor TRE 2: H373 - Kay cause an allergic skin reaction. Stor TRE 2: H373 - Kay cause an allergic skin reaction. Stor TRE 2: H373 - Kay cause an allergic skin reaction. Stor TRE 2: H373 - Kay cause an all	The SDS shall be supplied has been designed in accor (COMMISSION REGULATI Modifications related to th Information on basic physic	in an official language of th dance with ANNEX II-Guid ON (EU) 2020/878). ne previous Safety Data \$	de to the compilation of safety data sheets of Regulation (EC) No 1907/2006 Sheet which concerns the ways of managing risks.:
Acute Tox. 2: H310+H330 - Fatal in contact with skin or if inhaled. Acute Tox. 3: H301 - Toxic if swallowed. Acute Tox. 4: H302 - Harmful if swallowed. Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Acute 1: H410 - Very toxic to aquatic life with long lasting effects. Eye Dam. 1: H318 - Causes serious eye damage. Skin Corr. 1C: H314 - Causes serious eye damage. Skin Sens. 1: H317 - May cause an allergic skin reaction. STOT RE 2: H373 - May cause an allergic skin reaction. STOT RE 2: H373 - May cause an allergic skin reaction. Classification procedure: Non-applicable Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu http://eur-lex.europa.eu Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMDC: International maritime dangerous goods code IATA: International maritime dangerous goods code IATA: International Aritina Organisation COD: Chemical Oxygen Demand BOD5: Sday biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LC50: Lethal Dose 50 LC50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective co	Acute Tox. 2: H310+H330 - Fatal in contact with skin or if inhaled. Acute Tox. 3: H301 - Toxic if swallowed. Acute Tox. 4: H302 - Harmful if swallowed. Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Eye Dam. 1: H318 - Causes serious eye damage. Skin Corr. 1C: H314 - Causes serious eye damage. Skin Sens. 1: H317 - May cause an allergic skin reaction. Strin Sens. 1A: H317 - May cause an allergic skin reaction. STOT RE 2: H373 - May cause an allergic skin reaction. STOT RE 2: H373 - May cause an allergic skin reaction. Strin Sens. 1A: H317 - May cause an allergic skin reaction. STOT RE 2: H373 - May cause an allergic skin reaction. STOT RE 2: H373 - May cause an allergic skin reaction. STOT RE 2: H373 - May cause an allergic skin reaction. STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure (Oral). Classification procedure: Non-applicable Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://eur-lex.europa.eu Http://eur-lex.europa.eu Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMDC: International maritime dangerous goods code IATA: International Maritime dangerous goods	Texts of the legislative ph The phrases indicated do n individual components whic	ot refer to the product itsel h appear in section 3	
Eye Dam. 1: H318 - Causes serious eye damage. Skin Corr. 1C: H314 - Causes severe skin burns and eye damage. Skin Sens. 1: H317 - May cause an allergic skin reaction. Stin Sens. 1A: H317 - May cause an allergic skin reaction. STOT RE 2: H373 - May cause an allergic skin reaction. STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure (Oral). Classification procedure: Non-applicable Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu http://eur.lex.europa.eu Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Air Transport Association COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Effective concentration 50 EC50: Effective concentration 50 EC50: Effective concentration 50 LC50: Lethal Concentration 50	Eye Dam. 1: H318 - Causes serious eye damage. Skin Corr. 1C: H314 - Causes severe skin burns and eye damage. Skin Sens. 1: H317 - May cause an allergic skin reaction. Stin Sens. 1A: H317 - May cause an allergic skin reaction. STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure (Oral). Classification procedure: Non-applicable Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu http://echa.europa.eu http://echa.europa.eu MDR: European agreement concerning the international carriage of dangerous goods by road IMDG: International Maritime dangerous goods code IATA: International Cryapa Association ICAO: International Cryapa Association COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 EC50: Effective concentration 50 EC50: Lethal Concentration 50 LC50: Lethal Concentration 50	Acute Tox. 2: H310+H330 - Acute Tox. 3: H301 - Toxic Acute Tox. 4: H302 - Harmf	Fatal in contact with skin of if swallowed. ful if swallowed.	or if inhaled.
Non-applicable Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu http://echa.europa.eu Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 EC50: Effective concentration 50 LC50: Lethal Concentration 50 LC50: Effective concentration 50 <t< td=""><td>Non-applicable Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LDS0: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier</td><td>Aquatic Chronic 1: H410 - V Eye Dam. 1: H318 - Cause Skin Corr. 1C: H314 - Caus Skin Sens. 1: H317 - May Skin Sens. 1A: H317 - May STOT RE 2: H373 - May ca</td><td>Very toxic to aquatic life will s serious eye damage. ses severe skin burns and cause an allergic skin react cause an allergic skin rea huse damage to organs thr</td><td>eye damage. tion. ction.</td></t<>	Non-applicable Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LDS0: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier	Aquatic Chronic 1: H410 - V Eye Dam. 1: H318 - Cause Skin Corr. 1C: H314 - Caus Skin Sens. 1: H317 - May Skin Sens. 1A: H317 - May STOT RE 2: H373 - May ca	Very toxic to aquatic life will s serious eye damage. ses severe skin burns and cause an allergic skin react cause an allergic skin rea huse damage to organs thr	eye damage. tion. ction.
 interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu http://eur-lex.europa.eu Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LOgPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier 	interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu http://eur-lex.europa.eu Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Ethal Concentration 50 EC50: Effective concentration 50 LC50: Ethal Concentration 50 LC50: Cotanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier	Non-applicable		
http://echa.europa.eu http://eur-lex.europa.eu Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LOgPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier	http://echa.europa.eu http://eur-lex.europa.eu Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Dose 50 EC50: Effective concentration 50 EC50: Effective concentration 50 LOgPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier	interpretation of this safety	data sheet, as well as the l	
ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Dose 50 EC50: Effective concentration 50 EC50: Effective concentration 50 LOgPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier	ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Dose 50 EC50: Effective concentration 50 EC50: Effective concentration 50 LOgPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier	http://echa.europa.eu	sources:	
		ADR: European agreement IMDG: International maritim IATA: International Air Trans ICAO: International Civil Av COD: Chemical Oxygen De BOD5: 5day biochemical or BCF: Bioconcentration facto LD50: Lethal Dose 50 LC50: Lethal Concentration EC50: Effective concentrati LogPOW: Octanolwater par Koc: Partition coefficient of	concerning the internation le dangerous goods code sport Association lation Organisation mand cygen demand or 50 on 50 tition coefficient organic carbon	al carriage of dangerous goods by road

Product safety information sheet prepared in accordance with Article 32 of Regulation (EC) 1907/2006 (REACH); this document does not constitute a Safety Data Sheet under Article 31 of Regulation (EC) No. 1907/2006, as a Safety Data Sheet is not mandatory for this product The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information contained a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.