This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-**MEDISEPT** 

## specific legislation

### Mediclean 201 Indust

Date of	compilation: 30/07/2019	Revised: 09/12/2021	Version: 6 (Replaced 5)
SEC	TION 1: IDENTIFICATIC	N OF THE SUBSTAN	CE/MIXTURE AND OF THE COMPANY/UNDERTAKING
1.1	Product identifier:	Mediclean 2	201 Indust
	Other means of identifica	tion:	
	Non-applicable		
1.2	Relevant identified uses of	of the substance or mixtu	ire and uses advised against:
	Relevant uses: Floor cleane	er. For professional users o	only.
	Uses advised against: All u	ses not specified in this se	ction or in section 7.3
1.3	Details of the supplier of	the safety data sheet:	
	MEDISEPT Sp. z o.o. ul. Ludwika Spiessa 4 20-270 Lublin - lubelskie - F Phone: +48 81 535 22 76 p.brewczak@medisept.pl https://medisept.pl/	Polska	
1.4	Emergency telephone nu	mber: +48 81 535 22 92 a 112 (general emerg	at time: 8.00 a.m. – 4.00. p.m. gency number)

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture:

### CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Eye Dam. 1: Serious eye damage, Category 1, H318 Skin Corr. 1: Skin corrosion, Category 1, H314

#### 2.2 Label elements:

### CLP Regulation (EC) No 1272/2008:



### Hazard statements:

Skin Corr. 1: H314 - Causes severe skin burns and eye damage.

### Precautionary statements:

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P264: Wash hands thoroughly after handling

P280: Wear protective gloves/protective clothing/eye protection/protective footwear.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a poison center/doctor.

## Substances that contribute to the classification

sodium hydroxide; Alcohol ethoxylated (C9-C11) (6 EO); Sodium etasulfate; tetrasodium ethylene diamine tetraacetate

#### 2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

Endocrine-disrupting properties: The product fails to meet the criteria.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substance:

Non-applicable

#### 3.2 Mixture:

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-

specific legislation

## Mediclean 201 Indust

**MEDISEPT** 

### Date of compilation: 30/07/2019

Version: 6 (Replaced 5)

## Revised: 09/12/2021 SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

## Chemical description: Mixture composed of anionic and non-ionic surfactants

### Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification		Concentration	
CAS: EC:	112-34-5 203-961-6	2-(2-butoxyethoxy)eth	2-(2-butoxyethoxy)ethanol 1 ATP CLP00			
Index: REACH	603-096-00-8 01-2119475104-44- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319 - Warning	(أ>	2.5 - <10 %	
CAS: EC:	1310-73-2 215-185-5	sodium hydroxide 1		ATP CLP00		
Index:	213-163-5 011-002-00-6 :01-2119457892-27- XXXX	Regulation 1272/2008	Skin Corr. 1A: H314 - Danger		2.5 - <10 %	
CAS: EC:	68439-46-3 614-482-0	Alcohol ethoxylated (	C9-C11) (6 EO) <sup>1</sup>	Self-classified		
Index: Non-applicable REACH: Non-applicable		Regulation 1272/2008	Acute Tox. 4: H302; Eye Dam. 1: H318 - Danger	(!)	2.5 - <10 %	
CAS:	126-92-1	Sodium etasulfate 1		Self-classified		
EC: 204-812-8 Index: Non-applicable REACH: 01-2119971586-23- XXXX		Regulation 1272/2008	Eye Dam. 1: H318; Skin Irrit. 2: H315 - Danger		1 - <2.5 %	
CAS: EC:	64-02-8 200-573-9	tetrasodium ethylene	diamine tetraacetate 1	Self-classified		
Index:	607-428-00-2 :01-2119486762-27- XXXX	Regulation 1272/2008	Acute Tox. 4: H302+H332; Eye Dam. 1: H318; STOT RE 2: H373 - Danger	() () ()	1 - <2.5 %	
CAS:	10213-79-3	Disodium metasilicate	5 H2O <sup>1</sup>	ATP CLP00		
EC: 600-279-4 Index: 014-010-00-8 REACH: 01-2119449811-37- XXXX		Regulation 1272/2008	Skin Corr. 1B: H314; STOT SE 3: H335 - Danger	(Ì) 🗇	1 - <2.5 %	

<sup>1</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

### Other information:

Identification	Specific concentration limit
sodium hydroxide CAS: 1310-73-2 EC: 215-185-5	% (w/w) >=5: Skin Corr. 1A - H314 2<= % (w/w) <5: Skin Corr. 1B - H314 0.5<= % (w/w) <2: Skin Irrit. 2 - H315 % (w/w) >=2: Eye Dam. 1 - H318 0.5<= % (w/w) <2: Eye Irrit. 2 - H319
Sodium etasulfate CAS: 126-92-1 EC: 204-812-8	% (w/w) >=20: Eye Dam. 1 - H318 10<= % (w/w) <20: Eye Irrit. 2 - H319

### **SECTION 4: FIRST AID MEASURES**

#### 4.1 Description of first aid measures:

Request medical assistance immediately, showing the SDS of this product.

### By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

### By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

### By eye contact:

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-MEDISEPT

specific legislation

## Mediclean 201 Indust

Date of compilation: 30/07/2019 Revised: 09/12/2021 Version: 6 (Replaced 5)

### SECTION 4: FIRST AID MEASURES (continued)

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

### By ingestion/aspiration:

Request immediate medical assistance, showing the SDS of this product. Do not induce vomiting, because its expulsion from the stomach can be hazardous to the mucus of the main digestive tract, and also risk damage to the respiratory system through inhalation. Rinse out the mouth and throat, as they may have been affected during ingestion. In the case of loss of consciousness do not administer anything orally unless supervised by a doctor. Keep the person affected at rest.

#### 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

#### 4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

### SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media:

### Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

### Unsuitable extinguishing media:

Non-applicable

#### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

#### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

### Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures:

### For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

### For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

#### 6.2 **Environmental precautions:**

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

#### Methods and material for containment and cleaning up: 6.3

### It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

#### Reference to other sections: 6.4

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-MEDISEPT

specific legislation

## Mediclean 201 Indust

Date of compilation: 30/07/2019 Revised: 09/12/2021

Version: 6 (Replaced 5)

## SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

See sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

#### 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.:	5 °C
Maximum Temp.:	25 °C
Maximum time:	42 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

#### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 **Control parameters:**

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

Identification	Occupational exposure limits			
2-(2-butoxyethoxy)ethanol	IOELV (8h)	10 ppm	67,5 mg/m <sup>3</sup>	
CAS: 112-34-5 EC: 203-961-6	IOELV (STEL)	15 ppm	101,2 mg/m <sup>3</sup>	

### **DNEL (Workers):**

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
2-(2-butoxyethoxy)ethanol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 112-34-5	Dermal	Non-applicable	Non-applicable	83 mg/kg	Non-applicable
EC: 203-961-6	Inhalation	Non-applicable	101,2 mg/m <sup>3</sup>	67,5 mg/m³	67,5 mg/m³
sodium hydroxide	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1310-73-2	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 215-185-5	Inhalation	Non-applicable	Non-applicable	Non-applicable	1 mg/m <sup>3</sup>
Sodium etasulfate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 126-92-1	Dermal	Non-applicable	Non-applicable	4060 mg/kg	Non-applicable
EC: 204-812-8	Inhalation	Non-applicable	Non-applicable	285 mg/m³	Non-applicable

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-**MEDISEPT** 

specific legislation

## Mediclean 201 Indust

Date of compilation: 30/07/2019

Revised: 09/12/2021

Version: 6 (Replaced 5)

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short	exposure	Long e	exposure
Identification		Systemic	Local	Systemic	Local
tetrasodium ethylene diamine tetraacetate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 64-02-8	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 200-573-9	Inhalation	Non-applicable	3 mg/m <sup>3</sup>	Non-applicable	1,5 mg/m <sup>3</sup>
Disodium metasilicate · 5 H2O	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 10213-79-3	Dermal	Non-applicable	Non-applicable	1,49 mg/kg	Non-applicable
EC: 600-279-4	Inhalation	Non-applicable	Non-applicable	6,22 mg/m³	Non-applicable

### **DNEL** (General population):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
2-(2-butoxyethoxy)ethanol	Oral	Non-applicable	Non-applicable	5 mg/kg	Non-applicable
CAS: 112-34-5	Dermal	Non-applicable	Non-applicable	50 mg/kg	Non-applicable
EC: 203-961-6	Inhalation	Non-applicable	60,7 mg/m³	40,5 mg/m³	40,5 mg/m <sup>3</sup>
sodium hydroxide	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1310-73-2	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 215-185-5	Inhalation	Non-applicable	Non-applicable	Non-applicable	1 mg/m <sup>3</sup>
Sodium etasulfate	Oral	Non-applicable	Non-applicable	24 mg/kg	Non-applicable
CAS: 126-92-1	Dermal	Non-applicable	Non-applicable	2440 mg/kg	Non-applicable
EC: 204-812-8	Inhalation	Non-applicable	Non-applicable	85 mg/m³	Non-applicable
tetrasodium ethylene diamine tetraacetate	Oral	Non-applicable	Non-applicable	25 mg/kg	Non-applicable
CAS: 64-02-8	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 200-573-9	Inhalation	Non-applicable	1,2 mg/m <sup>3</sup>	Non-applicable	0,6 mg/m <sup>3</sup>
Disodium metasilicate <sup>,</sup> 5 H2O	Oral	Non-applicable	Non-applicable	0,74 mg/kg	Non-applicable
CAS: 10213-79-3	Dermal	Non-applicable	Non-applicable	0,74 mg/kg	Non-applicable
EC: 600-279-4	Inhalation	Non-applicable	Non-applicable	1,55 mg/m <sup>3</sup>	Non-applicable

## PNEC:

Identification				
2-(2-butoxyethoxy)ethanol	STP	200 mg/L	Fresh water	1,1 mg/L
CAS: 112-34-5	Soil	0,32 mg/kg	Marine water	0,11 mg/L
EC: 203-961-6	Intermittent	11 mg/L	Sediment (Fresh water)	4,4 mg/kg
	Oral	0,056 g/kg	Sediment (Marine water)	0,44 mg/kg
Sodium etasulfate	STP	1,35 mg/L	Fresh water	0,136 mg/L
CAS: 126-92-1	Soil	0,22 mg/kg	Marine water	0,014 mg/L
EC: 204-812-8	Intermittent	4,83 mg/L	Sediment (Fresh water)	1,5 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,15 mg/kg
tetrasodium ethylene diamine tetraacetate	STP	43 mg/L	Fresh water	2,2 mg/L
CAS: 64-02-8	Soil	0,72 mg/kg	Marine water	0,22 mg/L
EC: 200-573-9	Intermittent	1,2 mg/L	Sediment (Fresh water)	Non-applicable
	Oral	Non-applicable	Sediment (Marine water)	Non-applicable
Disodium metasilicate <sup>.</sup> 5 H2O	STP	1000 mg/L	Fresh water	7,5 mg/L
CAS: 10213-79-3	Soil	Non-applicable	Marine water	1 mg/L
EC: 600-279-4	Intermittent	7,5 mg/L	Sediment (Fresh water)	Non-applicable
	Oral	Non-applicable	Sediment (Marine water)	Non-applicable

#### 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

### B.- Respiratory protection

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



Mediclean 201 Indust

Date of comp	oilation: 30/07/201	9 Revised: 09/12/2	2021 Ve	rsion: 6 (Replaced 5)			
SECTIO	N 8: EXPOSUR	E CONTROLS/PER	SONAL PRO	TECTION (continued	)		
	The use of protec	tion equipment will be ne	ecessary if a mi	st forms or if the occupati	ional ex	posure limits are exceeded.	
C	Specific protectio	n for the hands					
	Pictogram	PPE	Labelling	CEN Standard		Remarks	
	Mandatory hand protection	Chemical protective gloves (Material: Linear low-density polyethylene (LLDPE), Breakthrough time: > 480 min, Thickness: 0.062 mm)		EN ISO 21420:2020	Repl	ace the gloves at any sign of deterioration.	
D		d has therefore to be che			erial car	n not be calculated in advance with	
	Pictogram	PPE	Labelling	CEN Standard		Remarks	
	Mandatory face protection	Panoramic glasses against splash/projections.		EN 166:2002 EN ISO 4007:2018	Clean the m	a daily and disinfect periodically according to nanufacturer's instructions. Use if there is a risk of splashing.	
E	Body protection						
	Pictogram	PPE	Labelling	CEN Standard		Remarks	
		Work clothing	CATI		perio recom	ce before any evidence of deterioration. For ds of prolonged exposure to the product for professional/industrial users CE III is mended, in accordance with the regulations ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.	
		Anti-slip work shoes		EN ISO 20347:2012	perio recom	ce before any evidence of deterioration. For ds of prolonged exposure to the product for professional/industrial users CE III is imended, in accordance with the regulations EN ISO 20345:2012 y EN 13832-1:2007	
F	Additional emerge	ency measures					
	Emergency mea	asure St	andards	Emergency meas	sure	Standards	
	f +	ISO 3864-1:20	SI Z358-1 11, ISO 3864-4:20	11 Eyewash statio	20	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011	
<b>F</b>	Emergency she			Eyewash statio	115		
Environmental exposure controls:         In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D         Volatile organic compounds:         With regard to Directive 2010/75/EU, this product has the following characteristics:         V.O.C. (Supply):       0 % weight         V.O.C. density at 20 °C:       0 kg/m³ (0 g/L)         Average carbon number:       Non-applicable         Average molecular weight:       Non-applicable							
SECTIO	N 9: PHYSICAL	. AND CHEMICAL PI	ROPERTIES	**			
9.1 Inf	ormation on basi	c physical and chemica	al properties:				
	-	tion see the product data	asheet.				
	pearance:						
Ph	ysical state at 20 °	C:	Liqu	id			
*No	t relevant due to the n	ature of the product, not provid	ling information pro	operty of its hazards.			

\*\* Changes with regards to the previous version

MEDISEPT

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

## Mediclean 201 Indust

Date of	compilation: 30/07/2019 Revised: 09/12/2021	Version: 6 (Replaced 5)
SEC	TION 9: PHYSICAL AND CHEMICAL PROPER	RTIES ** (continued)
	Appearance:	Fluid
	Colour:	Colourless
	Odour:	Characteristic
	Odour threshold:	Non-applicable *
	Volatility:	
	Boiling point at atmospheric pressure:	103 °C
	Vapour pressure at 20 ºC:	2334 Pa
	Vapour pressure at 50 °C:	12299,72 Pa (12,3 kPa)
	Evaporation rate at 20 °C:	Non-applicable *
	Product description:	
	Density at 20 °C:	1063,7 kg/m³
	Relative density at 20 °C:	1,064
1	Dynamic viscosity at 20 °C:	Non-applicable *
1	Kinematic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 40 °C:	Non-applicable *
	Concentration:	Non-applicable *
	pH:	12 - 14
	Vapour density at 20 ºC:	Non-applicable *
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *
	Solubility in water at 20 °C:	Non-applicable *
	Solubility properties:	Non-applicable *
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Flammability:	
	Flash Point:	Non Flammable (>60 °C)
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	204 °C
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard classes	S:
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
1	Corrosive to metals:	Non-applicable *
1	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable components: Other safety characteristics:	Non-applicable *
	Surface tension at 20 °C:	Non-applicable *
	Refraction index:	Non-applicable *
	*Not relevant due to the nature of the product, not providing inform	
** 0/	Not recover due to the nature of the product, not providing inform	ומנוטרו פוספטרע טו וגם וומבמועס.

\*\* Changes with regards to the previous version

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-MEDISEPT

specific legislation

## Mediclean 201 Indust

Date of c	ompilation: 30/07/2019	Revised: 09/12/2021	Version: 6 (Replaced	15)	
SECT	TION 10: STABILITY AN	ND REACTIVITY			
10.1	Reactivity:				
	No hazardous reactions ar	e expected because the p	roduct is stable under reco	ommended storage conditi	ions. See section 7.
10.2	Chemical stability:				
	Chemically stable under th	e indicated conditions of s	torage, handling and use.		
10.3	Possibility of hazardous	reactions:			
	Under the specified condition	ons, hazardous reactions	that lead to excessive tem	peratures or pressure are	not expected.
10.4	Conditions to avoid:				
	Applicable for handling and	d storage at room tempera	ture:		
	Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

### 10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Precaution	Not applicable	Not applicable

### 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO), carbon monoxide and other organic compounds.

### SECTION 11: TOXICOLOGICAL INFORMATION

#### Information on hazard classes as defined in Regulation (EC) No 1272/2008: 11.1

The experimental information related to the toxicological properties of the product itself is not available

Contains glycols. It is recommended not to breathe the vapours for prolonged periods of time due to the possibility of effects that are hazardous to the health

### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: Corrosive product, if it is swallowed causes burns destroying the tissues. For more information about secondary effects from skin contact see section 2.
- B- Inhalation (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Above all, skin contact may occur as fabrics of all thicknesses can be destroyed, resulting in burns. For more information on the secondary effects see section 2.
  - Contact with the eyes: Produces serious eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3. IARC: Non-applicable
  - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
  - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation MEDISEPT

Mediclean 201 Indust

FOI	TION 11: TOXICOLOGICAL INFORMATION (continued)	6 (Replaced 5)		
	<ul> <li>Respiratory: Based on available data, the classification criteri hazardous with sensitising effects. For more information see see</li> <li>Skin: Based on available data, the classification criteria are n hazardous for this effect. For more information see section 3.</li> <li>F- Specific target organ toxicity (STOT) - single exposure: Based on available data, the classification criteria are not met.</li> </ul>	ction 3. ot met, as it does not co	ontain substances class	ified as
	inhalation. For more information see section 3. G- Specific target organ toxicity (STOT)-repeated exposure:	,		
	<ul> <li>Specific target organ toxicity (STOT)-repeated exposure: Bas However, it contains substances classified as hazardous for inh</li> <li>Skin: Based on available data, the classification criteria are n hazardous for this effect. For more information see section 3.</li> <li>H- Aspiration hazard:</li> </ul>	alation. For more inform	ation see section 3.	
	Based on available data, the classification criteria are not met, a	a it doog not contain au	hatapaga alagaifiad as	
	this effect. For more information see section 3. Other information:			hazardous fo
	this effect. For more information see section 3. Other information: Non-applicable			hazardous fo
	this effect. For more information see section 3. Other information:		cute toxicity	Genus
	this effect. For more information see section 3. Other information: Non-applicable Specific toxicology information on the substances:			
	this effect. For more information see section 3. Other information: Non-applicable Specific toxicology information on the substances:	Α	icute toxicity	
	this effect. For more information see section 3. Other information: Non-applicable Specific toxicology information on the substances: Identification Alcohol ethoxylated (C9-C11) (6 EO)	LD50 oral	cute toxicity 500 mg/kg (ATEi)	
	this effect. For more information see section 3. Other information: Non-applicable Specific toxicology information on the substances: Identification Alcohol ethoxylated (C9-C11) (6 EO) CAS: 68439-46-3	A LD50 oral LD50 dermal	cute toxicity 500 mg/kg (ATEi) Non-applicable	
	this effect. For more information see section 3. Other information: Non-applicable Specific toxicology information on the substances: Identification Alcohol ethoxylated (C9-C11) (6 EO) CAS: 68439-46-3 EC: 614-482-0	LD50 oral LD50 dermal LC50 inhalation	Source toxicity 500 mg/kg (ATEi) Non-applicable Non-applicable	Genus
	this effect. For more information see section 3. Other information: Non-applicable Specific toxicology information on the substances: Identification Alcohol ethoxylated (C9-C11) (6 EO) CAS: 68439-46-3 EC: 614-482-0 tetrasodium ethylene diamine tetraacetate	LD50 oral LD50 dermal LC50 inhalation LD50 oral	xcute toxicity 500 mg/kg (ATEi) Non-applicable Non-applicable 1913 mg/kg	Genus
.2	this effect. For more information see section 3. Other information: Non-applicable Specific toxicology information on the substances: Identification Alcohol ethoxylated (C9-C11) (6 EO) CAS: 68439-46-3 EC: 614-482-0 tetrasodium ethylene diamine tetraacetate CAS: 64-02-8	LD50 oral LD50 dermal LC50 inhalation LD50 oral LD50 dermal	Source toxicity       500 mg/kg (ATEi)       Non-applicable       Non-applicable       1913 mg/kg       Non-applicable	Genus
.2	this effect. For more information see section 3. Other information: Non-applicable Specific toxicology information on the substances: Identification Alcohol ethoxylated (C9-C11) (6 EO) CAS: 68439-46-3 EC: 614-482-0 tetrasodium ethylene diamine tetraacetate CAS: 64-02-8 EC: 200-573-9	LD50 oral LD50 dermal LC50 inhalation LD50 oral LD50 dermal	Source toxicity       500 mg/kg (ATEi)       Non-applicable       Non-applicable       1913 mg/kg       Non-applicable	Genus
1.2	this effect. For more information see section 3. Other information: Non-applicable Specific toxicology information on the substances: Identification Alcohol ethoxylated (C9-C11) (6 EO) CAS: 68439-46-3 EC: 614-482-0 tetrasodium ethylene diamine tetraacetate CAS: 64-02-8 EC: 200-573-9 Information on other hazards:	LD50 oral LD50 dermal LC50 inhalation LD50 dermal LD50 dermal LD50 dermal	Source toxicity       500 mg/kg (ATEi)       Non-applicable       Non-applicable       1913 mg/kg       Non-applicable	Genus
1.2	this effect. For more information see section 3. Other information: Non-applicable Specific toxicology information on the substances: Identification Alcohol ethoxylated (C9-C11) (6 EO) CAS: 68439-46-3 EC: 614-482-0 Itetrasodium ethylene diamine tetraacetate CAS: 64-02-8 EC: 200-573-9 Information on other hazards: Endocrine disrupting properties	LD50 oral LD50 dermal LC50 inhalation LD50 dermal LD50 dermal LD50 dermal	Source toxicity       500 mg/kg (ATEi)       Non-applicable       Non-applicable       1913 mg/kg       Non-applicable	Genus

## SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

## 12.1 Toxicity:

## Acute toxicity:

Identification		Concentration	Species	
2-(2-butoxyethoxy)ethanol	LC50	1300 mg/L (96 h)	Lepomis macrochirus	Fish
CAS: 112-34-5	EC50	2850 mg/L (24 h)	Daphnia magna	Crustacean
EC: 203-961-6	EC50	53 mg/L (192 h)	Microcystis aeruginosa	Algae
sodium hydroxide	LC50	189 mg/L (48 h)	Leuciscus idus	Fish
CAS: 1310-73-2	EC50	33 mg/L	Crangon crangon	Crustacean
EC: 215-185-5	EC50	Non-applicable		
Alcohol ethoxylated (C9-C11) (6 EO)	LC50	6 mg/L (96 h)	N/A	Fish
CAS: 68439-46-3	EC50	5,3 mg/L (48 h)	N/A	Crustacean
EC: 614-482-0	EC50	Non-applicable		
tetrasodium ethylene diamine tetraacetate	LC50	121 mg/L (96 h)	Lepomis macrochirus	Fish
CAS: 64-02-8	EC50	140 mg/L (48 h)	Daphnia magna	Crustacean
EC: 200-573-9	EC50	Non-applicable		



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-

specific legislation

## Mediclean 201 Indust

Species

Brachydanio rerio

Daphnia magna

Species Danio rerio

Daphnia magna

Concentration

% Biodegradable

% Biodegradable

Concentration

Period

Period

BCF

BCF

(25 °C)

Pow Log

Potential

Pow Log

Potential

Henry Dry soil

Moist soil

Henry

Dry soil

Moist soil

Biodegradability

Bioaccumulation potential

0.46

0.56

Low

2

-13

Low

Volatility

No

No

No

No

7,2E-9 Pa⋅m³/mol

0E+0 Pa⋅m³/mol

100 mg/L

28 days

28 days 60 %

Non-applicable

92 %

Genus

Fish

Crustacean

Genus

Fish

Crustacean

		Medi	clean 20	01 Indust
Date of o	compilation: 30/07/2019 Revised: 09/12	/2021	Versio	on: 6 (Replaced 5)
SEC	TION 12: ECOLOGICAL INFORMATIO	N (contii	nued)	
	Identification			Concentration
	Disodium metasilicate: 5 H2O		LC50	210 mg/L (96 h)
	CAS: 10213-79-3			216 mg/L (96 h)
	EC: 600-279-4		EC50	Non-applicable
	Chronic toxicity:			
	Identification			Concentration
	tetrasodium ethylene diamine tetraacetate		NOEC	25,7 mg/L
	CAS: 64-02-8 EC: 200-573-9		NOEC	25 mg/L
12.2	Persistence and degradability:		-	
	Substance-specific information:			
	Identification		Deç	gradability
	2-(2-butoxyethoxy)ethanol	BOD	5	0,25 g O2/g
	CAS: 112-34-5	COD		2,08 g O2/g
	EC: 203-961-6	BOD	5/COD	0,12
	Alcohol ethoxylated (C9-C11) (6 EO)	BOD	5	Non-applicable
	CAS: 68439-46-3	COD		Non-applicable
	EC: 614-482-0	BOD	5/COD	Non-applicable
12.3	Bioaccumulative potential:			
	Substance-specific information:			
	Identificat	tion		
	2-(2-butoxyethoxy)ethanol			
	CAS: 112-34-5			
	EC: 203-961-6			
	tetrasodium ethylene diamine tetraacetate			
	CAS: 64-02-8			
	EC: 200-573-9			
12.4	Mobility in soil:			
	Identification		Abso	orption/desorption
	2-(2-butoxyethoxy)ethanol	Koc		48
	CAS: 112-34-5	Conc	lusion	Very High
	EC: 203-961-6	Surfa	ice tension	3,395E-2 N/m (25
	tetrasodium ethylene diamine tetraacetate	Koc		1046
	CAS: 64-02-8		lusion	Low
10 -	EC: 200-573-9	Surfa	ice tension	Non-applicable
12.5	Results of PBT and vPvB assessment:			
40.0	Product fails to meet PBT/vPvB criteria			
12.6	Endocrine disrupting properties:	<b>f</b> - 11 - 4	4 41	
	Endocrine-disrupting properties: The product	tails to m	eet the cr	iteria.
12.7	Other adverse effects:			
	Not described			
SEC	TION 13: DISPOSAL CONSIDERATIO	NS		
13.1	Waste treatment methods:			

### 13.1 Waste treatment methods: Waste class (Regulation (EU) No 1357/2014) Code Description 20 01 29\* detergents containing hazardous substances Dangerous Type of waste (Regulation (EU) No 1357/2014): HP8 Corrosive

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any countryspecific legislation

MEDISEPT

## Mediclean 201 Indust

Date of compilation: 30/07/2019 Revised: 09/12/2021 Version: 6 (Replaced 5)

## SECTION 13: DISPOSAL CONSIDERATIONS (continued)

### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

### **Regulations related to waste management:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

### SECTION 14: TRANSPORT INFORMATION

## Transport of dangerous goods by land:

With regard to ADR 2021 and RID 2021:

14.1 14.2 14.3 14.4 14.5 14.6	UN number or ID number: UN proper shipping name: Transport hazard class(es): Labels: Packing group: Environmental hazards: Special precautions for user Special regulations: Tunnel restriction code: Physico-Chemical properties: Limited quantities: Maritime transport in bulk according to IMO instruments:	Non-applicable Non-applicable Non-applicable Non-applicable No Non-applicable Non-applicable see section 9 Non-applicable Non-applicable
Transpor	rt of dangerous goods by sea:	
	ird to IMDG 40-20:	
14.1 14.2 14.3	UN number or ID number: UN proper shipping name: Transport hazard class(es): Labels:	Non-applicable Non-applicable Non-applicable Non-applicable
14.4	Packing group:	Non-applicable
14.5	Marine pollutant:	No
14.6	Special precautions for user Special regulations: EmS Codes: Physico-Chemical properties:	Non-applicable see section 9
	Limited quantities: Segregation group:	Non-applicable Non-applicable
14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable
Transpor	rt of dangerous goods by air:	
With rega	rd to IATA/ICAO 2023:	
14.1 14.2 14.3	UN number or ID number: UN proper shipping name: Transport hazard class(es): Labels:	Non-applicable Non-applicable Non-applicable Non-applicable
14.4 14.5 14.6	Packing group: Environmental hazards: Special precautions for user	Non-applicable No
	Physico-Chemical properties:	see section 9
14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any countryspecific legislation

## Mediclean 201 Indust

Date of compilation: 30/07/2019

Revised: 09/12/2021

Version: 6 (Replaced 5)

## SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

### Regulation (EC) No 648/2004 on detergents:

In accordance with this regulation the product complies with the following:

The tensoactives contained in this mixture comply with the biodegradibility criteria stipulated in Regulation (EC) nº648/2004 on detergents. The information to prove this is available to the relevant authorities of the Member States and will be shown to them by direct request or the request of a detergent manufacturer.

### Labelling for contents:

Component	Concentration interval
Non-ionic surfactants	% (w/w) < 5
Phosphates % (w/w) < 5	
EDTA and salts thereof % (w/w) < 5	
Anionic surfactants	% (w/w) < 5

### Seveso III:

Non-applicable

# Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....) :

Contains more than 3 % of 2-(2-butoxyethoxy)ethanol by weight. 1. Shall not be placed on the market for the first time after 27 June 2010, for supply to the general public, as a constituent of spray paints or spray cleaners in aerosol dispensers in concentrations equal to or greater than 3 % by weight. 2. Spray paints and spray cleaners in aerosol dispensers containing DEGBE and not conforming to paragraph 1 shall not be placed on the market for supply to the general public after 27 December 2010. 3. Without prejudice to other Community legislation concerning the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that paints other than spray paints containing DEGBE in concentrations equal to or greater than 3 % by weight of that are placed on the market for supply to the general public are visibly, legibly and indelibly marked by 27 December 2010 as follows: 'Do not use in paint spraying equipment'. Shall not be used in:

---ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

—games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

### Other legislation:

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products

- Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents

- Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII

- Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation)

### 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

### **SECTION 16: OTHER INFORMATION**

### Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-

specific legislation

## Mediclean 201 Indust

SECTION 16: OTHER INFORMATION (continued)           Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:           Information on basic physical and chemical properties (SECTION 9):           · Flash Point           Texts of the legislative phrases mentioned in section 2:           H314: Causes servers skin burns and eye damage.           Texts of the legislative phrases mentioned in section 3:           Texts and the degislative phrases mentioned in section 3:           CLP Regulation (EC) No 1272/2008:           Acute Tox. 4: H302 - Harmful If swallowed.           Acute Tox. 4: H302 - Harmful If swallowed or If Inhaled.           Eye Dam. 1: H318 - Causes serious eye damage.           Skin Corr. 18: H314 - Causes series exe in burns and eye damage.           Skin Corr. 18: H314 - Causes series exe in burns and eye damage.           Skin Corr. 18: H314 - Causes series exin burns and eye damage.           Skin Corr. 18: H314 - Causes series exin burns and eye damage.           Skin Corr. 18: H314 - Causes series exin burns and eye damage.           Skin Corr. 18: H314 - Causes series exin burns and eye damage.           Skin Corr. 18: H314 - Causes series exin burns and eye damage.           Skin Corr. 18: H314 - Causes series exis burns and eye damage.           Skin Corr. 18: H314 - Causes series exis burns and eye damage.           Skin Corr. 1: Calculation method           Skin	Date of compilation: 30/07/2019 Revised: 09/12/2021 Version: 6 (Replaced 5)
Information on basic physical and chemical properties (SECTION 9): Flash Point Texts of the legislative phrases mentioned in section 2: H318: Causes serious eye damage. H314: Causes serious eye damage. Texts of the legislative phrases mentioned in section 3: The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3: CLP Regulation (EC) No 1272/2008: Acute Tox. 4: H302 - Harmful if swallowed. Acute Tox. 4: H302 - Harmful if swallowed. Acute Tox. 4: H302 - Harmful if swallowed or if inhaled. Eye Intit. 2: H319 - Causes serious eye damage. Eye Intit. 2: H319 - Causes serious eye damage. Skin Corr. 16: H314 - Causes serience were skin burns and eye damage. Skin Corr. 16: H314 - Causes serience were skin burns and eye damage. Skin Corr. 16: H314 - Causes serience were skin burns and eye damage. Skin Corr. 18: H314 - Causes serience were skin burns and eye damage. Skin Corr. 18: H314 - Causes serience were skin burns and eye damage. Skin Corr. 18: H314 - Causes serience were skin burns and eye damage. Skin Corr. 19: H314 - Causes serience were skin burns and eye damage. Skin Corr. 19: H314 - Causes serience were skin burns and eye damage. Skin Corr. 19: H314 - Causes serience were skin burns and eye damage. Skin Corr. 11: Calculation method Skin Corr. 11: Calculation method Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://curi.ex.europa.eu http://curi.ex.europa.eu MDG: Intermational maritime dangerous goods code IAZ: International Air Transport Association ICAO. International Air Transport Association ICAO: International Air Transport Association ICAO: International Air Transport Association ICAO: International Air Transport Association ICAO	SECTION 16: OTHER INFORMATION (continued)
H318: Causes serious eye damage. H314: Causes serious eye damage. Texts of the legislative phrases mentioned in section 3: The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3 CLP Regulation (EC) No 1272/2008: Acute Tox. 4: H302 Harmful if swallowed. Acute Tox. 4: H302 Harmful if swallowed or if inhaled. Eye Dam. 1: H318 - Causes serious eye damage. Eye Inft: 2: H319 - Causes serious eye inftation. Skin Corr. 18: H314 - Causes servere skin burns and eye damage. Skin Corr. 18: H314 - Causes servere skin burns and eye damage. Skin Corr. 18: H314 - Causes servere skin burns and eye damage. Skin Corr. 18: H314 - Causes servere skin burns and eye damage. Skin Corr. 18: H314 - Causes servere skin burns and eye damage. Skin Corr. 18: H314 - Causes servere skin burns and eye damage. Skin Corr. 18: H314 - Causes servere skin burns and eye damage. Skin Corr. 12: H315 - Causes servere skin burns and eye damage. Skin Corr. 12: H315 - Causes servere skin burns and eye damage. Skin Corr. 12: H315 - Causes servere skin burns and eye damage. Skin Corr. 12: Galculation method Skin Corr. 1: Calculation method Skin Corr. 1: Calculation method Skin Corr. 1: Calculation method Mdvice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://eu-lex.europa.eu http://eu-lex.europa.eu http://eu-lex.europa.eu http://eu-lex.europa.eu http://eu-lex.europa.eu http://eu-lex.europa.eu http://eu-lex.europa.eu http://eu-lex.europa.eu http://eu-lex.europa.eu http://eu-lex.europa.eu http://eu-lex.europa.eu http://eu-lex.europa.eu http://eu-lex.europa.eu http://eu-lex.europa.eu http://eu-lex.europa.eu http://eu-lex.europa.eu http://eu-lex.europa.eu http://eu-lex.europa.eu http://eu-lex.europa.eu http://eu-lex.europa.e	Information on basic physical and chemical properties (SECTION 9): Flash Point
The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3 CLP Regulation (EC) No 1272/2008: Acute Tox. 4: H302 - Harmful if swallowed. Acute Tox. 4: H302 - Harmful if swallowed or if inhaled. Eye Dam. 1: H318 - Causes serious eye damage. Eye Irit. 2: H319 - Causes serious eye damage. Skin Corr. 18: H314 - Causes severe skin burns and eye damage. Skin Corr. 18: H314 - Causes severe skin burns and eye damage. Skin Corr. 18: H314 - Causes severe skin burns and eye damage. Skin Corr. 18: H314 - Causes severe skin burns and eye damage. Skin Corr. 18: H315 - May cause damage to organs through prolonged or repeated exposure (Inhalation). STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure (Inhalation). STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure (Inhalation). STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure (Inhalation). STOT SE 3: H335 - May cause respiratory irritation. Classification procedure: Eye Dam. 1: Calculation method Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu http://echa.europa.eu http://echa.europa.eu ADbreviations and acromyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMOC: International Air Transport Association ICAO: International Air Transport Association ICAO: International Air Transport Association ICAO: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration foto LC50: Lethal Concentration 50 LC50: Lethal Concentration 50 LC50: Effective concentration 50 LC50: Effective concentration 50 LC50: Effective concentration 50 LC50: Lethal Concentration 50 LC50: Commica	H318: Causes serious eye damage.
Acute Tox. 4: H302 - Harmful if swallowed. Acute Tox. 4: H302 - Harmful if swallowed or if inhaled. Eye Dam. 1: H318 - Causes serious eye irritation. Skin Corr. 1A: H318 - Causes serious eye irritation. Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. Skin Irrit. 2: H314 - Causes severe skin burns and eye damage. Skin Irrit. 2: H315 - Causes skin irritation. STOT RE 2: H315 - Causes damage to organs through prolonged or repeated exposure (Inhalation). STOT RE 2: H313 - May cause damage to organs through prolonged or repeated exposure (Inhalation). STOT SE 3: H335 - May cause respiratory irritation. <b>Classification procedure:</b> Eye Dam. 1: Calculation method <b>Advice related to training:</b> Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. <b>Principal bibliographical sources:</b> http://eur-lexe.uropa.eu Http://eur-lexe.uropa.eu Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMDC: International maritime dangerous goods code IATA: International Maritime dangerous goods code IATA: International Civil Aviation Organisation CDD: Chemical Oxygen Demand BOD5: Sday biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 EC50: Effective concentration 50 LC50: Lethal Concentration 50 LC50: Letha	The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3
STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure (Inhalation).         STOT RE 3: H335 - May cause respiratory irritation. <b>Classification procedure:</b> Eye Dam. 1: Calculation method         Skin Corr. 1: Calculation method <b>Advice related to training:</b> Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. <b>Principal bibliographical sources:</b> http://echa.europa.eu <b>Abbreviations and acronyms:</b> ADR: European agreement concerning the international carriage of dangerous goods by road         IMDG: International maritime dangerous goods code         IAT: International Air Transport Association         ICAO: International Civil Aviation Organisation         COD: Chemical Oxygen Demand         BOD5: 5day biochemical oxygen demand         BCF: Bioconcentration factor         LD50: Lethal Dose 50         LC50: Lethal Concentration 50         EC50: Effective concentration 50         EC50: Effective concentration 50         LC50: Lethal Concentration 50         LC50: Lethal Concentration 50         LC50: Lethal Concentration 50         EC50: Effective concentration 50         LC50: Lethal Concentration	Acute Tox. 4: H302 - Harmful if swallowed. Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled. Eye Dam. 1: H318 - Causes serious eye damage. Eye Irrit. 2: H319 - Causes serious eye irritation. Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.
Eye Dam. 1: Calculation method Skin Corr. 1: Calculation method Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu http://echa.europa.eu Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Concentration 50 EC50: Effective concentration 50 EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier	STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure (Inhalation).
Skin Corr. 1: Calculation method         Advice related to training:         Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.         Principal bibliographical sources:         http://echa.europa.eu         http://echa.europa.eu         Abbreviations and acronyms:         ADR: European agreement concerning the international carriage of dangerous goods by road         IMDG: International maritime dangerous goods code         IATA: International Air Transport Association         ICAO: International Civil Aviation Organisation         COD: Chemical Oxygen Demand         BOD5: 5day biochemical oxygen demand         BCF: Bioconcentration factor         LDS0: Lethal Dose 50         LC50: Ethal Concentration 50         EC50: Effective concentration 50         EC50: Effective concentration 50         LogPOW: Octanolwater partition coefficient         Koc: Partition coefficient of organic carbon         UFI: unique formula identifier	
Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. <b>Principal bibliographical sources:</b> http://echa.europa.eu http://eur-lex.europa.eu <b>Abbreviations and acronyms:</b> ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LOgPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier	
interpretation of this safety data sheet, as well as the label on the product.  Principal bibliographical sources: http://echa.europa.eu http://eur-lex.europa.eu Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LC50: Effective concentration coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier	5
http://echa.europa.eu http://eur-lex.europa.eu Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier	Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.
http://eur-lex.europa.eu         Abbreviations and acronyms:         ADR: European agreement concerning the international carriage of dangerous goods by road         IMDG: International maritime dangerous goods code         IATA: International Air Transport Association         ICAO: International Civil Aviation Organisation         COD: Chemical Oxygen Demand         BOD5: 5day biochemical oxygen demand         BCF: Bioconcentration factor         LD50: Lethal Dose 50         LC50: Lethal Concentration 50         EC50: Effective concentration 50         LogPOW: Octanolwater partition coefficient         Koc: Partition coefficient of organic carbon         UFI: unique formula identifier	
Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier	
ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier	
IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LOgPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier	
COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier	IMDG: International maritime dangerous goods code IATA: International Air Transport Association
LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier	COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand
EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier	
LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier	
Koc: Partition coefficient of organic carbon UFI: unique formula identifier	
UFI: unique formula identifier	

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.