This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-MEDISEPT

specific legislation

# Mediclean 320 WC

Date of	compilation: 04/01/2019 Rev	rised: 13/12/2021	Version: 5 (Replaced 4)
SEC	TION 1: IDENTIFICATION OF	THE SUBSTAN	CE/MIXTURE AND OF THE COMPANY/UNDERTAKING
1.1	Product identifier:	Mediclean 3	20 WC
	Other means of identification:		
	Non-applicable		
1.2	Relevant identified uses of the	substance or mixtu	re and uses advised against:
	Relevant uses: Toilet cleaner. Fo	r professional users	only.
	Uses advised against: All uses no	ot specified in this se	ction or in section 7.3
1.3	Details of the supplier of the sa	fety data sheet:	
	MEDISEPT Sp. z o.o. ul. Ludwika Spiessa 4 20-270 Lublin - lubelskie - Polska Phone: +48 81 535 22 76 p.brewczak@medisept.pl https://medisept.pl/		
1.4	Emergency telephone number:	+48 81 535 22 92 a 112 (general emerg	•
050			
SEC	TION 2: HAZARDS IDENTIFI	CATION	

#### 2.1 Classification of the substance or mixture:

### CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Aquatic Acute 1: Hazardous to the aquatic environment, acute hazard, Category 1, H400 Aquatic Chronic 2: Hazardous to the aquatic environment, long-term hazard, Category 2, H411 Eye Dam. 1: Serious eye damage, Category 1, H318 Skin Corr. 1: Skin corrosion, Category 1, H314

#### 2.2 Label elements:

### CLP Regulation (EC) No 1272/2008:

Danger



### Hazard statements:

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Skin Corr. 1: H314 - Causes severe skin burns and eye damage.

### Precautionary statements:

P280: Wear protective gloves/protective clothing/eye protection.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a poison center/doctor.

P501: Dispose of contents/container in accordance with regulations on hazardous waste or packaging and packaging waste respectively.

## Substances that contribute to the classification

2,2'-(octadec-9-enylimino)bisethanol (2 EO); Phosphoric acid; Sulphamidic acid

#### 2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

Endocrine-disrupting properties: The product fails to meet the criteria.

#### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substance:

Non-applicable

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any countryspecific legislation

# Mediclean 320 WC

Date of compilation: 04/01/2019

Revised: 13/12/2021

Version: 5 (Replaced 4)

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

## 3.2 Mixture:

Chemical description: Aqueous solution of organic acids

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification	Chemical name/Classification			
CAS: 25307-17-9 EC: 246-807-3 Index: Non-applicable REACH: 01-2119510876-35- XXXX		2,2'-(octadec-9-enylim	ino)bisethanol (2 EO) 1 Self-classified		
		Regulation 1272/2008	Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Skin Corr. 1B: H314 - Danger	2.5 - <10 %	
CAS: EC:	7664-38-2	Phosphoric acid 1	Self-classified		
Index:	231-633-2 015-011-00-6 01-2119485924-24- XXXX	Regulation 1272/2008	Met. Corr. 1: H290; Skin Corr. 1B: H314 - Danger	2.5 - <10 %	
CAS:	5329-14-6	Sulphamidic acid 1	ATP CLP00		
EC: 226-218-8 Index: 016-026-00-0 REACH: 01-2119488633-28- XXXX		Regulation 1272/2008	Aquatic Chronic 3: H412; Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Warning	2.5 - <10 %	
CAS: 68920-66-1		Alcohols, C16-18 and	C18-unsatd., ethoxylated <sup>1</sup> Self-classified		
EC: Index: REACH:	500-236-9 Non-applicable 01-2119489407-26- XXXX	Regulation 1272/2008	Aquatic Chronic 2: H411; Skin Irrit. 2: H315 - Warning	1 - <2.5 %	

<sup>1</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

# Other information:

Identification					M-factor
2,2'-(octadec-9-enylin	nino)bisethanol (2 EO)			Acute	10
CAS: 25307-17-9	EC: 246-807-3			Chronic	1
	Identification		Spec	ific concentrat	ion limit
Phosphoric acid CAS: 7664-38-2 EC: 231-633-2			% (w/w) >=25: Skin Corr. 1B 10<= % (w/w) <25: Skin Irrit. % (w/w) >=25: Eye Dam. 1 - 10<= % (w/w) <25: Eye Irrit.	2 - H315 H318	

# SECTION 4: FIRST AID MEASURES

### 4.1 Description of first aid measures:

Request medical assistance immediately, showing the SDS of this product.

## By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

### By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

### By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

### By ingestion/aspiration:

Request immediate medical assistance, showing the SDS of this product. Do not induce vomiting, because its expulsion from the stomach can be hazardous to the mucus of the main digestive tract, and also risk damage to the respiratory system through inhalation. Rinse out the mouth and throat, as they may have been affected during ingestion. In the case of loss of consciousness do not administer anything orally unless supervised by a doctor. Keep the person affected at rest.

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-MEDISEPT

specific legislation

# Mediclean 320 WC

Date of compilation: 04/01/2019

Version: 5 (Replaced 4)

## SECTION 4: FIRST AID MEASURES (continued)

#### 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Revised: 13/12/2021

Non-applicable

# SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media:

### Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

### Unsuitable extinguishing media:

Non-applicable

#### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

#### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

### Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures:

### For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

### For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

#### 6.2 **Environmental precautions:**

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

#### 6.3 Methods and material for containment and cleaning up:

## It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

### 6.4 Reference to other sections:

See sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling:

A.- General precautions for safe use



EC: 231-633-2

Sulphamidic acid

CAS: 5329-14-6

EC: 226-218-8

CAS: 68920-66-1

EC: 500-236-9

Alcohols, C16-18 and C18-unsatd., ethoxylated

**DNEL** (General population):

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any countryspecific legislation

# Mediclean 320 WC

A. Technical measures for storage Minimum Temp.:       5 °C Maximum Temp.:       25 °C Maximum time:         36 Months       B General conditions for storage Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5         3 Specific end use(s): Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of the product.         ECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION         1 Control parameters: Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific lejislation): Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Direct (EU) 2019/1831:         Presphoric acid CAS: 7664-38-2       EC: 231-633-2         DNEL (Workers):       Short exposure         Identification       Systemic         Local       Systemic         2.2* (octadec-9-envylimino)bisethanol (2 EO)       Oral         Oral       Non-applicable         Non-applicable       Non-applicable         Remain       Non-applicable         Presplorate acid       Oral         CAS: 2507-17-9       Demand         Inhalation       Non-applicable         Non-applicable       Non-applicable         Non-applicable       Non-applicable         Presphoric acid <td< th=""><th></th><th></th><th></th><th>wediciear</th><th>1 320 WC</th><th></th><th></th><th></th></td<>				wediciear	1 320 WC				
Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6). B Technical recommendations for the prevention of fires and explosions Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow spet to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided. C Technical recommendations on general occupational hygiene Do not eat or drink during the process, washing hands afterwards with suitable cleaning products. D Technical recommendations to prevent environmental risks Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity. <b>2 Conditions for safe storage</b> Minimum Temp: 5 °C Maximum Temp: 5 °C Maximum Temp: 25 °C Maximum Temp: 36 Months B General conditions for storage Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5 <b>3 Specific end use(s):</b> Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of the product. <b>ECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION</b> <b>1 Control parameters:</b> Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation): Directive (EU) 2003/30, Directive 2004/37/EC,Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2017/164, Directive (EU) 2017/164, Directive (EU) 2019/161, Directive (EU) 2017/164, Directive (EU) 2019/161, Directive (EU) 2017/164, Directive (EU) 2019/161, Directive (EU) 2019/161, Directive (EU) 2019/161, Directive (EU) 2019/164, Direct	te of	compilation: 04/01/2019	Revised: 13/1	2/2021 Vers	sion: 5 (Replaced	4)			
Maintain order, cleanliness and dispose of using safe methods (section 6).         B Technical recommendations for the prevention of fires and explosions         Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow spet to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.         C Technical recommendations on general occupational hygiene       Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.         D Technical recommendations to prevent environmental risks       Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.         2. Conditions for safe storage, including any incompatibilities:       A Technical measures for storage         Minimum Temp:       5 °C         Maximum Temp:       5 °C         Maximum Temp:       25 °C         Maximum Temp:       36 Months         B General conditions for storage       Avoid sources of heat, radiation, static electricity and contact with food. For additional information regarding the uses of the product.         Control parameters:         Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):         Directive (EU) 2000/161	SEC	TION 7: HANDLING AN	D STORAGE (	(continued)					
to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided. C. Technical recommendations on general occupational hygiene Do not eat or drink during the process, washing hands afterwards with suitable cleaning products. D. Technical recommendations to prevent environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity. Conditions for safe storage, including any incompatibilities: A. Technical measures for storage Minimum Temp: 5 °C Maximum Temp: 25 °C Maximum time: 36 Months B. General conditions for storage Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5 Specific end use(s): Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of the product.  Centrol parameters: Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation): Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Direct (EU) 2019/1831:  Note the Control parameters: Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation): Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Direct (EU) 2019/1831:  Note the specifie of the systemic Long exposure limits Prosphore aid DNEL (Workers):  Note the selection of the systemic Long exposure limital indiants Non-applicable Non-applica		Maintain order, cleanlin	less and dispose	of using safe meth	nods (section 6).	ks with regards r	nanually handlir	ıg weights.	
Do not eat or drink during the process, washing hands afterwards with suitable cleaning products. D. Technical recommendations to prevent environmental risks Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity. Conditions for safe storage, including any incompatibilities: A. Technical measures for storage Minimum Temp: 25 °C Maximum Time: 36 Months B. General conditions for storage Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5 Specific end use(s): Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of the product.  ECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION Control parameters: Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation): Directive (EU) 2000/39, Directive 2004/37/EC,Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Direct (EU) 2019/183: DoteL (Workers):  Exceed for the instructional exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation): Directive (EU) 2000/39, Directive 2004/37/EC,Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Direct (EU) 2019/184; Directive (EU) 2017/164, Direct (EU) 2019/184; Directive (EU) 2019/184; Direct (EU) 2017/164, Direct (EU) 2019/184;		to avoid the generation conditions and material	of electrostatic c ls that should be	harges that can af avoided.	fect flammable pro				
D. Technical recommendations to prevent environmental risks         Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.         Conditions for safe storage, including any incompatibilities:         A. Technical measures for storage         Minimum Temp:       5 °C         Maximum Time:       36 Months         B. General conditions for storage         Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5 <b>3 Specific end use(s):</b> Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of th product.         ECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION         1       Control parameters:         Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):         Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Direct (EU) 2019/1831:         Mosphoric acid       Identification         Voidex v(8th)       1 mg/m²         DNEL (Workers):       Short exposure         Identification       Occupational exposure limits         Prosphoric acid       Non-applicable       Non-applicable <td></td> <td></td> <td>-</td> <td></td> <td></td> <td>le cleaning prod</td> <td>ucts.</td> <td></td>			-			le cleaning prod	ucts.		
Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.         2 Conditions for safe storage, including any incompatibilities:         A Technical measures for storage         Minimum Temp:       5 °C         Maximum Temp:       25 °C         Maximum Temp:       36 Months         B General conditions for storage       Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5         3 Specific end use(s):       Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of th product.         ECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION         1       Control parameters:         Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):         Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Direct (EU) 2017/164, Direct (EU) 2019/1831:         Violet v(stret)       Identification         Phosphoric acid       Occupational exposure         CAS: 7864-38-2       EC 214-33-2         DNEL (Workers):       Identification         Violet v(stret)       Long exposure         Aci: 230-717-9       Oral<				-		51			
Minimum Temp.:       5 °C         Maximum Temp.:       25 °C         Maximum time:       36 Months         B General conditions for storage       Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5 <b>3 Specific end use(s):</b> Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of th product. <b>ECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION 1 Control parameters:</b> Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):         Directive (EU) 2000/39, Directive 2004/37/EC,Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Direct (EU) 2018/1831:         Identification       Occupational exposure limits         Phosphoric add       1 mg/m²         CAS: 7684-38-2       EC: 231-633-2 <b>DNEL (Workers):</b> Identification         Vertex:       Short exposure         Local       Systemic       Local         2,2'-(octadec-9-env)limino]bisethanol (2 EO)       Oral       Non-applicable       Non-ap	7.2	control barriers in case	of spillage, as we	ell as having absor	bent material in cl		ea containing co	ontamination	
Maximum Temp:       25 °C         Maximum time:       36 Months         B General conditions for storage       Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5         3       Specific end use(s):         Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of th product.         ECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION         1       Control parameters:         Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):         Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Direct (EU) 2019/1831:          Identification         Prosphoric acid       Directive (EU) 2019/183-2         DNEL (Workers):       Short exposure          Identification         Q2: /octadec-9-env/imino/bisethanol (2 EO)       Oral         Q3: 203-11-9       Dermal         EC: 246-807-3       Inhalation         Phosphoric acid       Oral         Prosplicable       Non-applicable         Phosphoric acid       Oral		A Technical measures for	r storage						
Maximum time:       36 Months         B General conditions for storage       Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5 <b>3 Specific end use(s):</b> Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of th product. <b>ECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION 1 Control parameters:</b> Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):         Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Direct (EU) 2019/1831:         Identification       Occupational exposure limits         Phosphoric acid       1 mg/m <sup>2</sup> CAS: 7664-38-2       EC: 231-633-2         DNEL (Workers):       Short exposure         Identification       Qccupational exposure         Q: 2 <sup>-(</sup> cotadec-9-enylimino)bisethanol (2 EO)       Oral         CAS: 25307-17-9       Oral         EC: 246-807-3       Inhalation         Phosphoric acid       0-42 mg/kg         C: 246-807-3       Oral       Non-applicable         Phosphoric acid       0-14       Non-applicable       Non-applicable		Minimum Temp.:	5 °C						
B General conditions for storage Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5 3 Specific end use(s): Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of the product. ECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION 1 Control parameters: Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation): Directive (EU) 2000/39, Directive 2004/37/EC,Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Direct (EU) 2019/1831: Torestive (EU) 2000/39, Directive 2004/37/EC,Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Direct (EU) 2019/1831: Torestive (EU) 2019/184, Directive (EU) 2019/164, Directive (EU) 20		Maximum Temp.:	25 °C						
Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5 3 Specific end use(s): Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of th product.  ECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION 1 Control parameters: Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation): Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Direct (EU) 2019/1831:      Identification     Occupational exposure limits     Non-applicable     As: 7664-38-2     EC: 231-633-2      DNEL (Workers):      Identification     Systemic     Local     Systemic     Systemic     Local     Systemic     Local     Systemic     Systemic     Systemic     Local     Systemic     Systemic     Systemic     Local     Systemic     Systemi		Maximum time:	36 Months						
Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5 3 Specific end use(s): Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of th product.  ECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION 1 Control parameters: Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation): Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Direct (EU) 2019/1831:      Identification     Occupational exposure limits     Non-applicable     As: 7664-38-2     EC: 231-633-2      DNEL (Workers):      Identification     Systemic     Local     Systemic     Systemic     Local     Systemic     Local     Systemic     Systemic     Systemic     Local     Systemic     Systemic     Systemic     Local     Systemic     Systemi		B General conditions for	storage						
3       Specific end use(s): Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of th product.         ECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION         1       Control parameters: Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation): Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Direct (EU) 2019/1831:         Identification       Occupational exposure limits IDELV (8h)         Phosphoric acid CAS: 7664-38-2       EC: 231-633-2         DNEL (Workers):         Identification       Systemic         Local       Systemic         2.2'-(octadec-9-enylimino)bisethanol (2 EO) CAS: 25307-17-9       Oral         EC: 246-807-3       Inhalation         Phosphoric acid       Oral         Oral       Non-applicable         Non-applicable       Non-applicable         Non-applicable       Non-applicable         Phosphoric acid       Oral				lectricity and conta	act with food. For a	additional informa	ation see subsec	tion 10.5	
Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of th product.  ECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION  Control parameters: Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation): Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Direct (EU) 2019/1831: <a href="https://www.commons.org">https://www.commons.org</a> Phosphoric acid Cocupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation): Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Direct (EU) 2019/1831: <a href="https://www.commons.org">https://www.commons.org</a> Cocupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation): Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Direct (EU) 2019/1831: <a href="https://www.commons.org">https://www.commons.org</a> Cocupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation): Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Direct (EU) 2019/1831:    Docupational exposure limits have to be monitored in the workplace (EU) 2009/161, Directive (EU) 2017/164, Direct (EU) 2019/1831:   Desphoric acid   Occupational exposure Imaginal   Occupational exposure Imaginal   Occupational exposure Local   Systemic Local   Systemic Local   Quark Non-applicable   Non-applicable Non-applicable   Quark Non	.3			·····, ····					
Instruction       Control parameters:         Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):         Directive (EU) 2000/39, Directive 2004/37/EC,Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:         Image: text of text		Except for the instructions	already specified	it is not necessary	/ to provide any sp	ecial recommen	dation regarding	the uses of this	
Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):         Directive (EU) 2000/39, Directive 2004/37/EC,Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Direct (EU) 2019/1831:         Identification         Docupational exposure limits         Identification         Occupational exposure limits         IDEL (Workers):         Short exposure         Long exposure         Identification         Short exposure         Long exposure         Identification         Systemic         Local         Systemic         Local      <	SEC	TION 8: EXPOSURE CO	DNTROLS/PEI	RSONAL PROT	ECTION				
Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):         Directive (EU) 2000/39, Directive 2004/37/EC,Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Direct (EU) 2019/1831:         Identification         Docupational exposure limits         Identification         Occupational exposure limits         IDEL (Workers):         Short exposure         Long exposure         Identification         Short exposure         Long exposure         Identification         Systemic         Local         Systemic         Local      <	3.1	Control parameters:							
Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:          Identification       Occupational exposure limits         Phosphoric acid       IOELV (8h)       1 mg/m³         CAS: 7664-38-2       EC: 231-633-2       2 mg/m³         Short exposure         Long exposure         Long exposure         Long exposure         Coccupational exposure limits         IDEL (Workers):         Short exposure       Long exposure         Q2/2 - (octadec-9-enylimino)bisethanol (2 EO)       Oral       Non-applicable       Non-ap		Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific							
IOELV (8h)       1 mg/m <sup>3</sup> CAS: 7664-38-2       EC: 231-633-2         IOELV (8h)       1 mg/m <sup>3</sup> IOELV (STEL)       2 mg/m <sup>3</sup> DNEL (Workers):         Short exposure       Long exposure         Identification       Systemic       Local       Systemic       Local         2,2 '-(octadec-9-enylimino)bisethanol (2 EO)       Oral       Non-applicable		Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive							
CAS: 7664-38-2       EC: 231-633-2       IOELV (STEL)       2 mg/m³         DNEL (Workers):         Short exposure       Long exposure         Identification       Systemic       Local       Systemic       Local         2,2'-(octadec-9-enylimino)bisethanol (2 EO)       Oral       Non-applicable         DIVEL (Workers):       Systemic       Local       Systemic       Local         Q'-(octadec-9-enylimino)bisethanol (2 EO)       Oral       Non-applicable       Non-applicable       Non-applicable       Non-applicable       Non-applicable       Non-applicable       Non-applicable       Non-applicable       Non-applicable <th c<="" td=""><td></td><td></td><td>Identifica</td><td>tion</td><td></td><td></td><td>ccupational exposur</td><td>1</td></th>	<td></td> <td></td> <td>Identifica</td> <td>tion</td> <td></td> <td></td> <td>ccupational exposur</td> <td>1</td>			Identifica	tion			ccupational exposur	1
Short exposure     Long exposure       Identification     Systemic     Local     Systemic     Local       2,2 '-(octadec-9-enylimino)bisethanol (2 EO)     Oral     Non-applicable								*	
Short exposure     Long exposure       Identification     Systemic     Local     Systemic     Local       2,2 '-(octadec-9-enylimino)bisethanol (2 EO)     Oral     Non-applicable									
IdentificationSystemicLocalSystemicLocal2,2'-(octadec-9-enylimino)bisethanol (2 EO)OralNon-applicableNon-applicableNon-applicableNon-applicableNon-applicableNon-applicableNon-applicableNon-applicableNon-applicableCAS: 25307-17-9DermalNon-applicableNon-applicable0,42 mg/kgNon-applicableEC: 246-807-3InhalationNon-applicableNon-applicable2,96 mg/m³Non-applicablePhosphoric acidOralNon-applicableNon-applicableNon-applicableNon-applicable		DNEL (WORKERS):			Chart		Lowe		
2,2'-(octadec-9-enylimino)bisethanol (2 EO)       Oral       Non-applicable       Non-applicable </td <td></td> <td>Identifica</td> <td>ation</td> <td></td> <td></td> <td>· · · · · · · · · · · · · · · · · · ·</td> <td></td> <td>· ·</td>		Identifica	ation			· · · · · · · · · · · · · · · · · · ·		· ·	
CAS: 25307-17-9       Dermal       Non-applicable       Non-applicable       0,42 mg/kg       Non-applicable         EC: 246-807-3       Inhalation       Non-applicable       Non-applicable       2,96 mg/m³       Non-applicable         Phosphoric acid       Oral       Non-applicable       Non-applicable       Non-applicable       Non-applicable				Oral	-		-		
EC: 246-807-3     Inhalation     Non-applicable     Non-applicable     2,96 mg/m³     Non-applicable       Phosphoric acid     Oral     Non-applicable     Non-applicable     Non-applicable     Non-applicable     Non-applicable								Non-applicable	
								Non-applicable	
CAS: 7664-38-2 Dermal Non-applicable Non-applicable Non-applicable Non-applicable Non-applicable		Phosphoric acid		Oral			Non-applicable	Non-applicable	
		CAS: 7664-38-2		Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable	

Inhalation

Oral

Oral

Dermal

Inhalation

Dermal

Inhalation

Non-applicable

Non-applicable

Non-applicable

Non-applicable

Non-applicable

Non-applicable

Non-applicable

2 mg/m<sup>3</sup>

Non-applicable

Non-applicable

Non-applicable

Non-applicable

Non-applicable

Non-applicable

10,7 mg/m<sup>3</sup>

10 mg/kg

70,5 mg/m<sup>3</sup>

2080 mg/kg

294 mg/m<sup>3</sup>

Non-applicable

Non-applicable

1 mg/m<sup>3</sup>

Non-applicable

Non-applicable

Non-applicable

Non-applicable

Non-applicable

Non-applicable



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-

specific legislation

# Mediclean 320 WC

Date of compilation: 04/01/2019

Revised: 13/12/2021

Version: 5 (Replaced 4)

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short	exposure	Long e	exposure
Identification		Systemic	Local	Systemic	Local
2,2´-(octadec-9-enylimino)bisethanol (2 EO)	Oral	Non-applicable	Non-applicable	0,15 mg/kg	Non-applicable
CAS: 25307-17-9	Dermal	Non-applicable	Non-applicable	0,15 mg/kg	Non-applicable
EC: 246-807-3	Inhalation	Non-applicable	Non-applicable	0,522 mg/m³	Non-applicable
Phosphoric acid	Oral	Non-applicable	Non-applicable	0,1 mg/kg	Non-applicable
CAS: 7664-38-2	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 231-633-2	Inhalation	Non-applicable	Non-applicable	4,57 mg/m <sup>3</sup>	0,36 mg/m <sup>3</sup>
Sulphamidic acid	Oral	Non-applicable	Non-applicable	5 mg/kg	Non-applicable
CAS: 5329-14-6	Dermal	Non-applicable	Non-applicable	5 mg/kg	Non-applicable
EC: 226-218-8	Inhalation	Non-applicable	Non-applicable	17,4 mg/m <sup>3</sup>	Non-applicable
Alcohols, C16-18 and C18-unsatd., ethoxylated	Oral	Non-applicable	Non-applicable	25 mg/kg	Non-applicable
CAS: 68920-66-1	Dermal	Non-applicable	Non-applicable	1250 mg/kg	Non-applicable
EC: 500-236-9	Inhalation	Non-applicable	Non-applicable	87 mg/m³	Non-applicable

Identification				
2,2'-(octadec-9-enylimino)bisethanol (2 EO)	STP	1,5 mg/L	Fresh water	0,00016 mg/L
CAS: 25307-17-9	Soil	5 mg/kg	Marine water	0,000016 mg/L
EC: 246-807-3	Intermittent	0,00043 mg/L	Sediment (Fresh water)	1,692 mg/kg
	Oral	2 g/kg	Sediment (Marine water)	0,169 mg/kg
Sulphamidic acid	STP	20 mg/L	Fresh water	1,8 mg/L
CAS: 5329-14-6	Soil	5 mg/kg	Marine water	0,18 mg/L
EC: 226-218-8	Intermittent	0,48 mg/L	Sediment (Fresh water)	8,36 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,84 mg/kg
Alcohols, C16-18 and C18-unsatd., ethoxylated	STP	10000 mg/L	Fresh water	0,007 mg/L
CAS: 68920-66-1	Soil	1 mg/kg	Marine water	0,001 mg/L
EC: 500-236-9	Intermittent	0,1 mg/L	Sediment (Fresh water)	22,79 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	2,28 mg/kg

## 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal. B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

### C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. Fo prolonged periods of exposure to the product for professional users/industrials, we recommend usin CE III gloves in line with standards EN 420:2004+ A1:2010 and EN ISO 374-1:2016+A1:2018
Mandatory hand protection	Chemical protective gloves (Material: Nitrile)		EN ISO 21420:2020	Replace the gloves at any sign of deterioration.
Mandatory hand protection	Chemical protective gloves (Material: PVC)		EN ISO 21420:2020	Replace the gloves at any sign of deterioration.

- CONTINUED ON NEXT PAGE -

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any countryspecific legislation

MEDISEPT

Density at 20 °C:

# Mediclean 320 WC

TION 8: EXF	POSUR	E CON	TROLS/PERS	SONAL PROT	FECTION (continued	)	
						erial ca	n not be calculated in advance wi
total relial D Eye and f	,		efore to be che	cked prior to the	application.		
Pictog		000011	PPE	Labelling	CEN Standard		Remarks
	gram			Labelling	OEN Otandard		Remarks
Mandato			c glasses against h/projections.		EN 166:2002 EN ISO 4007:2018		n daily and disinfect periodically according nanufacturer's instructions. Use if there is risk of splashing.
E Body prot				11			
Pictog	gram		PPE	Labelling	CEN Standard		Remarks
			ork clothing	CATI		perio recom	the before any evidence of deterioration. ds of prolonged exposure to the product professional/industrial users CE III is nmended, in accordance with the regulati ISO 6529:2013, EN ISO 6530:2005, EN 13688:2013, EN 464:1994.
F Additiona	l emerge	ency mea	sures				
Emerç	gency mea	isure	St	andards	Emergency meas	sure	Standards
Eme	<b>*</b>			SI Z358-1 11, ISO 3864-4:201			DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Environmental exposure controls:							
Environmen In accordance spillage of bo Volatile orga	e with th oth the pr anic con	e commu oduct an pounds	nity legislation f d its container. I :	For additional in	formation see subsectio	s recom	mended to avoid environmental
Environment In accordance spillage of bo Volatile orga With regard to V.O.C. (S V.O.C. de Average of	tal expo e with th oth the pr anic con to Directi Supply): ensity at carbon n	e commu roduct an <b>pounds</b> ve 2010/7 20 °C: umber:	nity legislation f d its container. I : 75/EU, this prod 0,05 0,49 9,61	For additional in luct has the follc % weight kg/m³ (0,49 g/L	n of the environment it is formation see subsectio wing characteristics:	s recom	mended to avoid environmental
Environment In accordance spillage of bo Volatile orga With regard to V.O.C. (S V.O.C. de	tal expo e with th oth the pr anic con to Directi Supply): ensity at carbon n	e commu roduct an <b>pounds</b> ve 2010/7 20 °C: umber:	nity legislation f d its container. I : 75/EU, this prod 0,05 0,49 9,61	For additional in luct has the follo % weight	n of the environment it is formation see subsectio wing characteristics:	s recom	mended to avoid environmental
Environment In accordance spillage of bo Volatile orga With regard to V.O.C. (S V.O.C. de Average of Average of	tal expo e with the princ con to Directi Supply): ensity at carbon n molecula	e commu roduct an <b>npounds</b> ve 2010/7 20 °C: number: ar weight:	nity legislation f d its container. I : 75/EU, this prod 0,05 0,49 9,61 154,7	For additional in luct has the follc % weight kg/m³ (0,49 g/L 73 g/mol	n of the environment it is formation see subsectio wing characteristics:	s recom	mended to avoid environmental
Environment In accordance spillage of bo Volatile orga With regard to V.O.C. (S V.O.C. de Average of Average of ETION 9: PHY	tal expo e with the pranic con to Directi Supply): ensity at carbon n molecula	e commu roduct an <b>npounds</b> ve 2010/7 20 °C: number: ar weight:	nity legislation f d its container. I : 75/EU, this prod 0,05 0,49 9,61 154,7 :HEMICAL PF	For additional in luct has the follo % weight kg/m³ (0,49 g/L 73 g/mol ROPERTIES	n of the environment it is formation see subsectio wing characteristics:	s recom	mended to avoid environmental
Environment In accordance spillage of bo Volatile orga With regard to V.O.C. (S V.O.C. de Average of Average of CTION 9: PHY Information	tal expo e with th oth the pr anic con o Directi Supply): ensity at carbon n molecula	e commu roduct an <b>npounds</b> ve 2010/7 20 °C: number: ar weight: . AND C c physica	nity legislation f d its container. I 75/EU, this prod 0,05 0,49 9,61 154,7 HEMICAL PF al and chemica	For additional in luct has the follo % weight kg/m³ (0,49 g/L 73 g/mol ROPERTIES	n of the environment it is formation see subsectio wing characteristics:	s recom	mended to avoid environmental
Environment In accordance spillage of bo Volatile orga With regard to V.O.C. (S V.O.C. de Average of Average of TION 9: PHY Information	tal expo e with the pranic con to Directi Supply): ensity at carbon n molecula YSICAL on basic	e commu roduct an <b>npounds</b> ve 2010/7 20 °C: number: ar weight: . AND C c physica	nity legislation f d its container. I : 75/EU, this prod 0,05 0,49 9,61 154,7 :HEMICAL PF	For additional in luct has the follo % weight kg/m³ (0,49 g/L 73 g/mol ROPERTIES	n of the environment it is formation see subsectio wing characteristics:	s recom	mended to avoid environmental
Environment In accordance spillage of bo Volatile orga With regard to V.O.C. (S V.O.C. de Average of Average of STION 9: PHY Information For complete Appearance	tal expo e with th oth the pr anic con o Directi Supply): ensity at carbon n molecula YSICAL on basic e informa	e commu roduct an <b>pounds</b> ve 2010/2 20 °C: number: ar weight: . AND C c physica tion see t	nity legislation f d its container. I 75/EU, this prod 0,05 0,49 9,61 154,7 HEMICAL PF al and chemica	For additional in luct has the follo % weight kg/m³ (0,49 g/L 73 g/mol ROPERTIES al properties: asheet.	n of the environment it is formation see subsectio owing characteristics: )	s recom	mended to avoid environmental
Environment In accordance spillage of bo Volatile orga With regard to V.O.C. (S V.O.C. de Average of Average of TION 9: PHY Information For complete Appearance Physical state	tal expo e with the panic con to Directi Supply): ensity at carbon n molecula YSICAL on basic e informa : e at 20 %	e commu roduct an <b>pounds</b> ve 2010/2 20 °C: number: ar weight: . AND C c physica tion see t	nity legislation f d its container. I 75/EU, this prod 0,05 0,49 9,61 154,7 HEMICAL PF al and chemica	For additional in luct has the follo % weight kg/m <sup>3</sup> (0,49 g/L 73 g/mol ROPERTIES al properties: asheet. Liquid	n of the environment it is formation see subsectio owing characteristics: )	s recom	mended to avoid environmental
Environment In accordance spillage of bo Volatile orga With regard to V.O.C. (S V.O.C. de Average of Average of ETION 9: PHY Information For complete Appearance Appearance	tal expo e with the panic con to Directi Supply): ensity at carbon n molecula YSICAL on basic e informa : e at 20 %	e commu roduct an <b>pounds</b> ve 2010/2 20 °C: number: ar weight: . AND C c physica tion see t	nity legislation f d its container. I 75/EU, this prod 0,05 0,49 9,61 154,7 HEMICAL PF al and chemica	For additional in luct has the follo % weight kg/m <sup>3</sup> (0,49 g/L 73 g/mol ROPERTIES al properties: asheet. Liquio Fluid	n of the environment it is formation see subsectio owing characteristics: )	s recom	mended to avoid environmental
Environment In accordance spillage of bo Volatile orga With regard to V.O.C. (S V.O.C. de Average of Average of STION 9: PHY Information For complete Appearance Physical state Appearance: Colour:	tal expo e with the panic con to Directi Supply): ensity at carbon n molecula YSICAL on basic e informa : e at 20 %	e commu roduct an <b>pounds</b> ve 2010/2 20 °C: number: ar weight: . AND C c physica tion see t	nity legislation f d its container. I 75/EU, this prod 0,05 0,49 9,61 154,7 HEMICAL PF al and chemica	For additional in luct has the follo % weight kg/m³ (0,49 g/L 73 g/mol ROPERTIES al properties: asheet. Liquid Fluid	n of the environment it is formation see subsectio owing characteristics: )	s recom	mended to avoid environmental
Environment In accordance spillage of bo Volatile orga With regard to V.O.C. (S V.O.C. de Average of Average of TION 9: PHY Information For complete Appearance Physical state Appearance: Colour:	tal expo e with the pranic con to Directi Supply): ensity at carbon n molecula YSICAL on basic e informa : e at 20 %	e commu roduct an <b>pounds</b> ve 2010/2 20 °C: number: ar weight: . AND C c physica tion see t	nity legislation f d its container. I 75/EU, this prod 0,05 0,49 9,61 154,7 HEMICAL PF al and chemica	For additional in luct has the follo % weight kg/m³ (0,49 g/L 73 g/mol ROPERTIES al properties: asheet. Liquid Fluid Fluid Fruity	n of the environment it is formation see subsectio owing characteristics: ) d	s recom	mended to avoid environmental
Environment In accordance spillage of bo Volatile orga With regard to V.O.C. (S V.O.C. de Average of Average of Average of ETION 9: PHY Information For complete Appearance Physical state Appearance: Colour: Odour thresh	tal expo e with the pranic con to Directi Supply): ensity at carbon n molecula YSICAL on basic e informa : e at 20 %	e commu roduct an <b>pounds</b> ve 2010/2 20 °C: number: ar weight: . AND C c physica tion see t	nity legislation f d its container. I 75/EU, this prod 0,05 0,49 9,61 154,7 HEMICAL PF al and chemica	For additional in luct has the follo % weight kg/m³ (0,49 g/L 73 g/mol ROPERTIES al properties: asheet. Liquid Fluid Fluid Fruity	n of the environment it is formation see subsectio owing characteristics: )	s recom	mended to avoid environmental
Environment In accordance spillage of bo Volatile orga With regard to V.O.C. (S V.O.C. de Average of Average of TION 9: PHY Information For complete Appearance Physical state Appearance: Colour:	tal expo e with the pranic con to Directi Supply): ensity at carbon n molecula YSICAL on basic e informa : e at 20 %	e commu roduct an <b>pounds</b> ve 2010/2 20 °C: number: ar weight: . AND C c physica tion see t	nity legislation f d its container. I 75/EU, this prod 0,05 0,49 9,61 154,7 HEMICAL PF al and chemica	For additional in luct has the follo % weight kg/m³ (0,49 g/L 73 g/mol ROPERTIES al properties: asheet. Liquid Fluid Fluid Fruity Non-a	n of the environment it is formation see subsectio owing characteristics: ) d d Blue / applicable *	s recom	mended to avoid environmental
Environment In accordance spillage of bo Volatile orga With regard to V.O.C. (S V.O.C. de Average of Average of Average of ETION 9: PHY Information For complete Appearance Physical state Appearance: Colour: Odour thresh	tal expo e with the pranic con o Directi Supply): ensity at carbon n molecula YSICAL on basic e informa : e at 20 %	e commu roduct an <b>pounds</b> ve 2010/2 20 °C: number: ar weight: <b>AND C</b> <b>c physic</b> tion see t	nity legislation f d its container. I 75/EU, this prod 0,05 0,49 9,61 154,7 HEMICAL Pf al and chemica the product data	For additional in luct has the follo % weight kg/m³ (0,49 g/L 73 g/mol ROPERTIES al properties: asheet. Liquid Fluid Fluid Fruity	n of the environment it is formation see subsectio owing characteristics: ) d d Blue / applicable *	s recom	mended to avoid environmental
Environment In accordance spillage of bo Volatile orga With regard to V.O.C. (S V.O.C. de Average of Average of TION 9: PHY Information For complete Appearance Physical state Appearance: Colour: Odour thresh Volatility:	tal expo e with the pranic con to Directi Supply): ensity at carbon n molecula (SICAL on basic e informa : e at 20 %	sure cor e commu roduct an pounds ve 2010/7 20 °C: umber: ar weight: AND C c physica tion see t C:	nity legislation f d its container. I 75/EU, this prod 0,05 0,49 9,61 154,7 HEMICAL Pf al and chemica the product data	For additional in luct has the follo % weight kg/m³ (0,49 g/L 73 g/mol ROPERTIES al properties: asheet. Liquid Fluid Fluid Fruity Non-a	n of the environment it is formation see subsectio owing characteristics: ) d d Blue / applicable *	s recom	mended to avoid environmental
Environment In accordance spillage of bo Volatile orga With regard to V.O.C. (S V.O.C. de Average of Average of Average of ETION 9: PHY Information For complete Appearance Physical state Appearance: Colour: Odour thresh Volatility: Boiling point a	tal expo e with the pranic con o Directi Supply): ensity at carbon n molecula (SICAL on basic e informa : e at 20 % hold: at atmos sure at 20	sure cor e commu roduct an pounds ve 2010/3 20 °C: umber: ar weight: AND C c physica tion see t C:	nity legislation f d its container. I 75/EU, this prod 0,05 0,49 9,61 154,7 HEMICAL Pf al and chemica the product data	For additional in luct has the follo % weight kg/m³ (0,49 g/L 73 g/mol ROPERTIES al properties: asheet. Liquid Fluid Fluid Fruity Non-a 100 ° 2349	n of the environment it is formation see subsectio owing characteristics: ) d d Blue / applicable *	s recom	mended to avoid environmental
Environment In accordance spillage of bo Volatile orga With regard to V.O.C. (S V.O.C. de Average of Average of Average of Average of CTION 9: PHY Information For complete Appearance Physical state Appearance: Colour: Odour thresh Volatility: Boiling point a Vapour press	tal expo e with the pranic con o Directi Supply): ensity at carbon n molecula YSICAL on basic e informa : e at 20 % hold: at atmos sure at 20 sure at 5	sure cor e commu roduct an pounds ve 2010/2 20 °C: umber: ar weight: . AND C c physica tion see t C: 	nity legislation f d its container. I 75/EU, this prod 0,05 0,49 9,61 154,7 HEMICAL Pf al and chemica the product data	For additional in luct has the follo % weight kg/m³ (0,49 g/L 73 g/mol ROPERTIES al properties: asheet. Liquid Fluid Fluid Fruity Non-a 100 ° 2349 1237	n of the environment it is formation see subsectio owing characteristics: ) d d Blue / applicable * C Pa	s recom	mended to avoid environmental

- CONTINUED ON NEXT PAGE -

\*Not relevant due to the nature of the product, not providing information property of its hazards.

1045 - 1065 kg/m<sup>3</sup>

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any countryspecific legislation

# Mediclean 320 WC

Date of compilation: 04/01/2019 Revised: 13/12/2021	Version: 5 (Replaced 4)
SECTION 9: PHYSICAL AND CHEMICAL PROPER	RTIES (continued)
Relative density at 20 °C:	1,083
Dynamic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 40 °C:	Non-applicable *
Concentration:	Non-applicable *
pH:	0 - 2
Vapour density at 20 °C:	Non-applicable *
Partition coefficient n-octanol/water 20 °C:	Non-applicable *
Solubility in water at 20 °C:	Non-applicable *
Solubility properties:	Completely miscible
Decomposition temperature:	Non-applicable *
Melting point/freezing point:	Non-applicable *
Flammability:	
Flash Point:	Non Flammable (>60 °C)
Flammability (solid, gas):	Non-applicable *
Autoignition temperature:	225 °C
Lower flammability limit:	Non-applicable *
Upper flammability limit:	Non-applicable *
Particle characteristics:	
Median equivalent diameter:	Non-applicable
9.2 Other information:	
Information with regard to physical hazard classes	S:
Explosive properties:	Non-applicable *
Oxidising properties:	Non-applicable *
Corrosive to metals:	Non-applicable *
Heat of combustion:	Non-applicable *
Aerosols-total percentage (by mass) of flammable components: <b>Other safety characteristics:</b>	Non-applicable *
Surface tension at 20 °C:	Non-applicable *
Refraction index:	Non-applicable *
*Not relevant due to the nature of the product, not providing inform	

# SECTION 10: STABILITY AND REACTIVITY

# 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

# 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

## 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

# 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

# 10.5 Incompatible materials:

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation MEDISEPT

# Mediclean 320 WC

ite of c	compilation: 04/01/2019	Revised: 13/12/2021	Version: 5 (Replace	ed 4)	
SEC	TION 10: STABILITY AND	D REACTIVITY (con	tinued)		
	Acids	Water	Oxidising materials	Combustible materials	Others
	Not applicable	Not applicable	Precaution	Not applicable	Avoid alkalis or strong bases
10.6	Hazardous decomposition	products:			
	See subsection 10.3, 10.4 au complex mixtures of chemica compounds.				
SEC	TION 11: TOXICOLOGIC	AL INFORMATION			
11.1	Information on hazard clas	ses as defined in Reg	ulation (EC) No 1272/20	08:	
	The experimental information	n related to the toxicolog	gical properties of the pro	duct itself is not available	
	Dangerous health implicat	ions:			
	In case of exposure that is readverse effects on health ma A- Ingestion (acute effect):			an the recommended occ	cupational exposure limits,
	dangerous for consumpti	on. For more informatio Corrosive product, if it is	n see section 3. swallowed causes burns		ns substances classified as or more information about
	<ul> <li>Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain s as hazardous for inhalation. For more information see section 3.</li> <li>Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the cC- Contact with the skin and the eyes (acute effect):</li> </ul>				
	<ul> <li>Contact with the skin: , For more information on</li> <li>Contact with the eyes:</li> <li>D- CMR effects (carcinogen</li> </ul>	the secondary effects se Produces serious eye o	ee section 2. damage after contact.	l thicknesses can be dest	royed, resulting in burns.
	as hazardous for the effe IARC: Benzyl acetate ( - Mutagenicity: Based o hazardous for this effect.	cts mentioned. For more 3); d-limonene (3); C.I.A n available data, the cla For more information so Based on available data	e information see section Acid Blue 9 (3) Issification criteria are not ee section 3. a, the classification criteria	3. : met, as it does not conta a are not met, as it does r	ntain substances classified in substances classified as not contain substances
	<ul> <li>Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances class hazardous with sensitising effects. For more information see section 3.</li> <li>Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified a hazardous for this effect. For more information see section 3.</li> <li>F- Specific target organ toxicity (STOT) - single exposure:</li> </ul>				
	Based on available data, this effect. For more infor G- Specific target organ toxi	mation see section 3.		not contain substances cl	assified as hazardous for
	it does not contain substa	ances classified as haza ble data, the classification	ardous for this effect. For on criteria are not met, as	ilable data, the classificat more information see sec it does not contain subst	
	Based on available data, this effect. For more infor Other information:		a are not met, as it does i	not contain substances cl	assified as hazardous for
	Non-applicable				

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-MEDISEPT

specific legislation

# Mediclean 320 WC

Date of compilation: 04/01/2019

Revised: 13/12/2021

Version: 5 (Replaced 4)

# SECTION 11: TOXICOLOGICAL INFORMATION (continued)

# Specific toxicology information on the substances:

Identification	Ad	Acute toxicity		
Phosphoric acid	LD50 oral	3500 mg/kg	Rat	
CAS: 7664-38-2	LD50 dermal	2470 mg/kg	Rabbit	
EC: 231-633-2	LC50 inhalation	Non-applicable		
2,2´-(octadec-9-enylimino)bisethanol (2 EO)	LD50 oral	1260 mg/kg	Rat	
CAS: 25307-17-9	LD50 dermal	Non-applicable		
EC: 246-807-3	LC50 inhalation	Non-applicable		
Sulphamidic acid	LD50 oral	3160 mg/kg	Rat	
CAS: 5329-14-6	LD50 dermal	Non-applicable		
EC: 226-218-8	LC50 inhalation	Non-applicable		

# 11.2 Information on other hazards:

# Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

# Other information

Non-applicable

# SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

## 12.1 Toxicity:

## Acute toxicity:

Identification		Concentration	Species	Genus
2,2´-(octadec-9-enylimino)bisethanol (2 EO)	LC50	0,1 mg/L (96 h)	Danio rerio	Fish
CAS: 25307-17-9	EC50	0,043 mg/L (48 h)	Daphnia magna	Crustacean
EC: 246-807-3	EC50	0,0867 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
Sulphamidic acid	LC50	70,3 mg/L (96 h)	Pimephales promelas	Fish
CAS: 5329-14-6	EC50	Non-applicable		
EC: 226-218-8	EC50	Non-applicable		
Alcohols, C16-18 and C18-unsatd., ethoxylated	LC50	108 mg/L (96 h)	Danio rerio	Fish
CAS: 68920-66-1	EC50	Non-applicable		
EC: 500-236-9	EC50	Non-applicable		

### Chronic toxicity:

Identification	Concentration		Species	Genus
Sulphamidic acid	NOEC	0,025 mg/L	Jordanella floridae	Fish
CAS: 5329-14-6 EC: 226-218-8	NOEC	0,15 mg/L	Tantytarsus dissimilis	Crustacean
Alcohols, C16-18 and C18-unsatd., ethoxylated	NOEC	0,16 mg/L	Pimephales promelas	Fish
CAS: 68920-66-1 EC: 500-236-9	NOEC	0,77 mg/L	Daphnia magna	Crustacean

# 12.2 Persistence and degradability:

## Substance-specific information:

Identification	Degradability		Biodegradability	
2,2'-(octadec-9-enylimino)bisethanol (2 EO)	BOD5	Non-applicable	Concentration	10 mg/L
CAS: 25307-17-9	COD	Non-applicable	Period	28 days
EC: 246-807-3	BOD5/COD	Non-applicable	% Biodegradable	88 %
Alcohols, C16-18 and C18-unsatd., ethoxylated	BOD5	Non-applicable	Concentration	20 mg/L
CAS: 68920-66-1	COD	Non-applicable	Period	28 days
EC: 500-236-9	BOD5/COD	Non-applicable	% Biodegradable	99 %

### Bioaccumulative potential: 12.3

Not available



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-

specific legislation

# Mediclean 320 WC

Date of compilation: 04/01/2019

Revised: 13/12/2021

Version: 5 (Replaced 4)

## SECTION 12: ECOLOGICAL INFORMATION (continued)

### 12.4 Mobility in soil:

Identification	Absorp	Absorption/desorption		Volatility	
2,2´-(octadec-9-enylimino)bisethanol (2 EO)	Koc	Non-applicable	Henry	Non-applicable	
CAS: 25307-17-9	Conclusion	Non-applicable	Dry soil	Non-applicable	
EC: 246-807-3	Surface tension	2,8E-2 N/m (25 °C)	Moist soil	Non-applicable	
Alcohols, C16-18 and C18-unsatd., ethoxylated	Koc	31600	Henry	Non-applicable	
CAS: 68920-66-1	Conclusion	Immobile	Dry soil	Non-applicable	
EC: 500-236-9	Surface tension	Non-applicable	Moist soil	Non-applicable	

## 12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

### 12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

### 12.7 Other adverse effects:

Not described

# SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)	
16 03 05*	organic wastes containing hazardous substances	Dangerous	

### Type of waste (Regulation (EU) No 1357/2014):

HP8 Corrosive, HP14 Ecotoxic

### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

### **Regulations related to waste management:**


In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

# SECTION 14: TRANSPORT INFORMATION

# Transport of dangerous goods by land:

With regard to ADR 2021 and RID 2021:



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any countryspecific legislation



# Mediclean 320 WC

Date of compilation: 04/01/2019	Revised: 13/12/2021 V	ersion: 5 (Replaced 4)
SECTION 14: TRANSPOR	RT INFORMATION (continued)	
With regard to IMDG 4	0-20:	
14.1	UN number or ID number:	UN1760
14.2	UN proper shipping name:	CORROSIVE LIQUID, N.O.S. (2,2'-(octadec-9-enylimino)bisethanol (2 EO))
14.3	Transport hazard class(es):	8
	Labels:	8
14.4	Packing group:	III
14.5	Marine pollutant:	Yes
14.6	Special precautions for user	
	Special regulations:	274, 223
	EmS Codes:	F-A, S-B
	Physico-Chemical properties:	see section 9
	Limited quantities:	5 L
	Segregation group:	SGG1
14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable
Transport of dangero	-	
With regard to IATA/IC	AO 2023:	
/ 14.1	UN number or ID number:	UN1760
	UN proper shipping name:	CORROSIVE LIQUID, N.O.S. (2,2'-(octadec-9-enylimino)bisethanol (2 EO))
14.3	Transport hazard class(es):	8
	Labels:	8
14.4	Packing group:	III
14.5		Yes
14.6	Special precautions for user	
	Physico-Chemical properties:	see section 9
14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable

# SECTION 15: REGULATORY INFORMATION

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

# Regulation (EC) No 648/2004 on detergents:

In accordance with this regulation the product complies with the following:

The tensoactives contained in this mixture comply with the biodegradibility criteria stipulated in Regulation (EC)  $n^{6}648/2004$  on detergents. The information to prove this is available to the relevant authorities of the Member States and will be shown to them by direct request or the request of a detergent manufacturer.

# Labelling for contents:

Component	Concentration interval	
Non-ionic surfactants	5 <= % (w/w) < 15	
perfumes		

Allergenic fragrances: Benzyl benzoate (BENZYL BENZOATE), Benzyl salicylate (BENZYL SALICYLATE), Hexyl cinnamaldehyde (HEXYL CINNAMAL), Linalool (LINALOOL).

# Seveso III:

Section	Description	Lower-tier requirements	Upper-tier requirements
E1	ENVIRONMENTAL HAZARDS		200

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-

specific legislation

# Mediclean 320 WC

Date of compilation: 04/01/2019 R

MEDISEPT

Revised: 13/12/2021 Version: 5 (Replaced 4)

# SECTION 15: REGULATORY INFORMATION (continued)

## Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....)

Shall not be used in:

----ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

—games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

### Other legislation:

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products

- Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents

- Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII

- Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation)

## 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

## SECTION 16: OTHER INFORMATION

### Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

### Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Non-applicable

### Texts of the legislative phrases mentioned in section 2:

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

H400: Very toxic to aquatic life.

H411: Toxic to aquatic life with long lasting effects.

### Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

### CLP Regulation (EC) No 1272/2008:

Acute Tox. 4: H302 - Harmful if swallowed.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Eye Dam. 1: H318 - Causes serious eye damage.

Eye Irrit. 2: H319 - Causes serious eye irritation. Met. Corr. 1: H290 - May be corrosive to metals.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Skin Irrit. 2: H315 - Causes skin irritation.

### Classification procedure:

Skin Corr. 1: Calculation method

Eye Dam. 1: Calculation method

Aquatic Acute 1: Calculation method

Aquatic Chronic 2: Calculation method

### Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

# Principal bibliographical sources:

http://echa.europa.eu

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-MEDISEPT

# specific legislation Mediclean 320 WC

Date of compilation: 04/01/2019	Revised: 13/12/2021	Version: 5 (Replaced 4)
SECTION 16: OTHER INFO	RMATION (continued)	
Abbreviations and acron	yms: It concerning the internationary me dangerous goods code Isport Association viation Organisation lemand boxygen demand tor n 50 tion 50 artition coefficient f organic carbon	al carriage of dangerous goods by road
IARC: International Agency	y for Research on Cancer	

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.