This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-**MEDISEPT** 

# specific legislation

# **Velox Spray - Neutral**

Date of	compilation: 11/04/2019	Revised: 16/08/2021	Version: 4 (Replaced 3)
SEC	TION 1: IDENTIFICATION	OF THE SUBSTAN	CE/MIXTURE AND OF THE COMPANY/UNDERTAKING
1.1	Product identifier:	Velox Spray	- Neutral
	Other means of identification	on:	
	Non-applicable		
1.2	Relevant identified uses of	the substance or mixtu	re and uses advised against:
	Relevant uses: Disinfectant .	For professional users of	inly.
	Uses advised against: All use	s not specified in this se	ction or in section 7.3
1.3	Details of the supplier of th	e safety data sheet:	
	MEDISEPT Sp. z o.o. ul. Ludwika Spiessa 4 20-270 Lublin - lubelskie - Po Phone: +48 81 535 22 76 p.brewczak@medisept.pl https://medisept.pl/	lska	
1.4	Emergency telephone num	ber: +48 81 535 22 92 a 112 (general emerg	at time: 8.00 a.m. – 4.00. p.m. gency number)

# SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture:

## CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Eye Irrit. 2: Eye irritation, Category 2, H319 Flam. Liq. 3: Flammable liquids, Category 3, H226

### 2.2 Label elements:

# CLP Regulation (EC) No 1272/2008:



## Hazard statements:

Eye Irrit. 2: H319 - Causes serious eye irritation. Flam. Liq. 3: H226 - Flammable liquid and vapour.

## Precautionary statements:

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280: Wear protective gloves/protective clothing/eye protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P370+P378: In case of fire: Use ABC powder extinguisher to extinguish.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P501: Dispose of contents/container in accordance with regulations on hazardous waste or packaging and packaging waste respectively.

### 2.3 Other hazards:

Product fails to meet PBT/vPvB criteria Endocrine-disrupting properties: The product fails to meet the criteria.

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### Substance: 3.1

Non-applicable

3.2 Mixture:

Chemical description: Alcohols

## Components:

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-MEDISEPT

specific legislation

# Velox Spray - Neutral

compilation: 11/04/2019	Revised: 16/08	3/2021 Version: 4 (Replaced 3)				
CTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)						
In accordance with Annex	x II of Regulation (E	C) No 1907/2006 (point 3), the product contains:				
Identification		Chemical name/Classification		Concentration		
CAS: 64-17-5 EC: 200-578-6	ethanol 1 Self-classified					
Index: 603-002-00-5 REACH: 01-2119457610-43- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Flam. Liq. 2: H225 - Danger	() ()	50 - <75 %		
	propan-2-ol <sup>1</sup>		ATP CLP00			
EC: 200-661-7 Index: 603-117-00-0	Regulation 1272/2008	Eye Irrit. 2: H319; Flam. Liq. 2: H225; STOT SE 3: H336 - Danger	(!)	2.5 - <10 %		

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

## Other information:

D

Identification	Specific concentration limit
ethanol CAS: 64-17-5 EC: 200-578-6	% (w/w) >=50: Eye Irrit. 2 - H319

# **SECTION 4: FIRST AID MEASURES**

#### Description of first aid measures: 4.1

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

# By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

## By skin contact:

In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes to the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety Data Sheet

## By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

## By ingestion/aspiration:

In case of consumption, seek immediate medical assistance showing the SDS for the product.

#### 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

#### 4.3 Indication of any immediate medical attention and special treatment needed:

## Non-applicable

# SECTION 5: FIREFIGHTING MEASURES

### 5.1 Extinguishing media:

# Suitable extinguishing media:

If possible use polyvalent powder fire extinguishers (ABC powder), alternatively use foam or carbon dioxide extinguishers (CO).

# Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-MEDISEPT

specific legislation

# Velox Spray - Neutral

Date of compilation: 11/04/2019 Revised: 16/08/2021 Version: 4 (Replaced 3)

# SECTION 5: FIREFIGHTING MEASURES (continued)

#### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit...) in accordance with Directive 89/654/EC.

## Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures:

## For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

## For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

#### 6.2 **Environmental precautions:**

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

#### Methods and material for containment and cleaning up: 6.3

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

### Reference to other sections: 6.4

See sections 8 and 13

# SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Transfer in well ventilated areas, preferably through localized extraction. Fully control sources of ignition (mobile phones, sparks...) and ventilate during cleaning operations. Avoid the existence of dangerous atmospheres inside containers, applying inertization systems where possible. Transfer at a slow speed to avoid the creation of electrostatic charges. Against the possibility of electrostatic charges: ensure a perfect equipotential connection, always use groundings, do not wear work clothes made of acrylic fibres, preferably wearing cotton clothing and conductive footwear. Comply with the essential security requirements for equipment and systems defined in Directive 2014/34/EC (ATEX 100) and with the minimum requirements for protecting the security and health of workers under the selection criteria of Directive 1999/92/EC (ATEX 137). Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

## Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

7.2

5°C Minimum Temp.:

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any countryspecific legislation

# Velox Spray - Neutral

Date of compilation: 11/04/2019 Revised: 16/08/2021

Version: 4 (Replaced 3)

# SECTION 7: HANDLING AND STORAGE (continued)

Maximum Temp.: 25 °C

Maximum time: 42 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

## 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no applicable occupational exposure limits for the substances contained in the product

## DNEL (Workers):

		Short e	xposure	Long e	xposure
Identification		Systemic	Local	Systemic	Local
ethanol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 64-17-5	Dermal	Non-applicable	Non-applicable	343 mg/kg	Non-applicable
EC: 200-578-6 Inhalatio		Non-applicable	Non-applicable	950 mg/m³	Non-applicable
propan-2-ol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 67-63-0	Dermal	Non-applicable	Non-applicable	888 mg/kg	Non-applicable
EC: 200-661-7	Inhalation	Non-applicable	Non-applicable	500 mg/m <sup>3</sup>	Non-applicable

## **DNEL (General population):**

		Short e	xposure	Long e	xposure
Identification		Systemic	Local	Systemic	Local
ethanol	Oral	Non-applicable	Non-applicable	87 mg/kg	Non-applicable
CAS: 64-17-5	Dermal	Non-applicable	Non-applicable	206 mg/kg	Non-applicable
EC: 200-578-6 Inhalation		Non-applicable	Non-applicable	114 mg/m <sup>3</sup>	Non-applicable
propan-2-ol	Oral	Non-applicable	Non-applicable	26 mg/kg	Non-applicable
CAS: 67-63-0	Dermal	Non-applicable	Non-applicable	319 mg/kg	Non-applicable
EC: 200-661-7	Inhalation	Non-applicable	Non-applicable	89 mg/m³	Non-applicable

## PNEC:

Identification				
ethanol	STP	580 mg/L	Fresh water	0,96 mg/L
CAS: 64-17-5	Soil	0,63 mg/kg	Marine water	0,79 mg/L
EC: 200-578-6	Intermittent	2,75 mg/L	Sediment (Fresh water)	3,6 mg/kg
	Oral	0,38 g/kg	Sediment (Marine water)	2,9 mg/kg
propan-2-ol	STP	2251 mg/L	Fresh water	140,9 mg/L
CAS: 67-63-0	Soil	28 mg/kg	Marine water	140,9 mg/L
EC: 200-661-7	Intermittent	140,9 mg/L	Sediment (Fresh water)	552 mg/kg
	Oral	0,16 g/kg	Sediment (Marine water)	552 mg/kg

# 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

## B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any countryspecific legislation

Revised: 16/08/2021

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)



Date of compilation: 11/04/2019

opeenie iegielaaten

# Velox Spray - Neutral

Version: 4 (Replaced 3)

Pictogran	n	PPE	Labelling	CEN Standard		Remarks
Mandatory ha protection	Protect	ive gloves against minor risks	CATI		prolor professi CE III A1:	e gloves in case of any sign of damage. I nged periods of exposure to the product for ional users/industrials, we recommend us gloves in line with standards EN 420:200 2010 and EN ISO 374-1:2016+A1:2018
	ty and has the	e of several subs erefore to be chee			erial can	not be calculated in advance with
Pictogran	n	PPE	Labelling	CEN Standard		Remarks
Mandatory fa protection	spla	nic glasses against sh/projections.	CAT II	EN 166:2002 EN ISO 4007:2018		daily and disinfect periodically according anufacturer's instructions. Use if there is risk of splashing.
E Body protect	tion					
Pictogran	n	PPE	Labelling	CEN Standard		Remarks
		/ork clothing	CATI		perioc recom	ce before any evidence of deterioration. F Is of prolonged exposure to the product for professional/industrial users CE III is mended, in accordance with the regulatio SO 6529:2013, EN ISO 6530:2005, EN IS 13688:2013, EN 464:1994.
F Additional er						
Emergeno	cy measure	St	andards	Emergency meas	sure	Standards
4			SI Z358-1			DIN 12 899
Emerger	ncy shower exposure co		11, ISO 3864-4:201	Eyewash station	ns	ISO 3864-1:2011, ISO 3864-4:2011
Environmental In accordance w spillage of both Volatile organic With regard to D V.O.C. (Sup V.O.C. dens	exposure co with the comm the product a c compound Directive 2010 ply):	ontrols: unity legislation f nd its container. F s: /75/EU, this prod 68,6 <sup>0</sup>	or the protection For additional in	Eyewash station n of the environment it is formation see subsectio pwing characteristics:	s recomr	ISO 3864-1:2011, ISO 3864-4:2011
Environmental In accordance w spillage of both Volatile organic With regard to D V.O.C. (Sup V.O.C. dens Average car	exposure co vith the comm the product a c compound Directive 2010 ply): ity at 20 °C:	ontrols: unity legislation f nd its container. F s: /75/EU, this prod 68,6 600,2 2,08	for the protection For additional in luct has the follo % weight	Eyewash station n of the environment it is formation see subsectio pwing characteristics:	s recomr	
Environmental In accordance w spillage of both Volatile organic With regard to D V.O.C. (Sup V.O.C. dens Average car	exposure co vith the comm the product a c compound Directive 2010 ply): ity at 20 °C: bon number: lecular weigh	ontrols: unity legislation f nd its container. F s: (75/EU, this prod 68,6 600,2 2,08 t: 47,24	For the protection For additional in luct has the follo weight 25 kg/m³ (600,2 g/mol	Eyewash station n of the environment it is formation see subsectio pwing characteristics:	s recomr	
Environmental In accordance w spillage of both Volatile organic With regard to D V.O.C. (Sup V.O.C. dens Average car Average mod	exposure co vith the comm the product a c compound Directive 2010 ply): ity at 20 °C: bon number: lecular weigh	ontrols: unity legislation f nd its container. F s: (75/EU, this prod 68,6 600,2 2,08 t: 47,24 CHEMICAL PF	For the protection For additional in luct has the follo weight 25 kg/m³ (600,2 g/mol ROPERTIES	Eyewash station n of the environment it is formation see subsectio pwing characteristics:	s recomr	
Environmental In accordance w spillage of both Volatile organic With regard to D V.O.C. (Sup V.O.C. dens Average car Average mod	exposure co vith the comm the product a c compound Directive 2010 ply): ity at 20 °C: bon number: lecular weigh ICAL AND ( basic physic	ontrols: unity legislation f nd its container. F s: (75/EU, this prod 68,6 600,2 2,08 t: 47,24	For the protection For additional in luct has the follo % weight 25 kg/m <sup>3</sup> (600,2 4 g/mol ROPERTIES	Eyewash station n of the environment it is formation see subsectio pwing characteristics:	s recomr	
Environmental In accordance w spillage of both Volatile organic With regard to D V.O.C. (Sup V.O.C. dens Average car Average mod	exposure co vith the comm the product a c compound Directive 2010 ply): ity at 20 °C: bon number: lecular weigh ICAL AND ( basic physic	ontrols: unity legislation f nd its container. F s: /75/EU, this prod 68,6 600,2 2,08 t: 47,24 CHEMICAL PF cal and chemica	For the protection For additional in luct has the follo % weight 25 kg/m <sup>3</sup> (600,2 4 g/mol ROPERTIES	Eyewash station n of the environment it is formation see subsectio pwing characteristics:	s recomr	
Environmental In accordance w spillage of both Volatile organic With regard to D V.O.C. (Sup V.O.C. dens Average carl Average mod	exposure co vith the comm the product a c compound Directive 2010 ply): ity at 20 °C: bon number: lecular weigh ICAL AND basic physic formation see	ontrols: unity legislation f nd its container. F s: /75/EU, this prod 68,6 600,2 2,08 t: 47,24 CHEMICAL PF cal and chemica	For the protection For additional in luct has the follo % weight 25 kg/m <sup>3</sup> (600,2 4 g/mol ROPERTIES	Eyewash station n of the environment it is formation see subsectio owing characteristics: 5 g/L)	s recomr	
Environmental In accordance w spillage of both Volatile organic With regard to D V.O.C. (Sup V.O.C. dens Average car Average mod	exposure co vith the comm the product a c compound Directive 2010 ply): ity at 20 °C: bon number: lecular weigh ICAL AND basic physic formation see	ontrols: unity legislation f nd its container. F s: /75/EU, this prod 68,6 600,2 2,08 t: 47,24 CHEMICAL PF cal and chemica	For the protection For additional in luct has the follo % weight 25 kg/m <sup>3</sup> (600,2 4 g/mol ROPERTIES Il properties: asheet.	Eyewash station n of the environment it is formation see subsectio owing characteristics: 5 g/L)	s recomr	
Environmental In accordance w spillage of both Volatile organic With regard to D V.O.C. (Sup V.O.C. dens Average car Average mod TION 9: PHYS Information on For complete inf Appearance: Physical state at	exposure co vith the comm the product a c compound Directive 2010 ply): ity at 20 °C: bon number: lecular weigh ICAL AND basic physic formation see	ontrols: unity legislation f nd its container. F s: /75/EU, this prod 68,6 600,2 2,08 t: 47,24 CHEMICAL PF cal and chemica	For the protection For additional in luct has the follo weight 25 kg/m <sup>3</sup> (600,2 g/mol ROPERTIES Il properties: Isheet. Liquid Fluid	Eyewash station n of the environment it is formation see subsectio owing characteristics: 5 g/L)	s recomr	
Environmental In accordance w spillage of both to Volatile organic With regard to D V.O.C. (Sup V.O.C. dens Average carl Average mod TION 9: PHYS Information on For complete inf Appearance: Physical state at Appearance:	exposure co vith the comm the product a c compound Directive 2010 ply): ity at 20 °C: bon number: lecular weigh ICAL AND basic physic formation see	ontrols: unity legislation f nd its container. F s: /75/EU, this prod 68,6 600,2 2,08 t: 47,24 CHEMICAL PF cal and chemica	For the protection For additional in luct has the follo % weight 25 kg/m³ (600,2 4 g/mol ROPERTIES Il properties: Isheet. Liquid Fluid Colou	Eyewash station n of the environment it is formation see subsectio owing characteristics: 5 g/L)	s recomr	
Environmental In accordance w spillage of both to Volatile organic With regard to D V.O.C. (Sup V.O.C. dens Average car Average car Average mod TION 9: PHYS Information on For complete inf Appearance: Physical state at Appearance: Colour:	exposure co vith the comm the product a c compound Directive 2010 ply): ity at 20 °C: bon number: lecular weigh ICAL AND ( basic physic formation see t 20 °C:	ontrols: unity legislation f nd its container. F s: /75/EU, this prod 68,6 600,2 2,08 t: 47,24 CHEMICAL PF cal and chemica	For the protection For additional in fuct has the follo weight 5 kg/m³ (600,2 g/mol ROPERTIES Il properties: asheet. Liquid Fluid Colou Chara	Eyewash station n of the environment it is formation see subsectio owing characteristics: 5 g/L) d	s recomr	
Environmental In accordance w spillage of both i Volatile organic With regard to D V.O.C. (Sup V.O.C. dens Average car Average mod TION 9: PHYS Information on For complete inf Appearance: Physical state at Appearance: Colour: Odour:	exposure co vith the comm the product a c compound Directive 2010 ply): ity at 20 °C: bon number: lecular weigh ICAL AND ( basic physic formation see t 20 °C:	ontrols: unity legislation f nd its container. F s: /75/EU, this prod 68,6 600,2 2,08 t: 47,24 CHEMICAL PF cal and chemica	For the protection For additional in fuct has the follo weight 5 kg/m³ (600,2 g/mol ROPERTIES Il properties: asheet. Liquid Fluid Colou Chara	Eyewash station n of the environment it is formation see subsectio owing characteristics: 5 g/L) d urless acteristic	s recomr	

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any countryspecific legislation



# Velox Spray - Neutral

Date of	compilation: 11/04/2019 Revised: 16/08/2021	Version: 4 (Replaced 3)
SEC	TION 9: PHYSICAL AND CHEMICAL PROPER	RTIES (continued)
	Boiling point at atmospheric pressure:	84 °C
	Vapour pressure at 20 °C:	4241 Pa
	Vapour pressure at 50 °C:	20661,62 Pa (20,66 kPa)
	Evaporation rate at 20 °C:	Non-applicable *
	Product description:	
	Density at 20 °C:	870 - 880 kg/m³
	Relative density at 20 °C:	0,88
	Dynamic viscosity at 20 °C:	1,1 cP
	Kinematic viscosity at 20 °C:	1,29 mm²/s
	Kinematic viscosity at 40 °C:	Non-applicable *
	Concentration:	Non-applicable *
	pH:	6,75 - 8,25
	Vapour density at 20 °C:	Non-applicable *
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *
	Solubility in water at 20 °C:	Non-applicable *
	Solubility properties:	Completely miscible
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Flammability:	
	Flash Point:	23 °C
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	399 °C
	Lower flammability limit:	Not available
	Upper flammability limit:	Not available
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard classe	S:
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	Non-applicable *
	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *
	Other safety characteristics:	
	Surface tension at 20 °C:	Non-applicable *
	Refraction index:	1,364 - 1,368
	*Not relevant due to the nature of the product, not providing inform	nation property of its hazards.


SECTION 1	10 <sup>.</sup> STABII	ITY AND	REACTIVITY

# 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

**10.2 Chemical stability:** Chemically stable under the indicated conditions of storage, handling and use.

# 10.3 Possibility of hazardous reactions:



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-

specific legislation

# Velox Spray - Neutral

Date of compilation: 11/04/2019

MEDISEPT

Revised: 16/08/2021

Version: 4 (Replaced 3)

# SECTION 10: STABILITY AND REACTIVITY (continued)

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

## 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

	Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity	
	Not applicable	Not applicable Not applicable		Avoid direct impact	Not applicable	
10.5	Incompatible materials:					
	Acids	Water	Oxidising materials	Combustible materials	Others	
	Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases	

## 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO), carbon monoxide and other organic compounds.

## SECTION 11: TOXICOLOGICAL INFORMATION

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

## Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances
  - classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for skin contact. For more information see section 3.
  - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
  - IARC: ethanol (1); propan-2-ol (3)
  - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
  - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
  - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-**MEDISEPT** 

specific legislation

# **Velox Spray - Neutral**

Date of compilation: 11/04/2019	Revised: 16/08/2021	Version: 4 (Replaced 3)	
SECTION 11: TOXICOLOG	ICAL INFORMATION (c	ontinued)	

# Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as

- it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as
- hazardous for this effect. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

# Other information:

Non-applicable

## Specific toxicology information on the substances:

Identification	Acu	Genus	
ethanol	LD50 oral	6200 mg/kg	Rat
CAS: 64-17-5	LD50 dermal	20000 mg/kg	Rabbit
EC: 200-578-6	LC50 inhalation	124,7 mg/L (4 h)	Rat
propan-2-ol	LD50 oral	5280 mg/kg	Rat
CAS: 67-63-0	LD50 dermal	12800 mg/kg	Rat
EC: 200-661-7	LC50 inhalation	72,6 mg/L (4 h)	Rat

# 11.2 Information on other hazards:

## Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

### Other information

Non-applicable

# SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

## 12.1 Toxicity:

### Acute toxicity:

Identification	Concentration		Species	Genus
ethanol	LC50	11000 mg/L (96 h)	Alburnus alburnus	Fish
CAS: 64-17-5	EC50	9268 mg/L (48 h)	Daphnia magna	Crustacean
EC: 200-578-6	EC50	1450 mg/L (192 h)	Microcystis aeruginosa	Algae
propan-2-ol	LC50	9640 mg/L (96 h)	Pimephales promelas	Fish
CAS: 67-63-0	EC50	13299 mg/L (48 h)	Daphnia magna	Crustacean
EC: 200-661-7	EC50	1000 mg/L (72 h)	Scenedesmus subspicatus	Algae

## Chronic toxicity:

Identification	Concentration		Species	Genus
ethanol	NOEC	250 mg/L	Danio rerio	Fish
CAS: 64-17-5 EC: 200-578-6	NOEC	2 mg/L	Ceriodaphnia dubia	Crustacean

## 12.2 Persistence and degradability:

## Substance-specific information:

Identification	Deg	radability	Biodegradability	
ethanol	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 64-17-5	COD	Non-applicable	Period	14 days
EC: 200-578-6	BOD5/COD	Non-applicable	% Biodegradable	89 %
propan-2-ol	BOD5	1,19 g O2/g	Concentration	100 mg/L
CAS: 67-63-0	COD	2,23 g O2/g	Period	14 days
EC: 200-661-7	BOD5/COD	0,53	% Biodegradable	86 %

#### 12.3 Bioaccumulative potential:

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-**MEDISEPT** 

specific legislation

# Velox Spray - Neutral

Date of compilation: 11/04/2019

Revised: 16/08/2021

Version: 4 (Replaced 3)

# SECTION 12: ECOLOGICAL INFORMATION (continued)

## Substance-specific information:

Identification		Bioaccumulation potential	
ethanol		BCF	3
CAS: 64-17-5		Pow Log	-0.31
EC: 200-578-6		Potential	Low
propan-2-ol		BCF	3
CAS: 67-63-0		Pow Log	0.05
EC: 200-661-7		Potential	Low

## 12.4 Mobility in soil:

Identification	Absorption/desorption		Volatility	
ethanol	Кос	1	Henry	4,61E-1 Pa⋅m³/mol
CAS: 64-17-5	Conclusion	Very High	Dry soil	Yes
EC: 200-578-6	Surface tension	2,339E-2 N/m (25 °C)	Moist soil	Yes
propan-2-ol	Кос	1.5	Henry	8,207E-1 Pa⋅m³/mol
CAS: 67-63-0	Conclusion	Very High	Dry soil	Yes
EC: 200-661-7	Surface tension	2,24E-2 N/m (25 °C)	Moist soil	Yes

# 12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

# 12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

## 12.7 Other adverse effects:

Not described

# SECTION 13: DISPOSAL CONSIDERATIONS

# 13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
20 01 19*	Pesticides	Dangerous

## Type of waste (Regulation (EU) No 1357/2014):

HP3 Flammable, HP4 Irritant - skin irritation and eye damage

## Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

## Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

# SECTION 14: TRANSPORT INFORMATION

## Transport of dangerous goods by land:

With regard to ADR 2021 and RID 2021:

MEDISEPT

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any countryspecific legislation

# Velox Spray - Neutral

Date of compilation: 11/04/2019	Revised: 16/08/2021 V	ersion: 4 (Replaced 3)		
SECTION 14: TRANSPOR	T INFORMATION (continued)			
14.1 14.2 14.3 14.3 14.4 14.5 14.6	UN number or ID number: UN proper shipping name: Transport hazard class(es): Labels: Packing group: Environmental hazards: Special precautions for user Special regulations: Tunnel restriction code: Physico-Chemical properties: Limited quantities:	UN1987 ALCOHOLS, N.O.S. (ethanol) 3 3 III No 274, 601 D/E see section 9 5 L		
14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable		
Transport of dangerou	is goods by sea:			
With regard to IMDG 40	-20:			
14.1		UN1987		
	· · · · · · · · ·	ALCOHOLS, N.O.S. (ethanol)		
14.3	Transport hazard class(es): Labels:	3		
14.4				
14.5		No		
3 14.6	-	274, 223		
14.7	EmS Codes: Physico-Chemical properties: Limited quantities: Segregation group:	F-E, S-D see section 9 5 L Non-applicable		
14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable		
Transport of dangerou	is goods by air:			
With regard to IATA/ICA	With regard to IATA/ICAO 2023:			
14.1 14.2 14.3 3 14.4 14.5	UN proper shipping name: Transport hazard class(es): Labels: Packing group:	UN1987 ALCOHOLS, N.O.S. (ethanol) 3 3 III No		
14.5				
	Physico-Chemical properties:	see section 9		
14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable		

# SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture: Composition of the active ingredients (Regulation (EU) No 528/2012): ethanol (63%); propan-2-ol (5.6%) Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable Article 95, REGULATION (EU) No 528/2012: ethanol (Product-type 1, 2, 4) ; propan-2-ol (Product-type 1, 2, 4) REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable Seveso III:

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any countryspecific legislation



# Velox Spray - Neutral

Date of compilation: 11/04/2019 Revised: 16/08/2021 V

Version: 4 (Replaced 3)

## SECTION 15: REGULATORY INFORMATION (continued) Lower-tier Upper-tier Section Description requirements requirements P5c FLAMMABLE LIQUIDS 5000 50000 Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....) Shall not be used in: -ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtravs. -tricks and jokes, -games for one or more participants, or any article intended to be used as such, even with ornamental aspects. Specific provisions in terms of protecting people or the environment: It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product. Other legislation: The product could be affected by sectorial legislation Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products 15.2 Chemical safety assessment: The supplier has not carried out evaluation of chemical safety. SECTION 16: OTHER INFORMATION Legislation related to safety data sheets: The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878). Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.: Non-applicable Texts of the legislative phrases mentioned in section 2: H319: Causes serious eye irritation. H226: Flammable liquid and vapour. Texts of the legislative phrases mentioned in section 3: The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3 CLP Regulation (EC) No 1272/2008: Eye Irrit. 2: H319 - Causes serious eye irritation. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. STOT SE 3: H336 - May cause drowsiness or dizziness. **Classification procedure:**

Eye Irrit. 2: Calculation method

Flam. Liq. 3: Calculation method (2.6.4.3)

# Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

## Principal bibliographical sources:

http://echa.europa.eu

http://eur-lex.europa.eu

Abbreviations and acronyms:

Safety data sheet specific legislation

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-MEDISEPT

# Velox Spray - Neutral

Date of compilation: 11/04/2019	Revised: 16/08/2021	Version: 4 (Replaced 3)
SECTION 16: OTHER INFO	RMATION (continued)	
ADR: European agreemen IMDG: International maritin IATA: International Air Trar ICAO: International Civil A COD: Chemical Oxygen D BOD5: 5day biochemical o BCF: Bioconcentration fac LD50: Lethal Dose 50 LC50: Lethal Concentratio EC50: Effective concentra LogPOW: Octanolwater pa Koc: Partition coefficient o UFI: unique formula identifi IARC: International Agence	ne dangerous goods code isport Association viation Organisation emand xygen demand tor n 50 tion 50 artition coefficient f organic carbon ier	al carriage of dangerous goods by road

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.