



## Viruton Extra

Date of compilation: 11/03/2014


Revised: 13/04/2021

Version: 9 (Replaced 8)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier:** Viruton Extra  
**Other means of identification:**  
Non-applicable
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**  
Relevant uses: Disinfectant cleaner. For professional users only.  
Uses advised against: All uses not specified in this section or in section 7.3
- 1.3 Details of the supplier of the safety data sheet:**  
MEDISEPT Sp. z o.o.  
ul. Ludwika Spiessa 4  
20-270 Lublin - lubelskie - Polska  
Phone: +48 81 535 22 76  
p.brewczak@medisept.pl  
<https://medisept.pl/>
- 1.4 Emergency telephone number:** +48 81 535 22 92 at time: 8.00 a.m. – 4.00. p.m.  
112 (general emergency number)

## SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture:**  
**CLP Regulation (EC) No 1272/2008:**  
Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.  
Acute Tox. 4: Acute toxicity if swallowed, Category 4, H302  
Aquatic Acute 1: Hazardous to the aquatic environment, acute hazard, Category 1, H400  
Aquatic Chronic 2: Hazardous to the aquatic environment, long-term hazard, Category 2, H411  
Eye Dam. 1: Serious eye damage, Category 1, H318  
Skin Corr. 1B: Skin corrosion, Category 1B, H314  
STOT RE 2: Specific target organ toxicity — Repeated exposure, Hazard Category 2 (Oral), H373
- 2.2 Label elements:**  
**CLP Regulation (EC) No 1272/2008:**  
Danger
- 
- Hazard statements:**  
Acute Tox. 4: H302 - Harmful if swallowed.  
Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.  
Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.  
STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure (Oral).
- Precautionary statements:**  
P273: Avoid release to the environment.  
P280: Wear protective gloves/protective clothing/eye protection.  
P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310: Immediately call a poison center/doctor.  
P501: Dispose of contents/container in accordance with regulations on hazardous waste or packaging and packaging waste respectively.
- Supplementary information:**  
EUH208: Contains Dipentene. May produce an allergic reaction.
- Substances that contribute to the classification**  
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine; Poly(oxy-1,2-ethanediyl), .alpha.-[2-(dide cilmethylammonio)ethyl]- .omega.-hydroxy-, propanoate (salt) (Bardap 26); Isotridecanol, ethoxylated (9 mol EO); Didecyltrimethylammonium chloride
- 2.3 Other hazards:**



## Viruton Extra

Date of compilation: 11/03/2014

Revised: 13/04/2021

Version: 9 (Replaced 8)

## SECTION 2: HAZARDS IDENTIFICATION (continued)

Product fails to meet PBT/vPvB criteria  
Endocrine-disrupting properties: The product fails to meet the criteria.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

## 3.1 Substance:

Non-applicable

## 3.2 Mixture:

**Chemical description:** Mixture based on cationic and non-ionic surfactants**Components:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

Identification	Chemical name/Classification		Concentration
CAS: 2372-82-9 EC: 219-145-8 Index: Non-applicable REACH: 01-2119980592-29-XXXX	<b>N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine</b> <sup>1</sup>	Self-classified Regulation 1272/2008 Acute Tox. 3: H301; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Skin Corr. 1B: H314; STOT RE 2: H373 - Danger	10 - <25 %
CAS: 112-34-5 EC: 203-961-6 Index: 603-096-00-8 REACH: 01-2119475104-44-XXXX	<b>2-(2-butoxyethoxy)ethanol</b> <sup>1</sup>	ATP CLP00 Regulation 1272/2008 Eye Irrit. 2: H319 - Warning	2.5 - <10 %
CAS: 94667-33-1 EC: 619-057-3 Index: Non-applicable REACH: 01-2119950327-36-XXXX	<b>Poly(oxy-1,2-ethanediyl), .alpha.-[2-(dide cylmethylammonio)ethyl]- .omega.- hydroxy-, propanoate (salt) (Bardap 26)</b> <sup>1</sup>	Self-classified Regulation 1272/2008 Acute Tox. 4: H302; Aquatic Acute 1: H400; Eye Dam. 1: H318; Skin Corr. 1B: H314 - Danger	2.5 - <10 %
CAS: 69011-36-5 EC: 500-241-6 Index: Non-applicable REACH: 01-2119967403-35-XXXX	<b>Isotridecanol, ethoxylated (9 mol EO)</b> <sup>1</sup>	Self-classified Regulation 1272/2008 Acute Tox. 4: H302; Eye Dam. 1: H318 - Danger	1 - <2.5 %
CAS: 7173-51-5 EC: 230-525-2 Index: 612-131-00-6 REACH: 01-2119945987-15-XXXX	<b>Didecyltrimethylammonium chloride</b> <sup>1</sup>	Self-classified Regulation 1272/2008 Acute Tox. 3: H301; Aquatic Acute 1: H400; Aquatic Chronic 2: H411; Eye Dam. 1: H318; Skin Corr. 1B: H314 - Danger	1 - <2.5 %
CAS: 107-21-1 EC: 203-473-3 Index: 603-027-00-1 REACH: 01-2119456816-28-XXXX	<b>Ethenediol</b> <sup>1</sup>	Self-classified Regulation 1272/2008 Acute Tox. 4: H302; STOT RE 2: H373 - Warning	1 - <2.5 %
CAS: 138-86-3 EC: 205-341-0 Index: 601-029-00-7 REACH: Non-applicable	<b>Dipentene</b> <sup>1</sup>	ATP ATP17 Regulation 1272/2008 Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning	<1 %

<sup>1</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

**Other information:**

Identification	M-factor	
	Acute	Chronic
Poly(oxy-1,2-ethanediyl), .alpha.-[2-(dide cylmethylammonio)ethyl]- .omega.- hydroxy-, propanoate (salt) (Bardap 26) CAS: 94667-33-1 EC: 619-057-3	10	10
Didecyltrimethylammonium chloride CAS: 7173-51-5 EC: 230-525-2	10	1

## SECTION 4: FIRST AID MEASURES

## 4.1 Description of first aid measures:

Request medical assistance immediately, showing the SDS of this product.

**By inhalation:**



## Viruton Extra

Date of compilation: 11/03/2014

Revised: 13/04/2021

Version: 9 (Replaced 8)

**SECTION 4: FIRST AID MEASURES (continued)**

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

**By skin contact:**

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

**By eye contact:**

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

**By ingestion/aspiration:**

Request immediate medical assistance, showing the SDS of this product. Do not induce vomiting, because its expulsion from the stomach can be hazardous to the mucus of the main digestive tract, and also risk damage to the respiratory system through inhalation. Rinse out the mouth and throat, as they may have been affected during ingestion. In the case of loss of consciousness do not administer anything orally unless supervised by a doctor. Keep the person affected at rest.

**4.2 Most important symptoms and effects, both acute and delayed:**

Acute and delayed effects are indicated in sections 2 and 11.

**4.3 Indication of any immediate medical attention and special treatment needed:**

Non-applicable

**SECTION 5: FIREFIGHTING MEASURES****5.1 Extinguishing media:****Suitable extinguishing media:**

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

**Unsuitable extinguishing media:**

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

**5.2 Special hazards arising from the substance or mixture:**

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

**5.3 Advice for firefighters:**

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

**Additional provisions:**

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

**SECTION 6: ACCIDENTAL RELEASE MEASURES****6.1 Personal precautions, protective equipment and emergency procedures:****For non-emergency personnel:**

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilled product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

**For emergency responders:**

- CONTINUED ON NEXT PAGE -



**Viruton Extra**

Date of compilation: 11/03/2014

Revised: 13/04/2021

Version: 9 (Replaced 8)

**SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)**

Wear protective equipment. Keep unprotected persons away. See section 8.

**6.2 Environmental precautions:**

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

**6.3 Methods and material for containment and cleaning up:**

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

**6.4 Reference to other sections:**

See sections 8 and 13.

**SECTION 7: HANDLING AND STORAGE**

**7.1 Precautions for safe handling:**

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

**7.2 Conditions for safe storage, including any incompatibilities:**

A.- Technical measures for storage

- Minimum Temp.: 5 °C
- Maximum Temp.: 25 °C
- Maximum time: 36 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

**7.3 Specific end use(s):**

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1 Control parameters:**

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

Identification	Occupational exposure limits		
	IOELV (8h)	10 ppm	67,5 mg/m <sup>3</sup>
2-(2-butoxyethoxy)ethanol CAS: 112-34-5 EC: 203-961-6	IOELV (STEL)	15 ppm	101,2 mg/m <sup>3</sup>
Ethanediol CAS: 107-21-1 EC: 203-473-3	IOELV (8h)	20 ppm	52 mg/m <sup>3</sup>
	IOELV (STEL)	40 ppm	104 mg/m <sup>3</sup>

**DNEL (Workers):**



Viruton Extra

Date of compilation: 11/03/2014

Revised: 13/04/2021

Version: 9 (Replaced 8)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine CAS: 2372-82-9 EC: 219-145-8	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	8,96 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	0,789 mg/m <sup>3</sup>	Non-applicable
2-(2-butoxyethoxy)ethanol CAS: 112-34-5 EC: 203-961-6	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	83 mg/kg	Non-applicable
	Inhalation	Non-applicable	101,2 mg/m <sup>3</sup>	67,5 mg/m <sup>3</sup>	67,5 mg/m <sup>3</sup>
Poly(oxy-1,2-ethanediyl), .alpha.-[2-(didecylmethylammonio)ethyl]-.omega.-hydroxy-, propanoate (salt) (Bardap 26) CAS: 94667-33-1 EC: 619-057-3	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	0,7 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	0,5 mg/m <sup>3</sup>	Non-applicable
Isotridecanol, ethoxylated (9 mol EO) CAS: 69011-36-5 EC: 500-241-6	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	2080 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	294 mg/m <sup>3</sup>	Non-applicable
Ethandiol CAS: 107-21-1 EC: 203-473-3	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	106 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	Non-applicable	35 mg/m <sup>3</sup>

DNEL (General population):

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine CAS: 2372-82-9 EC: 219-145-8	Oral	Non-applicable	Non-applicable	0,04 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	3,2 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	0,118 mg/m <sup>3</sup>	Non-applicable
2-(2-butoxyethoxy)ethanol CAS: 112-34-5 EC: 203-961-6	Oral	Non-applicable	Non-applicable	5 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	50 mg/kg	Non-applicable
	Inhalation	Non-applicable	60,7 mg/m <sup>3</sup>	40,5 mg/m <sup>3</sup>	40,5 mg/m <sup>3</sup>
Poly(oxy-1,2-ethanediyl), .alpha.-[2-(didecylmethylammonio)ethyl]-.omega.-hydroxy-, propanoate (salt) (Bardap 26) CAS: 94667-33-1 EC: 619-057-3	Oral	Non-applicable	Non-applicable	0,35 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	0,35 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	0,12 mg/m <sup>3</sup>	Non-applicable
Isotridecanol, ethoxylated (9 mol EO) CAS: 69011-36-5 EC: 500-241-6	Oral	Non-applicable	Non-applicable	25 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	1250 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	87 mg/m <sup>3</sup>	Non-applicable
Ethandiol CAS: 107-21-1 EC: 203-473-3	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	53 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	Non-applicable	7 mg/m <sup>3</sup>

PNEC:

Identification				
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine CAS: 2372-82-9 EC: 219-145-8	STP	0,18 mg/L	Fresh water	0,001 mg/L
	Soil	45,34 mg/kg	Marine water	0 mg/L
	Intermittent	0 mg/L	Sediment (Fresh water)	3,2 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,13 mg/kg
2-(2-butoxyethoxy)ethanol CAS: 112-34-5 EC: 203-961-6	STP	200 mg/L	Fresh water	1,1 mg/L
	Soil	0,32 mg/kg	Marine water	0,11 mg/L
	Intermittent	11 mg/L	Sediment (Fresh water)	4,4 mg/kg
	Oral	0,056 g/kg	Sediment (Marine water)	0,44 mg/kg
Poly(oxy-1,2-ethanediyl), .alpha.-[2-(didecylmethylammonio)ethyl]-.omega.-hydroxy-, propanoate (salt) (Bardap 26) CAS: 94667-33-1 EC: 619-057-3	STP	0,118 mg/L	Fresh water	0,001 mg/L
	Soil	2,83 mg/kg	Marine water	Non-applicable
	Intermittent	Non-applicable	Sediment (Fresh water)	5,3 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	Non-applicable

- CONTINUED ON NEXT PAGE -



Viruton Extra

Date of compilation: 11/03/2014

Revised: 13/04/2021

Version: 9 (Replaced 8)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification				
Isotridecanol, ethoxylated (9 mol EO) CAS: 69011-36-5 EC: 500-241-6	STP	1,4 mg/L	Fresh water	0,074 mg/L
	Soil	0,1 mg/kg	Marine water	0,007 mg/L
	Intermittent	0,015 mg/L	Sediment (Fresh water)	0,604 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,06 mg/kg
Didecylidimethylammonium chloride CAS: 7173-51-5 EC: 230-525-2	STP	0,14 mg/L	Fresh water	0,0011 mg/L
	Soil	1,4 mg/kg	Marine water	0,00011 mg/L
	Intermittent	0,00021 mg/L	Sediment (Fresh water)	61,86 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	6,186 mg/kg
Ethanediol CAS: 107-21-1 EC: 203-473-3	STP	199,5 mg/L	Fresh water	10 mg/L
	Soil	1,53 mg/kg	Marine water	1 mg/L
	Intermittent	10 mg/L	Sediment (Fresh water)	37 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	3,7 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

If product is used at the concentration dosing conditions specified in the relevant instructions for use (section 15), personal protective equipment described in section 8.2 for UNDILUTED products will not be required.



Safe handling recommendations for undiluted product:

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection



The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands


Pictogram	PPE	Labelling	CEN Standard	Remarks
 Mandatory hand protection	NON-disposable chemical protective gloves		EN ISO 374-1:2016+A1:2018 EN 16523-1:2015+A1:2018 EN ISO 21420:2020	The Breakthrough Time indicated by the manufacturer must exceed the period during which the product is being used. Do not use protective creams after the product has come into contact with skin.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.



D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
 Mandatory face protection	Panoramic glasses against splash/projections.		EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing			Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.

F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
 Emergency shower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	 Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011



**Viruton Extra**

Date of compilation: 11/03/2014

Revised: 13/04/2021

Version: 9 (Replaced 8)

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)**

**Environmental exposure controls:**

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

**Volatile organic compounds:**

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply):	1,11 % weight
V.O.C. density at 20 °C:	10,88 kg/m <sup>3</sup> (10,88 g/L)
Average carbon number:	6,14
Average molecular weight:	94,21 g/mol

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties:**

For complete information see the product datasheet.

**Appearance:**

Physical state at 20 °C:	Liquid
Appearance:	Fluid
Colour:	Yellowish
Odour:	Alcohol
Odour threshold:	Non-applicable *

**Volatility:**

Boiling point at atmospheric pressure:	118 °C
Vapour pressure at 20 °C:	2291 Pa
Vapour pressure at 50 °C:	12065,43 Pa (12,07 kPa)
Evaporation rate at 20 °C:	Non-applicable *

**Product description:**

Density at 20 °C:	975 - 985 kg/m <sup>3</sup>
Relative density at 20 °C:	0,99
Dynamic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 40 °C:	Non-applicable *
Concentration:	Non-applicable *
pH:	11,1 - 11,85
Vapour density at 20 °C:	Non-applicable *
Partition coefficient n-octanol/water 20 °C:	Non-applicable *
Solubility in water at 20 °C:	Non-applicable *
Solubility properties:	Completely miscible
Decomposition temperature:	Non-applicable *
Melting point/freezing point:	Non-applicable *

**Flammability:**

Flash Point:	Non Flammable (>60 °C)
Flammability (solid, gas):	Non-applicable *
Autoignition temperature:	204 °C
Lower flammability limit:	Non-applicable *
Upper flammability limit:	Non-applicable *

\*Not relevant due to the nature of the product, not providing information property of its hazards.





## Viruton Extra

Date of compilation: 11/03/2014

Revised: 13/04/2021

Version: 9 (Replaced 8)

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

**Particle characteristics:**

Median equivalent diameter: Non-applicable

**9.2 Other information:****Information with regard to physical hazard classes:**

Explosive properties: Non-applicable \*

Oxidising properties: Non-applicable \*

Corrosive to metals: Non-applicable \*

Heat of combustion: Non-applicable \*

Aerosols-total percentage (by mass) of flammable components: Non-applicable \*

**Other safety characteristics:**

Surface tension at 20 °C: Non-applicable \*

Refraction index: 1,373 - 1,377

\*Not relevant due to the nature of the product, not providing information property of its hazards.

## SECTION 10: STABILITY AND REACTIVITY

**10.1 Reactivity:**

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

**10.2 Chemical stability:**

Chemically stable under the indicated conditions of storage, handling and use.

**10.3 Possibility of hazardous reactions:**

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

**10.4 Conditions to avoid:**

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Precaution	Precaution	Not applicable

**10.5 Incompatible materials:**

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Precaution	Not applicable	Avoid alkalis or strong bases

**10.6 Hazardous decomposition products:**See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds.

## SECTION 11: TOXICOLOGICAL INFORMATION

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:**

The experimental information related to the toxicological properties of the product itself is not available

Contains glycols. It is recommended not to breathe the vapours for prolonged periods of time due to the possibility of effects that are hazardous to the health.

**Dangerous health implications:**

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity : The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- Corrosivity/Irritability: Corrosive product, if it is swallowed causes burns destroying the tissues. For more information about secondary effects from skin contact see section 2.

- CONTINUED ON NEXT PAGE -





Viruton Extra

Date of compilation: 11/03/2014

Revised: 13/04/2021

Version: 9 (Replaced 8)

**SECTION 11: TOXICOLOGICAL INFORMATION (continued)**

**B- Inhalation (acute effect):**

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract

**C- Contact with the skin and the eyes (acute effect):**

- Contact with the skin: Above all, skin contact may occur as fabrics of all thicknesses can be destroyed, resulting in burns. For more information on the secondary effects see section 2.
- Contact with the eyes: Produces serious eye damage after contact.

**D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):**

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.  
IARC: 7-methyl-3-methyleneocta-1,6-diene (2B); propan-2-ol (3)
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**E- Sensitizing effects:**

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.

**F- Specific target organ toxicity (STOT) - single exposure:**

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**G- Specific target organ toxicity (STOT)-repeated exposure:**

- Specific target organ toxicity (STOT)-repeated exposure: Exposure in high concentration can interfere with the central nervous system causing headache, dizziness, vertigo, nausea, vomiting, confusion, and in serious cases, loss of consciousness.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**H- Aspiration hazard:**

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**Other information:**

Non-applicable

**Specific toxicology information on the substances:**

Identification	Acute toxicity		Genus
	LD50 oral	LD50 dermal	
Poly(oxy-1,2-ethanediyl), .alpha.-[2-(dide cilmethylammonio)ethyl]- .omega.- hydroxy-, propanoate (salt) (Bardap 26) CAS: 94667-33-1 EC: 619-057-3	1157 mg/kg	Non-applicable	Rat
	Non-applicable	Non-applicable	
	Non-applicable	Non-applicable	
Ethanediol CAS: 107-21-1 EC: 203-473-3	500 mg/kg (ATEi)	Non-applicable	
	Non-applicable	Non-applicable	
	Non-applicable	Non-applicable	
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine CAS: 2372-82-9 EC: 219-145-8	261 mg/kg	Non-applicable	Rat
	Non-applicable	Non-applicable	
	Non-applicable	Non-applicable	
Isotridecanol, ethoxylated (9 mol EO) CAS: 69011-36-5 EC: 500-241-6	500 mg/kg (ATEi)	Non-applicable	
	Non-applicable	Non-applicable	
	Non-applicable	Non-applicable	
Didecylidimethylammonium chloride CAS: 7173-51-5 EC: 230-525-2	410 mg/kg	Non-applicable	Rat
	Non-applicable	Non-applicable	
	Non-applicable	Non-applicable	



## Viruton Extra

Date of compilation: 11/03/2014

Revised: 13/04/2021

Version: 9 (Replaced 8)

## SECTION 11: TOXICOLOGICAL INFORMATION (continued)

## 11.2 Information on other hazards:

## Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

## Other information

Non-applicable

## SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

## 12.1 Toxicity:

## Acute toxicity:

Identification	Concentration	Species	Genus
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine CAS: 2372-82-9 EC: 219-145-8	LC50 >0.1 - 1 mg/L (96 h)		Fish
	EC50 >0.1 - 1 mg/L (48 h)		Crustacean
	EC50 >0.1 - 1 mg/L (72 h)		Algae
2-(2-butoxyethoxy)ethanol CAS: 112-34-5 EC: 203-961-6	LC50 1300 mg/L (96 h)	Lepomis macrochirus	Fish
	EC50 2850 mg/L (24 h)	Daphnia magna	Crustacean
	EC50 53 mg/L (192 h)	Microcystis aeruginosa	Algae
Poly(oxy-1,2-ethanediyl), .alpha.-[2-(dide cilmethylammonio) ethyl]- .omega.- hydroxy-, propanoate (salt) (Bardap 26) CAS: 94667-33-1 EC: 619-057-3	LC50 0,52 mg/L (96 h)	Lepomis macrochirus	Fish
	EC50 0,07 mg/L (48 h)	Daphnia magna	Crustacean
	EC50 0,15 mg/L (72 h)	Desmodesmus subspicatus	Algae
Didecylidimethylammonium chloride CAS: 7173-51-5 EC: 230-525-2	LC50 >0.1 - 1 mg/L (96 h)		Fish
	EC50 >0.1 - 1 mg/L (48 h)		Crustacean
	EC50 >0.1 - 1 mg/L (72 h)		Algae
Ethanediol CAS: 107-21-1 EC: 203-473-3	LC50 53000 mg/L (96 h)	Pimephales promelas	Fish
	EC50 51000 mg/L (48 h)	Daphnia magna	Crustacean
	EC50 24000 mg/L (168 h)	Selenastrum capricornutum	Algae
Dipentene CAS: 138-86-3 EC: 205-341-0	LC50 38,5 mg/L (96 h)	Pimephales promelas	Fish
	EC50 0,7 mg/L (48 h)	Daphnia magna	Crustacean
	EC50 1,6 mg/L (48 h)	Selenastrum capricornutum	Algae

## Chronic toxicity:

Identification	Concentration	Species	Genus
Poly(oxy-1,2-ethanediyl), .alpha.-[2-(dide cilmethylammonio) ethyl]- .omega.- hydroxy-, propanoate (salt) (Bardap 26) CAS: 94667-33-1 EC: 619-057-3	NOEC 0,032 mg/L	Danio rerio	Fish
	NOEC 0,018 mg/L	Daphnia magna	Crustacean
Didecylidimethylammonium chloride CAS: 7173-51-5 EC: 230-525-2	NOEC Non-applicable		
	NOEC 0,021 mg/L	Daphnia magna	Crustacean

## 12.2 Persistence and degradability:

## Substance-specific information:

Identification	Degradability		Biodegradability	
2-(2-butoxyethoxy)ethanol CAS: 112-34-5 EC: 203-961-6	BOD5	0,25 g O2/g	Concentration	100 mg/L
	COD	2,08 g O2/g	Period	28 days
	BOD5/COD	0,12	% Biodegradable	92 %
Didecylidimethylammonium chloride CAS: 7173-51-5 EC: 230-525-2	BOD5	Non-applicable	Concentration	100 mg/L
	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	0 %
Ethanediol CAS: 107-21-1 EC: 203-473-3	BOD5	0,47 g O2/g	Concentration	100 mg/L
	COD	1,29 g O2/g	Period	14 days
	BOD5/COD	0,36	% Biodegradable	90 %

- CONTINUED ON NEXT PAGE -



## Viruton Extra

Date of compilation: 11/03/2014

Revised: 13/04/2021

Version: 9 (Replaced 8)

## SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Degradability		Biodegradability	
	Dipentene CAS: 138-86-3 EC: 205-341-0	BOD5	Non-applicable	Concentration
	COD	Non-applicable	Period	14 days
	BOD5/COD	Non-applicable	% Biodegradable	69 %

## 12.3 Bioaccumulative potential:

## Substance-specific information:

Identification	Bioaccumulation potential	
	2-(2-butoxyethoxy)ethanol CAS: 112-34-5 EC: 203-961-6	BCF
	Pow Log	0.56
	Potential	Low
Poly(oxy-1,2-ethanediyl), .alpha.-[2-(didecylmethylammonio)ethyl]- .omega.- hydroxy-, propanoate (salt) (Bardap 26) CAS: 94667-33-1 EC: 619-057-3	BCF	81
	Pow Log	
	Potential	Moderate
Didecylmethylammonium chloride CAS: 7173-51-5 EC: 230-525-2	BCF	71
	Pow Log	2.59
	Potential	Moderate
Ethanediol CAS: 107-21-1 EC: 203-473-3	BCF	10
	Pow Log	-1.36
	Potential	Low
Dipentene CAS: 138-86-3 EC: 205-341-0	BCF	660
	Pow Log	4.57
	Potential	High

## 12.4 Mobility in soil:

Identification	Absorption/desorption		Volatility	
	2-(2-butoxyethoxy)ethanol CAS: 112-34-5 EC: 203-961-6	Koc	48	Henry
	Conclusion	Very High	Dry soil	No
	Surface tension	3,395E-2 N/m (25 °C)	Moist soil	No
Poly(oxy-1,2-ethanediyl), .alpha.-[2-(didecylmethylammonio)ethyl]- .omega.- hydroxy-, propanoate (salt) (Bardap 26) CAS: 94667-33-1 EC: 619-057-3	Koc	437805	Henry	Non-applicable
	Conclusion	Immobile	Dry soil	Non-applicable
	Surface tension	Non-applicable	Moist soil	Non-applicable
Ethanediol CAS: 107-21-1 EC: 203-473-3	Koc	0	Henry	1,327E-1 Pa·m <sup>3</sup> /mol
	Conclusion	Very High	Dry soil	No
	Surface tension	4,989E-2 N/m (25 °C)	Moist soil	No
Dipentene CAS: 138-86-3 EC: 205-341-0	Koc	1300	Henry	3242,4 Pa·m <sup>3</sup> /mol
	Conclusion	Low	Dry soil	Yes
	Surface tension	Non-applicable	Moist soil	Yes

## 12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

## 12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

## 12.7 Other adverse effects:

Not described

## SECTION 13: DISPOSAL CONSIDERATIONS

## 13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
20 01 29*	detergents containing hazardous substances	Dangerous

- CONTINUED ON NEXT PAGE -



**Viruton Extra**

Date of compilation: 11/03/2014

Revised: 13/04/2021

Version: 9 (Replaced 8)

**SECTION 13: DISPOSAL CONSIDERATIONS (continued)**

**Type of waste (Regulation (EU) No 1357/2014):**

HP14 Ecotoxic, HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity, HP6 Acute Toxicity, HP8 Corrosive

**Waste management (disposal and evaluation):**

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

**Regulations related to waste management:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

**SECTION 14: TRANSPORT INFORMATION**

**Transport of dangerous goods by land:**

With regard to ADR 2021 and RID 2021:



- 14.1 **UN number or ID number:** UN1903
- 14.2 **UN proper shipping name:** DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine)
- 14.3 **Transport hazard class(es):** 8  
Labels: 8
- 14.4 **Packing group:** II
- 14.5 **Environmental hazards:** Yes
- 14.6 **Special precautions for user**  
Special regulations: 274  
Tunnel restriction code: E  
Physico-Chemical properties: see section 9  
Limited quantities: 1 L
- 14.7 **Maritime transport in bulk according to IMO instruments:** Non-applicable

**Transport of dangerous goods by sea:**

With regard to IMDG 40-20:



- 14.1 **UN number or ID number:** UN1903
- 14.2 **UN proper shipping name:** DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine)
- 14.3 **Transport hazard class(es):** 8  
Labels: 8
- 14.4 **Packing group:** II
- 14.5 **Marine pollutant:** Yes
- 14.6 **Special precautions for user**  
Special regulations: 274  
EmS Codes: F-A, S-B  
Physico-Chemical properties: see section 9  
Limited quantities: 1 L  
Segregation group: Non-applicable
- 14.7 **Maritime transport in bulk according to IMO instruments:** Non-applicable

**Transport of dangerous goods by air:**

With regard to IATA/ICAO 2023:



## Viruton Extra

Date of compilation: 11/03/2014

Revised: 13/04/2021

Version: 9 (Replaced 8)

## SECTION 14: TRANSPORT INFORMATION (continued)



- 14.1 UN number or ID number:** UN1903
- 14.2 UN proper shipping name:** DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine)
- 14.3 Transport hazard class(es):** 8  
**Labels:** 8
- 14.4 Packing group:** II
- 14.5 Environmental hazards:** Yes
- 14.6 Special precautions for user**  
Physico-Chemical properties: see section 9
- 14.7 Maritime transport in bulk according to IMO instruments:** Non-applicable

## SECTION 15: REGULATORY INFORMATION

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:**

Composition of the active ingredients (Regulation (EU) No 528/2012): Poly(oxy-1,2-ethanediyl), .alpha.-[2-(didecylmethylammonio)ethyl]-.omega.-hydroxy-, propanoate (salt) (Bardap 26) (3.249%); N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (11.5%); Didecyltrimethylammonium chloride (1.3%); propan-2-ol (0.613%)

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (Product-type 2, 3, 4, 6, 8, 11, 12, 13); Poly(oxy-1,2-ethanediyl), .alpha.-[2-(didecylmethylammonio)ethyl]-.omega.-hydroxy-, propanoate (salt) (Bardap 26) (Product-type 2, 4, 8, 10); Didecyltrimethylammonium chloride (Product-type 1, 2, 3, 4, 8, 10, 11, 12)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Contains Didecyltrimethylammonium chloride

**Regulation (EC) No 648/2004 on detergents:**

In accordance with this regulation the product complies with the following:

The tensoactives contained in this mixture comply with the biodegradability criteria stipulated in Regulation (EC) n°648/2004 on detergents. The information to prove this is available to the relevant authorities of the Member States and will be shown to them by direct request or the request of a detergent manufacturer.

**Relevant instructions for use:**

Przygotować roztwór użytkowy koncentratu poprzez rozcieńczenie z wodą w odpowiedniej proporcji. Wybór stężenia zależy od pożądanego spektrum i czasu działania. W celu otrzymania stężenia 0,5% należy 5 ml koncentratu rozpuścić w 995 ml wody. Instrumenty bezpośrednio po użyciu zanurzyć w roztworze. Wszystkie części i otwory muszą być całkowicie wypełnione roztworem. Po dezynfekcji, instrument wyplukać i wysuszyć. Ze względów higienicznych zaleca się codzienną wymianę roztworu. Nie łączyć z innymi środkami czyszczącymi lub dezynfekującymi.

**Labelling for contents:**

Component	Concentration interval
Disinfectants	
Non-ionic surfactants	% (w/w) < 5
Aromatic hydrocarbons	% (w/w) < 5
Enzymes	
Phenols	% (w/w) < 5
Amphoteric surfactants	% (w/w) < 5
perfumes	

Preservation agents: N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (LAURYLAMINE DIPROPYLENEDIAMINE).

**Seveso III:**

Section	Description	Lower-tier requirements	Upper-tier requirements
E1	ENVIRONMENTAL HAZARDS	100	200

**Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....)**

:



## Viruton Extra

Date of compilation: 11/03/2014

Revised: 13/04/2021

Version: 9 (Replaced 8)

**SECTION 15: REGULATORY INFORMATION (continued)**

Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- tricks and jokes,
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

**Specific provisions in terms of protecting people or the environment:**

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

**Other legislation:**

The product could be affected by sectorial legislation

**15.2 Chemical safety assessment:**

The supplier has not carried out evaluation of chemical safety.

**SECTION 16: OTHER INFORMATION****Legislation related to safety data sheets:**

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

**Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:**

Non-applicable

**Texts of the legislative phrases mentioned in section 2:**

H318: Causes serious eye damage.

H400: Very toxic to aquatic life.

H373: May cause damage to organs through prolonged or repeated exposure (Oral).

H411: Toxic to aquatic life with long lasting effects.

H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

**Texts of the legislative phrases mentioned in section 3:**

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

**CLP Regulation (EC) No 1272/2008:**

Acute Tox. 3: H301 - Toxic if swallowed.

Acute Tox. 4: H302 - Harmful if swallowed.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Eye Dam. 1: H318 - Causes serious eye damage.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Flam. Liq. 3: H226 - Flammable liquid and vapour.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure (Oral).

**Classification procedure:**

Eye Dam. 1: Calculation method

Aquatic Acute 1: Calculation method

STOT RE 2: Calculation method

Aquatic Chronic 2: Calculation method

Acute Tox. 4: Calculation method

Skin Corr. 1B: Calculation method

**Advice related to training:**

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

**Principal bibliographical sources:**

<http://echa.europa.eu>

<http://eur-lex.europa.eu>

**Abbreviations and acronyms:**



**MEDISEPT**

## Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

### Viruton Extra

Date of compilation: 11/03/2014

Revised: 13/04/2021

Version: 9 (Replaced 8)

#### SECTION 16: OTHER INFORMATION (continued)

ADR: European agreement concerning the international carriage of dangerous goods by road  
IMDG: International maritime dangerous goods code  
IATA: International Air Transport Association  
ICAO: International Civil Aviation Organisation  
COD: Chemical Oxygen Demand  
BOD5: 5day biochemical oxygen demand  
BCF: Bioconcentration factor  
LD50: Lethal Dose 50  
LC50: Lethal Concentration 50  
EC50: Effective concentration 50  
LogPOW: Octanolwater partition coefficient  
Koc: Partition coefficient of organic carbon  
UFI: unique formula identifier  
IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -