This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-MEDISEPT

specific legislation **Viruton Pulver**

ate of	compilation: 06/03/2017 Revised: 05/08/2021 Version: 6 (Replaced 5)
SEC	CTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
1.1	Product identifier: Viruton Pulver
	Other means of identification:
	Non-applicable
1.2	Relevant identified uses of the substance or mixture and uses advised against:
	Relevant uses: Disinfectant cleaner. For professional users only.
	Uses advised against: All uses not specified in this section or in section 7.3
1.3	Details of the supplier of the safety data sheet:
	MEDISEPT Sp. z o.o. ul. Ludwika Spiessa 4 20-270 Lublin - lubelskie - Polska Phone: +48 81 535 22 76 p.brewczak@medisept.pl https://medisept.pl/
1.4	Emergency telephone number: +48 81 535 22 92 at time: 8.00 a.m. – 4.00. p.m. 112 (general emergency number)
SEC	CTION 2: HAZARDS IDENTIFICATION **
2.1	Classification of the substance or mixture:
	CLP Regulation (EC) No 1272/2008:
	Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.
2.2	Acute Tox. 4: Acute toxicity if swallowed, Category 4, H302 Eye Dam. 1: Serious eye damage, Category 1, H318 Label elements:
	CLP Regulation (EC) No 1272/2008:
	Danger
	Hazard statements:
	Acute Tox. 4: H302 - Harmful if swallowed. Eye Dam. 1: H318 - Causes serious eye damage.
	Precautionary statements:

P310: Immediately call a poison center/doctor.

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria Endocrine-disrupting properties: The product fails to meet the criteria.

** Changes with regards to the previous version

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Peroxides, inorganic

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any countryspecific legislation



Viruton Pulver

Date of compilation: 06/03/2017 Revised: 05/08/2021

Version: 6 (Replaced 5)

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued) Identification Chemical name/Classification Concentration CAS 15630-89-4 Disodium carbonate, compound with hydrogen peroxide (2:3) Self-classified EC: 239-707-6 25 - <50 % Index: Non-applicable REACH: 01-2119457268-30-Acute Tox. 4: H302; Eye Dam. 1: H318; Ox. Sol. 2: H272 - Danger Regulation 1272/2008 XXXX CAS: 124-04-9 adipic acid 1 ATP CLP00 EC: 204-673-3 10 - <25 % Index[.] 607-144-00-9 Eye Irrit. 2: H319 - Warning (Ì) REACH: 01-2119457561-38-Regulation 1272/2008 XXXX CAS: 68131-40-8 Alcohols, C11-15-secondary, ethoxylated Self-classified 614-295-4 EC: 2.5 - <10 % Non-applicable Index: A Eye Dam. 1: H318; Skin Irrit. 2: H315 - Dange Regulation 1272/2008 REACH: 01-2119560577-29-XXXX 3794-83-0 CAS: Self-classified tetrasodium (1-hydroxyethylidene)bisphosphonate EC: 223-267-7 2.5 - <10 % Index: Non-applicable REACH: 01-2119647955-23-<u>(</u>) Regulation 1272/2008 Acute Tox. 4: H302; Eye Irrit. 2: H319 - Warning XXXX 497-19-8 207-838-8 CAS sodium carbonate ATP CLP00 EC: 1 - <2.5 % Index: 011-005-00-2 REACH: 01-2119485498-19-Eye Irrit. 2: H319 - Warning <u>(</u>) Regulation 1272/2008 XXXX 7601-54-9 CAS Self-classified Trisodium orthophosphate EC: 231-509-8 1 - <2.5 % Index: Non-applicable REACH: 01-2119489800-32-Eye Irrit. 2: H319; Skin Irrit. 2: H315; STOT SE 3: H335 - Warning (!) Regulation 1272/2008 XXXX

¹ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

Identification	Specific concentration limit
Disodium carbonate, compound with hydrogen peroxide (2:3) CAS: 15630-89-4 EC: 239-707-6	% (w/w) >=25: Eye Dam. 1 - H318 7.5<= % (w/w) <25: Eye Irrit. 2 - H319
tetrasodium (1-hydroxyethylidene)bisphosphonate CAS: 3794-83-0 EC: 223-267-7	% (w/w) >=30: Eye Irrit. 2 - H319

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Request medical assistance immediately, showing the SDS of this product. Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. In the case of loss of consciousness do not administer anything orally unless supervised by a doctor. Rinse out the mouth and throat, as they may have been affected during ingestion. Keep the person affected at rest.

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-

specific legislation

Viruton Pulver

MEDISEPT

Date of compilation: 06/03/2017 Revised: 05/08/2021

Version: 6 (Replaced 5)

SECTION 4: FIRST AID MEASURES (continued)

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed: Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. Use preferably water.

Unsuitable extinguishing media:

Non-applicable

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Due to its non-inflammable nature, the product does not present a fire risk under normal conditions of storage, handling and use.

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any countryspecific legislation

Viruton Pulver

	compilation: 06/03/2017 Revised: 05/08/202		on: 6 (Replaced	5)			
SEC	TION 7: HANDLING AND STORAGE (con	tinued)					
	C Technical recommendations on general occu	upational hygier	e				
	Do not eat or drink during the process, washi	ing hands after	vards with suitab	le cleaning produ	ucts.		
	D Technical recommendations to prevent enviro	onmental risks					
It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)							
2 Conditions for safe storage, including any incompatibilities:							
A Technical measures for storage							
	Minimum Temp.: 5 °C						
	Maximum Temp.: 25 °C						
	I						
	Maximum time: 36 Months						
	B General conditions for storage						
	Avoid sources of heat, radiation, static electric	icity and contac	t with food. For a	additional informa	ition see subsec	ction 10.5	
3	Specific end use(s):						
	Except for the instructions already specified it is product.	not necessary t	o provide any sp	ecial recommend	lation regarding	the uses of this	
	TION 8: EXPOSURE CONTROLS/PERSC	NAL PROTE	CTION				
5.1	Control parameters: Substances whose occupational exposure limits legislation):	have to be mor	nitored in the wor	kplace (Europea	n OEL, not cour	ntry-specific	
	Nuisance dust: Inhalable dust 10 mg/m3 // Respi	irable dust 4 mg	g/m3				
	DNEL (Workers):						
			Short	exposure	Long exposure		
	Identification		Systemic	Local	Systemic	Local	
	Disodium carbonate, compound with hydrogen peroxide	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
	(2:3) CAS: 15630-89-4	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
	EC: 239-707-6	Inhalation	Non-applicable	Non-applicable	Non-applicable	5 mg/m ³	
	adipic acid	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
	CAS: 124-04-9	Dermal	Non-applicable	Non-applicable	21 mg/kg	Non-applicable	
	EC: 204-673-3	Inhalation	Non-applicable	Non-applicable	74,1 mg/m³	Non-applicable	
	Alcohols, C11-15-secondary, ethoxylated	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
	CAS: 68131-40-8	Dermal	Non-applicable	Non-applicable	6 mg/kg	Non-applicable	
	EC: 614-295-4	Inhalation	Non-applicable	Non-applicable	42,32 mg/m ³	Non-applicable	
	tetrasodium (1-hydroxyethylidene)bisphosphonate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
	CAS: 3794-83-0	Dermal	Non-applicable	Non-applicable	48 mg/kg	Non-applicable	
	EC: 223-267-7	Inhalation	Non-applicable	Non-applicable	16.9 mg/m ³	10 mg/m ³	

Non-applicable

Non-applicable

Non-applicable

Non-applicable

Non-applicable

Non-applicable

Systemic

Non-applicable

Non-applicable

Non-applicable

Non-applicable

Non-applicable

Non-applicable

Non-applicable

Non-applicable

Non-applicable

Local

Non-applicable

Non-applicable

Non-applicable

Short exposure

Non-applicable

Non-applicable

Non-applicable

Non-applicable

Non-applicable

Systemic

7,5 mg/kg

7,5 mg/kg

13 mg/m³

17,87 mg/m³

Non-applicable

Non-applicable

Non-applicable

Non-applicable

Non-applicable

Local

Non-applicable

Non-applicable

Non-applicable

10 mg/m³

Long exposure

Oral

Oral

Oral

Dermal

Inhalation

Dermal

Inhalation

Dermal

Inhalation

sodium carbonate

Trisodium orthophosphate

DNEL (General population):

Identification

CAS: 497-19-8

EC: 207-838-8

CAS: 7601-54-9

EC: 231-509-8

adipic acid

CAS: 124-04-9

EC: 204-673-3



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-

specific legislation

Viruton Pulver

Date of compilation: 06/03/2017

Revised: 05/08/2021

Version: 6 (Replaced 5)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short	exposure	Long	exposure
Identification		Systemic	Local	Systemic	Local
Alcohols, C11-15-secondary, ethoxylated	Oral	Non-applicable	Non-applicable	3 mg/kg	Non-applicable
CAS: 68131-40-8	Dermal	Non-applicable	Non-applicable	3 mg/kg	Non-applicable
EC: 614-295-4	Inhalation	Non-applicable	Non-applicable	21,16 mg/m ³	Non-applicable
tetrasodium (1-hydroxyethylidene)bisphosphonate	Oral	Non-applicable	Non-applicable	2,4 mg/kg	Non-applicable
CAS: 3794-83-0	Dermal	Non-applicable	Non-applicable	24 mg/kg	Non-applicable
EC: 223-267-7	Inhalation	Non-applicable	Non-applicable	4,2 mg/m ³	10 mg/m ³
sodium carbonate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 497-19-8	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 207-838-8	Inhalation	Non-applicable	10 mg/m ³	Non-applicable	Non-applicable
Trisodium orthophosphate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 7601-54-9	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 231-509-8	Inhalation	Non-applicable	Non-applicable	7,66 mg/m ³	Non-applicable

Identification Disodium carbonate, compound with hydrogen peroxide STP 16,24 mg/L Fresh water 0,035 mg/L (2:3)CAS: 15630-89-4 Soil Non-applicable Marine water 0,035 mg/L EC: 239-707-6 Intermittent 0,035 mg/L Sediment (Fresh water) Non-applicable Oral Non-applicable Sediment (Marine water) Non-applicable STP Fresh water adipic acid Non-applicable 0,126 mg/L Soil Marine water CAS: 124-04-9 0,021 mg/kg 0,013 mg/L Intermittent EC: 204-673-3 0,46 mg/L Sediment (Fresh water) 0,474 mg/kg Oral Non-applicable Sediment (Marine water) 0,047 mg/kg Alcohols, C11-15-secondary, ethoxylated STP 8,24 mg/L Fresh water 0,02 mg/L Soil Marine water 0,002 mg/L CAS: 68131-40-8 5,6 mg/kg Intermittent 0,0153 mg/L Sediment (Fresh water) EC: 614-295-4 28,1 mg/kg Oral 0,0222 g/kg Sediment (Marine water) 2,81 mg/kg tetrasodium (1-hydroxyethylidene)bisphosphonate STP 0,096 mg/L 58 mg/L Fresh water CAS: 3794-83-0 Soil 14 mg/kg Marine water 0,01 mg/L EC: 223-267-7 Intermittent Non-applicable Sediment (Fresh water) 193 mg/kg 19,3 mg/kg Oral 0,0053 g/kg Sediment (Marine water)

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2004+ A1:2010 and EN ISO 374-1:2016+A1:2018

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any countryspecific legislation



Viruton Pulver

	DN 8: EXPOSUR	E CONTROLS/PE	RSONAL PRO	TECTION	(continued)	
	Pictogram	PPE	Labelling	CEN	Standard		Remarks
	Mandatory face protection	Panoramic glasses again splash/projections.		EN	166:2002 0 4007:2018		n daily and disinfect periodically according nanufacturer's instructions. Use if there is risk of splashing.
E.	- Body protection						
	Pictogram	PPE	Labelling	CEN	Standard		Remarks
		Work clothing	CATI			perio recom	ice before any evidence of deterioration. ds of prolonged exposure to the product professional/industrial users CE III is mended, in accordance with the regulati ISO 6529:2013, EN ISO 6530:2005, EN 13688:2013, EN 464:1994.
		Anti-slip work shoes		EN ISO	20347:2012	perio recom	the before any evidence of deterioration. ds of prolonged exposure to the product professional/industrial users CE III is mended, in accordance with the regulati EN ISO 20345:2012 y EN 13832-1:2007
F.	- Additional emerge						
	Emergency mea	sure	Standards		Emergency meas	ure	Standards
	Emergency sho	ISO 3864-1	ANSI Z358-1 :2011, ISO 3864-4:20)11	Eyewash station		DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Е.					Lycwash station	15	
Environmental exposure contr In accordance with the communi spillage of both the product and Volatile organic compounds:							
ln sp	oillage of both the pr	e community legislatic oduct and its containe	on for the protectio er. For additional i	on of the en nformation	vironment it is see subsectior	recom n 7.1.D	mended to avoid environmental
ln sp Vo	billage of both the pr platile organic com	e community legislatic oduct and its containe	er. For additional i	nformation	see subsectior	recom n 7.1.D	mended to avoid environmental
ln sp Vo	billage of both the pr platile organic com	e community legislatic oduct and its containe npounds: ve 2010/75/EU, this p	er. For additional i	nformation	see subsectior	recom n 7.1.D	mended to avoid environmental
ln sp Vo	billage of both the pr platile organic com Yith regard to Directiv	e community legislatic oduct and its containe ipounds: ve 2010/75/EU, this pi 0 9	er. For additional i roduct has the fol	nformation	see subsectior	recom n 7.1.D	mended to avoid environmental
ln sp Vo	billage of both the pr blatile organic corr lith regard to Directiv V.O.C. (Supply):	e community legislatic oduct and its containe ipounds: ve 2010/75/EU, this pr 0 9 20 °C: 0 k	er. For additional i roduct has the fol % weight	nformation	see subsectior	recom n 7.1.D	mended to avoid environmental
ln sp Vo	billage of both the pr blatile organic com lith regard to Directiv V.O.C. (Supply): V.O.C. density at	e community legislatic oduct and its containe spounds: ve 2010/75/EU, this p 0 ° 20 °C: 0 k umber: Nc	er. For additional i roduct has the fol % weight ‹g/m³ (0 g/L)	nformation	see subsectior	recom n 7.1.D	mended to avoid environmental
In sp Vo	billage of both the probatile organic completing organic completing v.O.C. (Supply): V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula	e community legislatic oduct and its containe spounds: ve 2010/75/EU, this pi 0 9 20 °C: 0 F umber: No ir weight: No	er. For additional i roduct has the fol % weight kg/m³ (0 g/L) on-applicable on-applicable	nformation	see subsectior	recom n 7.1.D	mended to avoid environmental
In sp Va W	billage of both the probatile organic com offith regard to Directive V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula	e community legislatic oduct and its containe spounds: ve 2010/75/EU, this p 0 ° 20 °C: 0 k umber: Nc	er. For additional i roduct has the fol % weight kg/m³ (0 g/L) on-applicable on-applicable PROPERTIES	nformation	see subsectior	recom	mended to avoid environmental
In sp Vc W	billage of both the probatile organic com olatile organic com lith regard to Directiv V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula DN 9: PHYSICAL formation on basic	e community legislatic oduct and its containe spounds: ve 2010/75/EU, this pi 0 9 20 °C: 0 F umber: No ir weight: No AND CHEMICAL	er. For additional i roduct has the foll % weight (g/m³ (0 g/L) on-applicable on-applicable PROPERTIES ical properties:	nformation	see subsectior	recom	mended to avoid environmental
In sp Vc W :CTIC	billage of both the probatile organic com olatile organic com lith regard to Directiv V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula DN 9: PHYSICAL formation on basic	e community legislatic oduct and its containe ipounds: ve 2010/75/EU, this pro- 20 °C: 0 F umber: No ir weight: No AND CHEMICAL	er. For additional i roduct has the foll % weight (g/m³ (0 g/L) on-applicable on-applicable PROPERTIES ical properties:	nformation	see subsectior	recom n 7.1.D	mended to avoid environmental
In sp Vc W :CTIC In Fc Aj	billage of both the probatile organic com offith regard to Directive V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula ON 9: PHYSICAL formation on basic pr complete information	e community legislatic oduct and its containe spounds: we 2010/75/EU, this pro- 20 °C: 0 F umber: No ar weight: No AND CHEMICAL c physical and chem tion see the product d	er. For additional i roduct has the foll % weight (g/m³ (0 g/L) on-applicable on-applicable PROPERTIES ical properties:	nformation lowing char	see subsectior	recom n 7.1.D	mended to avoid environmental
In sp Vc W SCTIC	billage of both the probatile organic com offith regard to Directive V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula DN 9: PHYSICAL formation on basic procomplete information ppearance:	e community legislatic oduct and its containe spounds: we 2010/75/EU, this pro- 20 °C: 0 F umber: No ar weight: No AND CHEMICAL c physical and chem tion see the product d	er. For additional i roduct has the foll % weight (g/m³ (0 g/L) on-applicable on-applicable PROPERTIES ical properties: atasheet. Soli	nformation lowing char	see subsectior	recom n 7.1.D	mended to avoid environmental
In sp Vc W :CTIC In Fc Ap Pr Ap	billage of both the probatile organic complete information on basic or complete information on complete at 20 %	e community legislatic oduct and its containe spounds: we 2010/75/EU, this pro- 20 °C: 0 F umber: No ar weight: No AND CHEMICAL c physical and chem tion see the product d	er. For additional i roduct has the foll % weight (g/m³ (0 g/L) on-applicable on-applicable PROPERTIES ical properties: atasheet. Soli Pow	nformation lowing char	see subsectior	recom	mended to avoid environmental
In sp Vc W W ECTIC	billage of both the probatile organic complete information on basic organic complete information prearance: hysical state at 20 % oppearance:	e community legislatic oduct and its containe spounds: we 2010/75/EU, this pro- 20 °C: 0 F umber: No ar weight: No AND CHEMICAL c physical and chem tion see the product d	er. For additional i roduct has the foll % weight (g/m³ (0 g/L) on-applicable on-applicable PROPERTIES ical properties: atasheet. Soli Pow	nformation lowing char d d rdery	see subsectior	recom	mended to avoid environmental
In sp Vc W ECTIC In Fc Ap Pr Ap Cc	billage of both the probatile organic complete information on basic organic complete information prevarance: blour:	e community legislatic oduct and its containe ipounds: we 2010/75/EU, this pro- 20 °C: 0 F umber: No ir weight: No AND CHEMICAL c physical and chem tion see the product d	er. For additional i roduct has the foll % weight (g/m³ (0 g/L) on-applicable on-applicable PROPERTIES ical properties: atasheet. Soli Pow Dow	nformation lowing char d rdery White	see subsection	recom	mended to avoid environmental

Product description:

*Not relevant due to the nature of the product, not providing information property of its hazards.

Non-applicable *

Non-applicable *

Non-applicable *

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any countryspecific legislation



Viruton Pulver

Date of	compilation: 06/03/2017 Revised: 05/08/2021	Version: 6 (Replaced 5)
SEC	TION 9: PHYSICAL AND CHEMICAL PROPER	TIES (continued)
	Density at 20 °C:	600 - 700 kg/m³
	Relative density at 20 °C:	2
	Dynamic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 40 °C:	Non-applicable *
	Concentration:	Non-applicable *
	pH:	7,25 - 8,75 (at 1 %)
	Vapour density at 20 °C:	Non-applicable *
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *
	Solubility in water at 20 °C:	Non-applicable *
	Solubility properties:	Non-applicable *
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Flammability:	
	Flash Point:	Non-applicable
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	360 °C
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Explosive (Solid):	
	Lower explosive limit:	Non-applicable *
	Upper explosive limit:	Non-applicable *
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable *
9.2	Other information:	
	Information with regard to physical hazard classes	
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	Non-applicable *
	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable components: Other safety characteristics:	Non-applicable *
	Surface tension at 20 °C:	Non-applicable *
	Refraction index:	Non-applicable *
	*Not relevant due to the nature of the product, not providing information	ation property of its hazards.

10: STABILITY AN	

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-MEDISEPT

specific legislation

Viruton Pulver

Date of compilation: 06/03/2017 Revised: 05/08/2021 Version: 6 (Replaced 5) SECTION 10: STABILITY AND REACTIVITY (continued) Applicable for handling and storage at room temperature: Humidity Shock and friction Contact with air Increase in temperature Sunlight Not applicable Not applicable Not applicable Not applicable Not applicable 10.5 Incompatible materials: Acids Water Oxidising materials Combustible materials Others Avoid strong acids Not applicable Not applicable Precaution Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO), carbon monoxide and other organic compounds

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

Acute toxicity : The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomitina

Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
 - Contact with the eyes: Produces serious eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - IARC: Non-applicable
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any countryspecific legislation

MEDISEPT

Viruton Pulver

of compilation: 06/03/2017 F	Revised: 05/08/2021 Ve	ersion: 6 (Replaced 5)					
ECTION 11: TOXICOLOGICA	L INFORMATION (contin	nued)					
H- Aspiration hazard:							
Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. Other information:							
New explicable							
Non-applicable							
Non-applicable Specific toxicology informat	tion on the substances:						
	tion on the substances:	A	Acute toxicity	Genus			
	Identification	LD50 oral	Acute toxicity 1034 mg/kg	Genus			
Specific toxicology informat	Identification		,	-			
Specific toxicology informat	Identification	LD50 oral	1034 mg/kg	-			
Disodium carbonate, compound with CAS: 15630-89-4	Identification	LD50 oral LD50 dermal	1034 mg/kg Non-applicable	-			
Disodium carbonate, compound with CAS: 15630-89-4 EC: 239-707-6	Identification	LD50 oral LD50 dermal LC50 inhalation	1034 mg/kg Non-applicable Non-applicable	Rat			

tetrasodium (1-hydroxyethylidene)bisphosphonateLD50 oralCAS: 3794-83-0LD50 dermalEC: 223-267-7LC50 inhalation

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

Non-applicable

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

Contains phosphates. Excessive discharge may cause eutrophication.

12.1 Toxicity:

Acute toxicity:

Identification	Concentration		Species	Genus
sodium carbonate	LC50	740 mg/L (96 h)	Gambussia afinis	Fish
CAS: 497-19-8	EC50	265 mg/L (48 h)	Daphnia magna	Crustacean
EC: 207-838-8	EC50	Non-applicable		

12.2 Persistence and degradability:

Not available

12.3 Bioaccumulative potential:

Not available

12.4 Mobility in soil:

Identification	Absorption/desorption		Volat	ility
adipic acid	Koc	Non-applicable	Henry	Non-applicable
CAS: 124-04-9	Conclusion	Non-applicable	Dry soil	Non-applicable
EC: 204-673-3	Surface tension	1,543E-2 N/m (245,1 ℃)	Moist soil	Non-applicable

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

12.7 Other adverse effects:

Not described

Rat

1219 mg/kg

Non-applicable Non-applicable

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-MEDISEPT

specific legislation

Viruton Pulver

Date of compilation: 06/03/2017

Revised: 05/08/2021

Version: 6 (Replaced 5)

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
20 01 29*	detergents containing hazardous substances	Dangerous

Type of waste (Regulation (EU) No 1357/2014):

HP6 Acute Toxicity, HP4 Irritant - skin irritation and eye damage

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION **

Transport of dangerous goods by land:

With rega	rd to ADR 2021 and RID 2021:	
14.1	UN number or ID number:	Non-applicable
14.2	UN proper shipping name:	Non-applicable
14.3	Transport hazard class(es):	Non-applicable
	Labels:	Non-applicable
14.4	Packing group:	Non-applicable
14.5	Environmental hazards:	No
14.6	Special precautions for user	
	Special regulations:	Non-applicable
	Tunnel restriction code:	Non-applicable
	Physico-Chemical properties:	see section 9
	Limited quantities:	Non-applicable
14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable

Transport of dangerous goods by sea:

With regard to IMDG 40-20:

	14.1	UN number or ID number:	UN1479
	14.2	UN proper shipping name:	OXIDIZING SOLID, N.O.S. (Disodium carbonate, compound with hydrogen peroxide (2:3))
Ö	14.3	Transport hazard class(es):	5.1
$\langle \rightarrow \rangle$		Labels:	5.1
	14.4	Packing group:	II
5.1	14.5	Marine pollutant:	No
•	14.6	Special precautions for user	
		Special regulations:	274, 900
		EmS Codes:	F-A, S-Q
		Physico-Chemical properties:	see section 9
		Limited quantities:	1 kg
		Segregation group:	Non-applicable
	14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable
Transport of da	angerou	is goods by air:	
With regard to I		0 2023	

** Changes with regards to the previous version

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-MEDISEPT

specific legislation

Viruton Pulver

Date of compilation: 06/03/2017		Revised: 05/08/2021	Version: 6 (Replaced 5)		
SECTION 14: TRANS	SECTION 14: TRANSPORT INFORMATION ** (continued)				
<u> </u>	14.1 14.2	UN number or ID number: UN proper shipping name:	UN1479 OXIDIZING SOLID, N.O.S. (Disodium carbonate, compound with hydrogen peroxide (2:3))		
5.1	14.3	Transport hazard class(es): Labels:	5.1 5.1		
▼	14.4	Packing group:	I		
	14.5	Environmental hazards:	No		
	14.6	Special precautions for user			
		Physico-Chemical properties:	see section 9		
	14.7	Maritime transport in bulk according to IMO instruments	Non-applicable :		
** Changes with regards to the previous version					

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture: 15.1

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Regulation (EC) No 648/2004 on detergents:

In accordance with this regulation the product complies with the following:

The tensoactives contained in this mixture comply with the biodegradibility criteria stipulated in Regulation (EC) nº648/2004 on detergents. The information to prove this is available to the relevant authorities of the Member States and will be shown to them by direct request or the request of a detergent manufacturer.

Labelling for contents:

Component	Concentration interval
Oxygen-based bleaching agents	% (w/w) >= 30
Non-ionic surfactants	% (w/w) < 5
Phosphonates	% (w/w) < 5
Phosphates	% (w/w) < 5
Enzymes	

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc)

Non-applicable

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION **

Legislation related to safety data sheets:

** Changes with regards to the previous version



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-

specific legislation

Viruton Pulver

	Date of compilation: 06/03/2017	Revised: 05/08/2021	Version: 6 (Replaced 5)		
has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/200 (COMMISSION REGULATION (EU) 2020/878). Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.: Substances that contribute to the classification (SECTION 2): • Removed substances Disodium carbonate, compound with hydrogen peroxide (2:3) (15630-89-4) tetrasodium (1-hydroxyethylidene)bisphosphonate (3794-83-0) Alcohols, C11-15-secondary, ethoxylatel (88131-40-8) CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16): • Pictograms • Hazard statements TRANSPORT INFORMATION (SECTION 14): • UN number • Packing group Texts of the legislative phrases mentioned in section 2: H302: Harmful if swallowed. H318: Causes serious eye damage. Texts of the legislative phrases mentioned in section 3: The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3 CLP Regulation (EC) No 1272/2008: Acute Tox. 4; H302 - Harmful if swallowed. Eye Dam. 1; H318 - Causes serious eye damage. Eye Int 2; H319 - Causes serious eye rimtation. Ox. Sol. 2; H272 - May intensify fire, oxidiser. Skin Intit. 2; H315 - Causes serious eye rimtation. Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://eur-lex.europa.eu http://eur-lex.europa.eu	SECTION 16: OTHER INFO	RMATION ** (continued	d)		
Substances that contribute to the classification (SECTION 2): • Removed substances Disodium carbonate, compound with hydrogen peroxide (2:3) (15630-89-4) tetrasodium (1-hydroxyethylidene)bisphosphonate (3794-83-0) Alcohols, C11-15-secondary, ethoxylated (68131-40-8) CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16): • Pictograms • Hazard statements TRANSPORT INFORMATION (SECTION 14): • UN number • Packing group Texts of the legislative phrases mentioned in section 2: H302: Harmful if swallowed. H318: Causes serious eye damage. Texts of the legislative phrases mentioned in section 3: The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3 CLP Regulation (EC) No 1272/2008: Acute Tox. 4: H302 - Harmful if swallowed. Eye Dam. 1: H318 - Causes serious eye damage. Eye Irit. 2: H319 - Causes serious eye irritation. Ox. Sol. 2: H272 - May intensify fire, oxidiser. Skin Irit. 2: H319 - Causes serious eye irritation. STOT SE 3: H335 - May cause respiratory irritation. Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://ech-ex.europa.eu	The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).				
 Removed substances Disodium carbonate, compound with hydrogen peroxide (2:3) (15630-89-4) tetrasodium (1-hydroxyethylidene)bisphosphonate (3794-83-0) Alcohois, C11-15-secondary, ethoxylated (68131-40-8) CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16): Pictograms Hazard statements TRANSPORT INFORMATION (SECTION 14): UN number Packing group Texts of the legislative phrases mentioned in section 2: H302: Harmful if swallowed. H318: Causes serious eye damage. Texts of the legislative phrases mentioned in section 3: The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3 CLP Regulation (EC) No 1272/2008: Acute Tox. 4: H302 - Harmful if swallowed. Eye Dam. 1: H318 - Causes serious eye irritation. Ox. Sol. 2: H272 - May intensify fire, oxidiser. Skin Intrl. 2: H319 - Causes serious eye irritation. STOT SE 3: H335 - May cause respiratory irritation. Advice related to raining: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://eur.lex.europa.eu http://eur.le	Modifications related to t				
Disodium carbonate, compound with hydrogen peroxide (2:3) (15630-89-4) tetrasodium (1-hydroxyethylidene)bisphosphonate (3794-83-0) Alcohols, C11-15-secondary, ethoxylated (68131-40-8) CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16): · Pictograms · Hazard statements TRANSPORT INFORMATION (SECTION 14): · UN number · Packing group Texts of the legislative phrases mentioned in section 2: H302: Harmful if swallowed. H318: Causes serious eye damage. Texts of the legislative phrases mentioned in section 3: The phrases indicated do not refer to the product itself, they are present merely for informative purposes and refer to the individual components which appear in section 3 CLP Regulation (EC) No 1272/2008: Acute Tox, 4: H302 - Harmful if swallowed. Eye Dam. 1: H318 - Causes serious eye damage. Eye Imt. 2: H319 - Causes serious eye damage. Eye Imt. 2: H319 - Causes serious eye damage. Eye Imt. 2: H319 - Causes serious eye irritation. Ox. Sol. 2: H272 - May intensify fire, oxidiser. Skin Irrit. 2: H315 - Causes skin irritation. STOT SE 3: H335 - May cause respiratory irritation. Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://exd-auropa.eu		Substances that contribute to the classification (SECTION 2):			
 tetrasodium (1-hydroxyethylidene)bisphosphonate (3794-83-0) Alcohols, C11-15-secondary, ethoxylated (68131-40-8) CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16): Pictograms Hazard statements TRANSPORT INFORMATION (SECTION 14): UN number Packing group Texts of the legislative phrases mentioned in section 2: H302: Harmful if swallowed. H318: Causes serious eye damage. Texts of the legislative phrases mentioned in section 3: The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3 CLP Regulation (EC) No 1272/2008: Acute Tox. 4: H302 - Harmful if swallowed. Eye Dam. 1: H318 - Causes serious eye damage. Eye Irit. 2: H319 - Causes serious eye initiation. OX. Sol. 2: H272 - May intensify fire, oxidiser. Skin Irit. 2: H319 - Causes serious eye initiation. STOT SE 3: H335 - May cause respiratory irritation. Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.					
Alcohols, C11-15-secondary, ethoxylated (68131-40-8) CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16): · Pictograms · Hazard statements TRANSPORT INFORMATION (SECTION 14): · UN number · Packing group Texts of the legislative phrases mentioned in section 2: H302: Harmful if swallowed. H318: Causes serious eye damage. Texts of the legislative phrases mentioned in section 3: The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3 CLP Regulation (EC) No 1272/2008: Acute Tox. 4: H302 - Harmful if swallowed. Eye Dam. 1: H318 - Causes serious eye damage. Eye Irrit. 2: H319 - Causes serious eye irritation. Ox. Sol. 2: H272 - May intensify fire, oxidiser. Skin Irrit. 2: H315 - Causes skin irritation. STOT SE 3: H335 - May cause respiratory irritation. Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://ecn.europa.eu					
 Pictograms Hazard statements TRANSPORT INFORMATION (SECTION 14): UN number Packing group Texts of the legislative phrases mentioned in section 2: H302: Harmful if swallowed. H318: Causes serious eye damage. Texts of the legislative phrases mentioned in section 3: The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3 CLP Regulation (EC) No 1272/2008: Acute Tox. 4: H302 - Harmful if swallowed. Eye Dam. 1: H318 - Causes serious eye damage. Eye Irrit. 2: H319 - Causes serious eye damage. Eye Irrit. 2: H319 - Causes serious eye damage. Eye Irrit. 2: H315 - Causes serious eye irritation. Ox. Sol. 2: H272 - May intensify fire, oxidiser. Skin Irrit. 2: H315 - Causes seriory irritation. Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu	Alcohols, C11-15-sec	ondary, ethoxylated (68131	-40-8)		
 Hazard statements TRANSPORT INFORMATION (SECTION 14): UN number Packing group Texts of the legislative phrases mentioned in section 2: H302: Harmful if swallowed. H318: Causes serious eye damage. Texts of the legislative phrases mentioned in section 3: The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3 CLP Regulation (EC) No 1272/2008:		272/2008 (SECTION 2, SEC	CTION 16):		
 TRANSPORT INFORMATION (SECTION 14): UN number Packing group Texts of the legislative phrases mentioned in section 2: H302: Harmful if swallowed. H318: Causes serious eye damage. Texts of the legislative phrases mentioned in section 3: The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3 CLP Regulation (EC) No 1272/2008: Acute Tox. 4: H302 - Harmful if swallowed.	0				
 UN number Packing group Texts of the legislative phrases mentioned in section 2: H302: Harmful if swallowed. H318: Causes serious eye damage. Texts of the legislative phrases mentioned in section 3: The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3 CLP Regulation (EC) No 1272/2008: Acute Tox. 4: H302 - Harmful if swallowed. Eye Dam. 1: H318 - Causes serious eye damage. Eye Irrit. 2: H319 - Causes serious eye damage. Eye Irrit. 2: H319 - Causes serious eye irritation. OX. Sol. 2: H272 - May intensify fire, oxidiser. Skin Irrit. 2: H315 - Causes skin irritation. Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu 		ON (SECTION 14):			
 Texts of the legislative phrases mentioned in section 2: H302: Harmful if swallowed. H318: Causes serious eye damage. Texts of the legislative phrases mentioned in section 3: The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3 CLP Regulation (EC) No 1272/2008: Acute Tox. 4: H302 - Harmful if swallowed. Eye Dam. 1: H318 - Causes serious eye damage. Eye Irrit. 2: H319 - Causes serious eye damage. Eye Irrit. 2: H319 - Causes serious eye irritation. Ox. Sol. 2: H272 - May intensify fire, oxidiser. Skin Irrit. 2: H315 - Causes skin irritation. STOT SE 3: H335 - May cause respiratory irritation. Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu 					
 H302: Harmful if swallowed. H318: Causes serious eye damage. Texts of the legislative phrases mentioned in section 3: The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3 CLP Regulation (EC) No 1272/2008: Acute Tox. 4: H302 - Harmful if swallowed. Eye Dam. 1: H318 - Causes serious eye damage. Eye Irit. 2: H319 - Causes serious eye irritation. Ox. Sol. 2: H272 - May intensify fire, oxidiser. Skin Irrit. 2: H315 - Causes skin irritation. STOT SE 3: H335 - May cause respiratory irritation. Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu 	· Packing group				
 H318: Causes serious eye damage. Texts of the legislative phrases mentioned in section 3: The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3 CLP Regulation (EC) No 1272/2008: Acute Tox. 4: H302 - Harmful if swallowed. Eye Dam. 1: H318 - Causes serious eye damage. Eye Irrit. 2: H319 - Causes serious eye irritation. Ox. Sol. 2: H272 - May intensify fire, oxidiser. Skin Irrit. 2: H315 - Causes skin irritation. STOT SE 3: H335 - May cause respiratory irritation. Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu http://echa.europa.eu 	•		ion 2:		
Texts of the legislative phrases mentioned in section 3: The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3 CLP Regulation (EC) No 1272/2008: Acute Tox. 4: H302 - Harmful if swallowed. Eye Dam. 1: H318 - Causes serious eye damage. Eye Irrit. 2: H319 - Causes serious eye irritation. Ox. Sol. 2: H272 - May intensify fire, oxidiser. Skin Irrit. 2: H315 - Causes skin irritation. STOT SE 3: H335 - May cause respiratory irritation. Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu http://echa.europa.eu					
 The phrases indicated to not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3 CLP Regulation (EC) No 1272/2008: Acute Tox. 4: H302 - Harmful if swallowed. Eye Dam. 1: H318 - Causes serious eye damage. Eye Irrit. 2: H319 - Causes serious eye irritation. Ox. Sol. 2: H272 - May intensify fire, oxidiser. Skin Irrit. 2: H315 - Causes skin irritation. STOT SE 3: H335 - May cause respiratory irritation. Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://ecna.europa.eu http://ecur.lex.europa.eu 	-	-	ion 2.		
 individual components which appear in section 3 CLP Regulation (EC) No 1272/2008: Acute Tox. 4: H302 - Harmful if swallowed. Eye Dam. 1: H318 - Causes serious eye damage. Eye Irrit. 2: H319 - Causes serious eye irritation. Ox. Sol. 2: H272 - May intensify fire, oxidiser. Skin Irrit. 2: H315 - Causes skin irritation. STOT SE 3: H335 - May cause respiratory irritation. Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu http://eur.lex.europa.eu 	•				
CLP Regulation (EC) No 1272/2008: Acute Tox. 4: H302 - Harmful if swallowed. Eye Dam. 1: H318 - Causes serious eye damage. Eye Irrit. 2: H319 - Causes serious eye irritation. Ox. Sol. 2: H272 - May intensify fire, oxidiser. Skin Irrit. 2: H315 - Causes skin irritation. STOT SE 3: H335 - May cause respiratory irritation. Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu http://eur.lex.europa.eu			, they are present merely for informative purposes and refer to the		
 Eye Dam. 1: H318 - Causes serious eye damage. Eye Irrit. 2: H319 - Causes serious eye irritation. Ox. Sol. 2: H272 - May intensify fire, oxidiser. Skin Irrit. 2: H315 - Causes skin irritation. STOT SE 3: H335 - May cause respiratory irritation. Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu http://eur.lex.europa.eu 	-				
 Eye Irrit. 2: H319 - Causes serious eye irritation. Ox. Sol. 2: H272 - May intensify fire, oxidiser. Skin Irrit. 2: H315 - Causes skin irritation. STOT SE 3: H335 - May cause respiratory irritation. Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu http://eur.lex.europa.eu 					
Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu http://eur-lex.europa.eu	Eye Irrit. 2: H319 - Causes serious eye irritation. Ox. Sol. 2: H272 - May intensify fire, oxidiser. Skin Irrit. 2: H315 - Causes skin irritation.				
Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu http://eur-lex.europa.eu	STOT SE 3: H335 - May c	ause respiratory irritation.			
interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu http://eur-lex.europa.eu					
http://echa.europa.eu http://eur-lex.europa.eu					
http://eur-lex.europa.eu		sources:			
Abbreviations and actonyms.		ume:			
ADR: European agreement concerning the international carriage of dangerous goods by road		•	al carriage of dangerous goods by road		
IMDG: International maritime dangerous goods code					
IATA: International Air Transport Association					
ICAO: International Civil Aviation Organisation					
COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand					
BCD3. Sday biochemical oxygen demand BCF: Bioconcentration factor					
LD50: Lethal Dose 50					
LC50: Lethal Concentration 50					
EC50: Effective concentration 50					
LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon					
UFI: unique formula identifier					
IARC: International Agency for Research on Cancer					

** Changes with regards to the previous version

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.